

## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
 221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

**Product** ALUMINUM METAL POWDER  
**Synonyms** Aluminum ; Aluminum Metal ; Aluminum Powder

## Section 2 Hazards identification

**Signal word:** DANGER  
**Pictograms:** GHS02  
**Target organs:** Eyes, Skin, Respiratory system



**GHS Classification:**  
 Flammable solid (Category 1)  
 Water reactive (Category 2)

**GHS Label information: Hazard statement:**  
 H228: Flammable solid.  
 H261: In contact with water releases flammable gas.

**Precautionary statement:**

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
 P223: Keep container tightly closed.  
 P231+P232: Handle under inert gas. Protect from moisture.  
 P240: Ground/bond container and receiving equipment.  
 P241: Use explosion-proof electrical/ventilating/lighting equipment.  
 P280: Wear protective gloves/protective clothing/eye protection/face protection.  
 P335+P334: Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.  
 P370+P378: In case of fire: Use DRY SAND ONLY to extinguish.  
 P402+P404: Store in a dry place. Store in a closed container.  
 P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Combustible dust  
 Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Aluminum	7429-90-5	>99.5%	231-072-3

## Section 4 First aid measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** DRY SAND ONLY!

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Molten metals produce fume, vapor and/or dust that may be toxic and/or a respiratory irritant. Metal reacts with oxidizing agents. Powders form explosive mixtures with air which may be ignited by a spark.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Remove all sources of ignition. Use non-sparking tools. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources. Avoid exposure to water and moisture.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Aluminum metal and insoluble compounds	TWA: 1(R) mg/m <sup>3</sup> (A4)	TWA: 15 mg/m <sup>3</sup> Total dust	TWA: 10 mg/m <sup>3</sup> Total dust

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

<b>Appearance:</b> Solid. Silvery-gray metallic powder	<b>Evaporation rate ( = 1):</b> Not applicable	<b>Partition coefficient:</b> Data not available
<b>Odor:</b> No odor.	<b>Flammability (solid/gas):</b> Flammable solid	<b>Auto-ignition temperature:</b> Data not available
<b>Odor threshold:</b> Data not available.	<b>Explosion limits: Lower:</b> 40 mg/L <b>Upper:</b> Not available	<b>Decomposition temperature:</b> Data not available.
<b>pH:</b> Data not available.	<b>Vapor pressure (mm Hg):</b> Data not available	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> 657°C (1215°F)	<b>Vapor density (Air = 1):</b> Data not available	<b>Molecular formula:</b> Al
<b>Boiling point:</b> Not applicable	<b>Relative density (Specific gravity):</b> 2.7	<b>Molecular weight:</b> 26.98
<b>Flash point:</b> Data not available	<b>Solubility(ies):</b> Insoluble in water.	

## Section 10 Stability and reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.  
**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition.  
**Incompatible materials:** Strong oxidizers, mineral acids, strong alkalies, halogenated hydrocarbons, and water.  
**Hazardous decomposition products:** Reacts with water, acids or alkalies to generate hydrogen gas.

## Section 11 Toxicological information

**Acute toxicity:** Data not available  
**Skin corrosion/irritation:** Data not available  
**Serious eye damage/irritation:** Data not available  
**Respiratory or skin sensitization:** Data not available  
**Germ cell mutagenicity:** Data not available  
**Carcinogenicity:** Data not available  
 NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
 IARC classified: Group 1: Carcinogenic to humans (production).  
 OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.  
 Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.  
**Reproductive toxicity:** Data not available  
**STOT-single exposure:** Data not available  
**STOT-repeated exposure:** Data not available  
**Aspiration hazard:** Data not available  
**Potential health effects:**  
 Inhalation: It has been reported that chronic exposure has been suspected of causing lung injury.  
 Ingestion: May be harmful if ingested.  
 Skin: Contact with skin may cause irritation.  
 Eyes: Contact with eyes may cause irritation and corneal abrasions.  
**Signs and symptoms of exposure:** To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.  
**Additional information:** RTECS #: BD0330000

## Section 12 Ecological information

**Toxicity to fish:** No data available  
**Toxicity to daphnia and other aquatic invertebrates:** No data available  
**Toxicity to algae:** No data available  
**Persistence and degradability:** No data available **Bioaccumulative potential:** No data available  
**Mobility in soil:** No data available **PBT and vPvB assessment:** No data available  
**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** UN1396 **Shipping name:** Aluminum powder, uncoated  
**Hazard class:** 4.3 **Packing group:** II **Reportable Quantity:** No **Marine pollutant:** No  
**Exceptions:** Limited quantity equal to or less than 0.5 Kg (1.1 lb) **2020 ERG Guide #** 138

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Aluminum	Listed	Not listed	D001 (dust only)	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
 221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

<b>Product</b>	AMMONIUM CHLORIDE
<b>Synonyms</b>	Ammonium Muriate ; Sal Ammoniac

## Section 2 Hazards identification

**Signal word:** WARNING  
**Pictograms:** GHS07  
**Target organs:** None known



**GHS Classification:**  
 Acute toxicity, oral (Category 4)  
 Eye irritation (Category 2A)

**GHS Label information: Hazard statement:**  
 H302: Harmful if swallowed.  
 H319: Causes serious eye irritation.

**Precautionary statement:**

P264: Wash hands thoroughly after handling.  
 P270: Do not eat, drink or smoke when using this product.  
 P280: Wear protective gloves/protective clothing/eye protection/face protection.  
 P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.  
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P313: If eye irritation persists: Get medical attention.  
 P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known  
 Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Ammonium chloride	12125-02-9	100%	235-186-4

## Section 4 First aid measures

**INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Reacts violently with ammonium nitrate and potassium chlorate. This generates fire and explosion hazard. Vaporizes at temperatures of about 335°C (653°F) evolving fumes of nitrogen oxides, chloride ions and ammonia gas.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Ammonium chloride fume	TWA: 10 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>	None established	TWA: 10 mg/m <sup>3</sup> STEL: 20 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

<b>Appearance:</b> Solid, white, crystalline powder <b>Odor:</b> No odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> Data not available. <b>Melting / Freezing point:</b> 520°C (968°F) <b>Boiling point:</b> Sublimes @ 340°C (644°F) <b>Flash point:</b> Data not available	<b>Evaporation rate ( = 1):</b> Data not available <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits:</b> as NH <sub>3</sub> Lower: 15% Upper: 28% <b>Vapor pressure (mm Hg):</b> Data not available <b>Vapor density (Air = 1):</b> Data not available <b>Relative density (Specific gravity):</b> 1.527 <b>Solubility(ies):</b> Soluble in water.	<b>Partition coefficient:</b> Data not available <b>Auto-ignition temperature:</b> Data not available <b>Decomposition temperature:</b> Data not available. <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> NH <sub>4</sub> Cl <b>Molecular weight:</b> 53.49
--	--	--

## Section 10 Stability and reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Somewhat hygroscopic. Has an acid reaction in aqueous solution, solid tends to lose ammonia and become more acid on exposure and in storage.

**Incompatible materials:** Oxidizing agents, acids, bases, lead and silver salts.

**Hazardous decomposition products:** Ammonia and hydrogen chloride.

## Section 11 Toxicological information

**Acute toxicity:** Oral-rat LD50: 1,650 mg/kg

**Skin corrosion/irritation:** Skin-rabbit - Slight irritant.

**Serious eye damage/irritation:** Eyes-rabbit - irritant.

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation of dust or fume from heating may cause upper respiratory tract irritation, coughing, and choking sensation.

Ingestion: Ingestion of large doses cause nausea, vomiting, acidosis, irritation of the mouth, esophagus and gastric system. Ingestion may result in low grade toxicity.

Skin: Contact with skin causes irritation and/or dermatitis.

Eyes: Contact with eyes causes irritation and/or visual impairment.

**Signs and symptoms of exposure:** See Potential health effects above. Exercise appropriate procedures to minimize potential hazards.

**Additional information:** RTECS #: BP4550000

## Section 12 Ecological information

**Toxicity to fish:** Salmo clarki (fish, fresh water, marine), LC50 = 123.8 - 166.6 mg/L/96 hours

**Toxicity to daphnia and other aquatic invertebrates:** Artemia salina (Crustacea), EC50 = 28 mg/L/24 hours

**Toxicity to algae:** Dunaliella tertiolecta (Algae) EC40 = 21.3 mg/L/90 minutes

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2020 ERG Guide #** Not applicable

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Ammonium chloride	Listed	5000 lbs (2270 kg)	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
221 Rochester Street  
Avon, NY 14414-9409  
(585) 226-6177

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	<b>BENZOIC ACID</b>
<b>Synonyms</b>	Benzenecarboxylic Acid

## Section 2 Hazards identification

**Signal word:** WARNING  
**Pictograms:** GHS07  
**Target organs:** None known



**GHS Classification:**  
Acute toxicity, oral (Category 4)  
Skin irritation (Category 2)  
Eye irritation (Category 2B)

**GHS Label information: Hazard statement:**  
H302: Harmful if swallowed.  
H315: Causes skin irritation.  
H319: Causes serious eye irritation.

**Precautionary statement:**

P264: Wash hands thoroughly after handling.  
P270: Do not eat, drink or smoke when using this product.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.  
P302+P352: IF ON SKIN: Wash with plenty of water and soap.  
P332+P313: If skin irritation occurs: Get medical attention.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313: If eye irritation persists: Get medical attention.  
P362+P364: Take off contaminated clothing and wash it before reuse.  
P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known  
Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Benzoic acid	65-85-0	100%	200-618-2

## Section 4 First aid measures

**INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts or vapors. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Benzoic acid	Not established	Not established	Not established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

<b>Appearance:</b> Solid, white crystals. <b>Odor:</b> Odor of benzaldehyde or benzoic. <b>Odor threshold:</b> Data not available. <b>pH:</b> Data not available. <b>Melting / Freezing point:</b> 121°C (249°F) <b>Boiling point:</b> 249°C (480°F) <b>Flash point:</b> 121-131°C (249-267°F) CC	<b>Evaporation rate ( = 1):</b> Data not available <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> Data not available <b>Vapor pressure (mm Hg):</b> 1 mm @ 96° (sublimes) <b>Vapor density (Air = 1):</b> 4.21 <b>Relative density (Specific gravity):</b> 1.321 <b>Solubility(ies):</b> Slightly soluble in water (0.34 g/100ml)	<b>Partition coefficient:</b> Data not available <b>Auto-ignition temperature:</b> 573°C (1065°F) <b>Decomposition temperature:</b> Data not available. <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> C <sub>6</sub> H <sub>5</sub> COOH <b>Molecular weight:</b> 122.12
---	---	---

## Section 10 Stability and reactivity

**Chemical stability:** Stable  
**Conditions to avoid:** Excessive temperatures and heat.  
**Incompatible materials:** Strong oxidizing agents, strong bases, alkalies.  
**Hazardous decomposition products:** Toxic vapors and gases including phenol, benzene and carbon monoxide.  
**Hazardous polymerization:** Will not occur.

## Section 11 Toxicological information

**Acute toxicity:** Oral-rat LD50: 1700 mg/kg ; Inhalation-rat LC50: 0.026 mg/L/1hour (vapor, no mortality)  
**Skin corrosion/irritation:** Skin-rabbit - Slight irritant  
**Serious eye damage/irritation:** Eyes-rabbit - Severe irritant  
**Respiratory or skin sensitization:** Data not available  
**Germ cell mutagenicity:** Data not available  
**Carcinogenicity:** Data not available  
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.  
Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.  
**Reproductive toxicity:** Data not available  
**STOT-single exposure:** Data not available  
**STOT-repeated exposure:** Data not available  
**Aspiration hazard:** Data not available  
**Potential health effects:**  
Inhalation: Inhalation may cause cough and sore throat.  
Ingestion: Ingestion causes abdominal pain, nausea and vomiting.  
Skin: Contact with skin causes irritation with redness, itching, and burning sensation.  
Eyes: Contact with eyes causes severe irritation with redness and pain.  
**Signs and symptoms of exposure:** See Potential health effects above. Exercise appropriate procedures to minimize potential hazards.  
**Additional information: RTECS #:** DG0875000

## Section 12 Ecological information

**Toxicity to fish:** Carassius auratus (fish, fresh water), LC100 = 200 mg/L/7-96 hours  
**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacea), EC50 = 300 mg/L/24 hours  
**Toxicity to algae:** Anabaena cylindrica (Algae), EC50 = 60 mg/L/3 hours  
**Persistence and degradability:** No data available  
**Bioaccumulative potential:** No data available  
**Mobility in soil:** No data available  
**PBT and vPvB assessment:** No data available  
**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** Not applicable  
**Hazard class:** Not applicable  
**Exceptions:** Not applicable  
**Shipping name:** Not Regulated  
**Packing group:** Not applicable  
**2020 ERG Guide #:** Not applicable  
**Reportable Quantity:** Yes  
**Marine pollutant:** No

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Benzoic acid	Listed	5000 lbs (2270 kg)	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
 221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency  
 Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

<b>Product</b>	CALCIUM METAL
----------------	---------------

<b>Synonyms</b>	Calcium
-----------------	---------

## Section 2 Hazards identification

Signal word: DANGER

Pictograms: GHS02

Target organs: None known



GHS Classification:

Water reactive (Category 2)

GHS Label information: Hazard statement:

H261: In contact with water releases flammable gas.

**Precautionary statement:**

P223: Do not allow contact with water.

P231+P232: Handle under inert gas. Protect from moisture.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P335+P334: Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.

P370+P378: In case of fire: Use Class D extinguisher or smother with dry sand, dry clay, dry ground limestone or graphite to extinguish.

P402+P404: Store in a dry place. Store in a closed container.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Calcium	7440-70-2	98%	231-179-5

## Section 4 First aid measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** DO NOT use water, foam or halogenated extinguishing agents or CO<sub>2</sub>. Use Class D extinguisher or smother with dry sand, dry clay, dry ground limestone or graphite to extinguish.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Calcium reacts with water and acids to release hydrogen. Heat of reaction may ignite evolved hydrogen. Avoid direct viewing of calcium fires as eye injury may result, use fire glasses. Powders form explosive mixtures with air which may be ignited by a spark.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources. Avoid exposure to water and moisture.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Calcium	Not established	Not established	Not established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

**Appearance:** Solid, silvery-gray metal.

**Odor:** No odor.

**Odor threshold:** Data not available.

**pH:** Data not available.

**Melting / Freezing point:** 842°C (1542°F)

**Boiling point:** 1440°C (4755°F)

**Flash point:** Data not available

**Evaporation rate ( = 1):** Data not available

**Flammability (solid/gas):** Data not available.

**Explosion limits: Lower / Upper:** Data not available

**Vapor pressure (mm Hg):** 10 mm Hg @ 983°C

**Vapor density (Air = 1):** Data not available

**Relative density (Specific gravity):** 1.54

**Solubility(ies):** Reacts violently with water.

**Partition coefficient:** Data not available

**Auto-ignition temperature:** Data not available

**Decomposition temperature:** Data not available.

**Viscosity:** Data not available.

**Molecular formula:** Ca

**Molecular weight:** 40.08

## Section 10 Stability and reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition. Avoid contact with air and water. Avoid dispersion of dust in air.

**Incompatible materials:** Acids, halogens, alkali, metals, hydroxides, carbonates. Calcium will react with water and acids to release hydrogen.

**Hazardous decomposition products:** Hydrogen, calcium hydroxide, calcium oxide.

## Section 11 Toxicological information

**Acute toxicity:** Data not available

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion: May be harmful if swallowed.

Skin: May be harmful if absorbed through skin. May cause skin irritation.

Eyes: May cause eye irritation.

**Signs and symptoms of exposure:** Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Cough, shortness of breath, headache, nausea. Exercise appropriate procedures to minimize potential hazards.

**Additional information:** RTECS #: EV8040000

## Section 12 Ecological information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** UN1401

**Shipping name:** Calcium

**Hazard class:** 4.3

**Packing group:** II

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than (0.5 Kg) 1.1 lb.

**2020 ERG Guide #** 138

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERCLA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Calcium	Listed	Not Listed	D001 ; D003	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.



## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
 221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency  
 Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

<b>Product</b>	<b>CALCIUM CARBONATE</b>
<b>Synonyms</b>	Precipitated Chalk / Natural Chalk / Powdered Chalk

## Section 2 Hazards identification

**Signal word:** WARNING  
**Pictograms:** GHS08  
**Target organs:** None known



**GHS Classification:**  
 \*STOT-RE (Category 2)

**GHS Label information: Hazard statement:**  
 \*H373: May cause damage to organs (*lungs*) through prolonged or repeated exposure (*inhalation*).

\* Respirable dust particles containing crystalline silica may be generated by crushing. There are no known hazards associated with this material when used as recommended.

**Precautionary statement:**

P260: Do not breathe dust.  
 P314: Get medical advice/attention if you feel unwell.  
 P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known  
 Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Ground Limestone (Calcium carbonate)	1317-65-3	>99.5%	215-279-6
Water	7732-18-5	< 0.5%	231-791-2
May contain: Quartz	14808-60-7	0.1-1.0%	238-878-4

## Section 4 First aid measures

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** PROLONGED INHALATION OF PARTICULATE DUST MAY BE HARMFUL. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY CAUSE ABRASIONS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Product will not burn or support fire. Use any media suitable for extinguishing supporting fire

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** Limestone reacts with acids to release carbon dioxide.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.



## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
 221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

<b>Product</b>	<b>COPPER METAL</b>
<b>Synonyms</b>	Copper Metal Powder / Copper Powder

## Section 2 Hazards identification

**Signal word:** WARNING  
**Pictograms:** GHS07 / GHS09  
**Target organs:** None known



**GHS Classification:**  
 Acute toxicity, oral (Category 4)  
 Acute toxicity, inhalation (Category 3)  
 Eye irritation (Category 2B)  
 Acute Aquatic toxicity (Category 1)

**GHS Label information: Hazard statement:**  
 H302: Harmful if swallowed  
 H335: May cause respiratory irritation  
 H320: Causes eye irritation  
 H412: Harmful to aquatic life with long lasting effects

**Precautionary statement:**  
 P261: Avoid breathing dust/fume.  
 P264: Wash hands thoroughly after handling.  
 P270: Do not eat, drink or smoke when using this product.  
 P271: Use only outdoors or in a well-ventilated area.  
 P273: Avoid release to the environment.  
 P301+P317: IF SWALLOWED: Get medical help.  
 P330: Rinse mouth.  
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P337+P317: If eye irritation persists: Get medical help.  
 P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P319: Get medical help if you feel unwell.  
 P403+P233: Store in a well-ventilated place. Keep container tightly closed.  
 P405: Store locked up.  
 P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known  
 Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Copper metal	7440-50-8	100%	231-159-6

## Section 4 First aid measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** HARMFUL IF INHALED AS FUME. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY CAUSE IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Use triclass, dry chemical fire extinguisher. Do NOT use water on fire where molten metal is present.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Molten metals produce fume, vapor and/or dust that may be toxic and/or a respiratory irritant. Metal reacts with oxidizing agents.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. Keep out of reach of children. Use with adequate ventilation. Wash thoroughly after handling.

**Handling:** Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale fumes from molten metals. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Copper, dusts and mists, as Cu	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

**Appearance:** Solid. Red-brown, lustrous metal. Turns green on exposure to moist air.

**Odor:** No odor.

**Odor threshold:** Data not available.

**pH:** Data not available.

**Melting / Freezing point:** 1083°C (1981°F)

**Boiling point:** 2595°C (4703°F)

**Flash point:** Not applicable

**Evaporation rate ( = 1):** Not applicable

**Flammability (solid/gas):** Not applicable

**Explosion limits: Lower / Upper:** Not applicable

**Vapor pressure (mm Hg):** 1 mm @ 1628°C

**Vapor density (Air = 1):** Data not available

**Relative density (Specific gravity):** 8.92 @ 20°C

**Solubility(ies):** Insoluble

**Partition coefficient:** Data not available

**Auto-ignition temperature:** Not applicable

**Decomposition temperature:** Data not available.

**Viscosity:** Data not available.

**Molecular formula:** Cu

**Molecular weight:** 63.55

## Section 10 Stability and reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures and heat.

**Incompatibilities with other materials:** Strong oxidizers may cause a violent reaction.

**Hazardous decomposition products:** At temperatures above melting point, toxic fumes or vapors may be emitted.

## Section 11 Toxicological information

**Acute toxicity:** Data not available

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation of dust or fumes may irritate respiratory system. Symptoms include cough, headache, sore throat, shortness of breath.

Ingestion: May be harmful if swallowed. Symptoms include abdominal pain, nausea, vomiting.

Skin: May cause irritation and redness.

Eyes: Contact with eyes may cause redness and pain.

**Signs and symptoms of exposure:** Over-heating of alloy can produce metal fumes and oxides. Fumes of copper may cause metal fume fever with flu-like symptoms and skin and hair discolorization. Copper dust and fume cause irritation of the upper respiratory tract, metallic taste in the mouth, and nausea. Chronic poisoning results in Wilson's disease characterized by a hepatic cirrhosis, brain damage, demyelination, renal disease and copper deposition in the cornea.

**Additional information:** RTECS #: GL5325000

## Section 12 Ecological information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2020 ERG Guide #:** Not applicable

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Copper	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
221 Rochester Street  
Avon, NY 14414-9409  
(585) 226-6177

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	<b>COPPER(II) SULFATE, ANHYDROUS</b>
----------------	--------------------------------------

<b>Synonyms</b>	Cupric Sulfate, Anhydrous
-----------------	---------------------------

## Section 2 Hazards identification

Signal word: WARNING

Pictograms: GHS07 / GHS09

Target organs: Liver, Kidneys, Lungs, Spleen.

**GHS Classification:**

Acute toxicity-oral (Category 4)

Skin irritation (Category 2)

Eye irritation (Category 2A)

Aquatic acute toxicity (Category 1)

Aquatic chronic toxicity (Category 1)

**GHS Label information: Hazard statement:**

H302: Harmful if swallowed.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H410: Very toxic to aquatic life with long lasting effects.

**Precautionary statement:**

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical attention.

P337+P313: If eye irritation persists: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P391: Collect spillage.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Cupric sulfate	7758-98-7	>99%	231-847-6

## Section 4 First aid measures

**INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES SEVERE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Copper, dusts and mists, as Cu	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

<b>Appearance:</b> Solid, off-white powder	<b>Evaporation rate ( = 1):</b> Not applicable	<b>Partition coefficient:</b> Data not available
<b>Odor:</b> Odorless	<b>Flammability (solid/gas):</b> Not applicable	<b>Auto-ignition temperature:</b> Data not available
<b>Odor threshold:</b> Data not available	<b>Explosion limits: Lower / Upper:</b> Not applicable	<b>Decomposition temperature:</b> Data not available
<b>pH:</b> Data not available	<b>Vapor pressure (mm Hg):</b> Data not available	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> 340°C (644°F)	<b>Vapor density (Air = 1):</b> Data not available	<b>Molecular formula:</b> CuSO <sub>4</sub>
<b>Boiling point:</b> Decomposes	<b>Relative density (Specific gravity):</b> 2.28 @ 15.6°C	<b>Molecular weight:</b> 159.60
<b>Flash point:</b> Non-flammable	<b>Solubility(ies):</b> Appreciable in water	

## Section 10 Stability and reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Hygroscopic material. Stable when kept dry, under normal temperature and pressure. Avoid high temperatures, exposure to air and incompatible materials.

**Incompatible materials:** Reducing agents, acetylene or nitromethane, magnesium, strong bases, alkalines, phosphates, hydrazine, zirconium. Can corrode aluminum, steel and iron.

**Hazardous decomposition products:** Oxides of sulfur and copper fumes.

## Section 11 Toxicological information

**Acute toxicity:** Oral-rat LD50: 300 mg/kg

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: May cause irritation to the mucous membranes and upper respiratory tract.

Ingestion: Ingestion can cause irritation to the digestive tract and abdominal pain.

Skin: Contact with skin causes slight irritation. Excessive exposure may cause allergic dermatitis. May cause irritation or burns on wet skin.

Eyes: Can cause severe irritation and may result in irreversible eye damage.

**Signs and symptoms of exposure:** *Note to physician:* Probable mucosal damage may contradict the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed. Wilson's disease can be aggravated by excessive exposure. Symptoms include nausea, vomiting, gastrointestinal pain, diarrhea, dizziness, jaundice, and general debility.

**Additional information:** RTECS #: GL8800000

## Section 12 Ecological information

**Toxicity to fish:** *Salmo gairdneri* (fish, estuary, fresh water), LC50 = < 0.75-0.84 mg/L

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** UN3077

**Shipping name:** Environmentally hazardous substances, solid, n.o.s., (Cupric sulfate)

**Hazard class:** 9

**Packing group:** III

**Reportable Quantity:** 10 lbs (4.54 kg)

**Marine pollutant:** Yes

**Exceptions:** Non regulated equal to or less than 4.539 Kg ; Reportable quantity equal to or more than 4.54 Kg

**2020 ERG Guide #** 171

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Cupric sulfate	Listed	10 lbs (4.54 kg)	Not listed	Not listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
221 Rochester Street  
Avon, NY 14414-9409  
(585) 226-6177

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	<b>COPPER(II) SULFATE, PENTAHYDRATE</b>
----------------	---

<b>Synonyms</b>	Cupric Sulfate, 5-Hydrate
-----------------	---------------------------

## Section 2 Hazards identification

**Signal word:** WARNING**Pictograms:** GHS07 / GHS09**Target organs:** Liver, Kidneys, Lungs, Spleen.**GHS Classification:**

Acute toxicity-oral (Category 4)

Skin irritation (Category 2)

Eye irritation (Category 2A)

Aquatic acute toxicity (Category 1)

Aquatic chronic toxicity (Category 1)

**GHS Label information: Hazard statement:**

H302: Harmful if swallowed.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H410: Very toxic to aquatic life with long lasting effects.

**Precautionary statement:**

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical attention.

P337+P313: If eye irritation persists: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P391: Collect spillage.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Cupric sulfate	7758-99-8	>99%	231-847-6 (anhydrous)

## Section 4 First aid measures

**INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES SEVERE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Copper, dusts and mists, as Cu	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

<b>Appearance:</b> Blue, crystalline solid	<b>Evaporation rate ( = 1):</b> Not applicable	<b>Partition coefficient:</b> Data not available
<b>Odor:</b> Odorless	<b>Flammability (solid/gas):</b> Not applicable	<b>Auto-ignition temperature:</b> Data not available
<b>Odor threshold:</b> Data not available	<b>Explosion limits: Lower / Upper:</b> Not applicable	<b>Decomposition temperature:</b> 560°C (1040°F)
<b>pH:</b> 3.7-4.2 (10% solution)	<b>Vapor pressure (mm Hg):</b> 20 torr @ 22.5°C	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> 150°C (302°F)	<b>Vapor density (Air = 1):</b> Data not available	<b>Molecular formula:</b> CuSO <sub>4</sub> •5H <sub>2</sub> O
<b>Boiling point:</b> Decomposes	<b>Relative density (Specific gravity):</b> 2.284	<b>Molecular weight:</b> 249.68
<b>Flash point:</b> Non-flammable	<b>Solubility(ies):</b> 31.6 g/100 ml water @ 0°C	

## Section 10 Stability and reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Hygroscopic material. Stable when kept dry, under normal temperature and pressure. Avoid high temperatures, exposure to air and incompatible materials.

**Incompatible materials:** Reducing agents, acetylene or nitromethane, magnesium, strong bases, alkalines, phosphates, hydrazine, zirconium. Can corrode aluminum, steel and iron.

**Hazardous decomposition products:** Oxides of sulfur and copper fumes.

## Section 11 Toxicological information

**Acute toxicity:** Oral-rat LD50: 300 mg/kg [Copper sulfate anhydrous]

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: May cause irritation to the mucous membranes and upper respiratory tract.

Ingestion: Ingestion can cause irritation to the digestive tract and abdominal pain.

Skin: Contact with skin causes slight irritation. Excessive exposure may cause allergic dermatitis. May cause irritation or burns on wet skin.

Eyes: Can cause severe irritation and may result in irreversible eye damage.

**Signs and symptoms of exposure:** *Note to physician:* Probable mucosal damage may contradict the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed. Wilson's disease can be aggravated by excessive exposure. Symptoms include nausea, vomiting, gastrointestinal pain, diarrhea, dizziness, jaundice, and general debility.

**Additional information:** RTECS #: GL8900000

## Section 12 Ecological information

**Toxicity to fish:** *Salmo gairdneri* (fish, estuary, fresh water), LC50 = < 0.75-0.84 mg/L [Copper sulfate anhydrous]

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** UN3077

**Shipping name:** Environmentally hazardous substances, solid, n.o.s., (Cupric sulfate)

**Hazard class:** 9

**Packing group:** III

**Reportable Quantity:** 10 lbs (4.54 kg)

**Marine pollutant:** Yes

**Exceptions:** Not regulated equal to or less than 4.539 Kg ; Reportable quantity equal to or more than 4.54 Kg

**2020 ERG Guide #** 171

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Cupric sulfate	Listed	10 lbs (4.54 kg)	Not listed	Not listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.



## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
 221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency  
 Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

<b>Product</b>	DEIONIZED WATER
----------------	-----------------

<b>Synonyms</b>	Hydrogen Oxide / Distilled Water
-----------------	----------------------------------

## Section 2 Hazards identification

This substance has not been classified at this time according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

**Signal word:** Not a hazardous substance

**Pictograms:** Not a hazardous substance

**Target organs:** None known

**GHS Classification:**

Not a hazardous substance

**GHS Label information:**

**Hazard statement:** Not a hazardous substance

**Precautionary statement(s):** Not a hazardous substance

**Supplemental information:**

Avoid contact with DANGEROUS WHEN WET and WATER-REACTIVE materials.  
 For laboratory use only. Do not ingest.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Deionized water	7732-18-5	100%	231-791-2

## Section 4 First aid measures

Untaminated water should not pose any ill health effects. If ill effects develop, get immediate medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Not a fire hazard. Water is used for extinguishing fires.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** Avoid contact with DANGEROUS WHEN WET and WATER-REACTIVE materials. See Section 10.

## Section 6 Accidental release measures

**Personal Precautions:** Untaminated material poses no hazards.

**Environmental Precautions:** Untaminated material may be flushed to sewer.

**Containment and Cleanup:** Untaminated material may be flushed to sewer.

**Precautions for Safe Handling:** Read label on container before using. Not for drug, food or household use. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Wash thoroughly after handling.

**Conditions for Safe Storage:** Store in a cool area away from water-reactive or dangerous when wet substances.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	None listed	None listed	None listed	None listed

**Engineering controls:** None required.

**Respiratory protection:** None required.

## Section 9 Physical and chemical properties

<b>Appearance:</b> Clear, colorless liquid.	<b>Evaporation rate ( Water = 1):</b> 1	<b>Partition coefficient:</b> (n-octanol / water): Data not available
<b>Odor:</b> No odor.	<b>Flammability (solid/gas):</b> Not flammable	<b>Auto-ignition temperature:</b> Not flammable
<b>Odor threshold:</b> Data not available	<b>Explosion limits: Lower / Upper:</b> Not flammable	<b>Decomposition temperature:</b> Data not available.
<b>pH:</b> Data not available	<b>Vapor pressure (mm Hg):</b> 14	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> 0°C (32°F)	<b>Vapor density (Air = 1):</b> 0.7	<b>Molecular formula:</b> H <sub>2</sub> O
<b>Boiling point:</b> 100°C (212°F)	<b>Relative density (Specific gravity):</b> 0.99707 @ 20/20°C	<b>Molecular weight:</b> 18.01
<b>Flash point:</b> Not flammable	<b>Solubility(ies):</b> Complete	

## Section 10 Stability and reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Absorption of fumes and carbon dioxide gas.

**Incompatible materials:** Water-reactive metals: sodium, potassium, calcium, barium, alkali metal alloys, liquid amalgams, amides, carbides, hydrides, aluminum powders, silicides, cerium, concentrated acids.

**Hazardous decomposition products:** Electrolysis will produce explosive and flammable hydrogen and oxygen.

## Section 11 Toxicological information

**Acute toxicity:** Data not available

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: No ill effects expected.

Ingestion: No ill effects expected.

Skin: No ill effects expected.

Eyes: No ill effects expected.

**Signs and symptoms of exposure:** No ill effects expected.

**Additional information: RTECS #:** Data not available

## Section 12 Ecological information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available **Bioaccumulative potential:** No data available

**Mobility in soil:** No data available **PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2020 ERG Guide #:** Not applicable

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Deionized water	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
 221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

<b>Product</b>	ETHYL ALCOHOL, DENATURED, 95% SOLUTION
----------------	--

<b>Synonyms</b>	Ethanol, Denatured, 95%
-----------------	-------------------------

## Section 2 Hazards identification

Signal word: DANGER

Pictograms: GHS02 / GHS06 / GHS08

Target organs: Eyes, Central nervous system, Liver, Kidneys.

**GHS Classification:**

Flammable liquid (Category 2)  
 Acute toxicity, oral (Category 3)  
 Acute toxicity, dermal (Category 3)  
 Acute toxicity, inhalation (Category 3)  
 Eye irritation (Category 2B)  
 STOT-SE (Category 2)  
 STOT-SE (Category 3)

**GHS Label information: Hazard statement:**

H225: Highly flammable liquid and vapour.  
 H301: Toxic if swallowed.  
 H311: Toxic in contact with skin.  
 H319: Causes serious eye irritation.  
 H331: Toxic if inhaled.  
 H336: May cause drowsiness or dizziness.  
 H371: May cause damage to organs.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known  
 Physical hazards not otherwise classified (PHNOC) - Not Known

**Precautionary statement:**

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
 P233+P235: Keep container tightly closed. Keep cool.  
 P240: Ground/bond container and receiving equipment.  
 P241: Use explosion-proof electrical/ventilating/lighting equipment.  
 P242: Use only non-sparking tools.  
 P243: Take precautionary measures against static discharge.  
 P260: Do not breathe mist/vapours/spray.  
 P264: Wash hands thoroughly after handling.  
 P270: Do not eat, drink or smoke when using this product.  
 P271: Use only outdoors or in a well-ventilated area.  
 P280: Wear protective gloves/protective clothing/eye protection/face protection.  
 P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor.  
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.  
 P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P308+P311: IF exposed or concerned: Call a POISON CENTER or doctor.  
 P337+P313: If eye irritation persists: Get medical attention.  
 P361+P364: Take off immediately all contaminated clothing and wash it before reuse.  
 P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish.  
 P403+P405: Store in a well-ventilated place. Store locked up.  
 P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Ethyl alcohol	64-17-5	85.9%	200-578-6
Water	7732-18-5	5.0%	231-791-2
Isopropyl alcohol (denaturant)	67-63-0	4.8%	200-661-7
Methanol (denaturant)	67-56-1	4.3%	200-659-6

## Section 4 First aid measures

**INGESTION:** TOXIC IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** TOXIC IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES SERIOUS EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** TOXIC IN CONTACT WITH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Ethanol	STEL: 1000 ppm / 1880 mg/m <sup>3</sup> (A3)	TWA: 1000 ppm / 1900 mg/m <sup>3</sup>	TWA: 1000 ppm / 1900 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

<b>Appearance:</b> Clear, colorless liquid.	<b>Evaporation rate ( Butyl acetate = 1):</b> 4.1*	<b>Partition coefficient:</b> (n-octanol / water): Low Pow: -.32*
<b>Odor:</b> Mild characteristic odor.	<b>Flammability (solid/gas):</b> Data not available.	<b>Auto-ignition temperature:</b> 363°C (685°F)
<b>Odor threshold:</b> Data not available.	<b>Explosion limits: Lower / Upper:</b> 3.3%(V) / 19%(V)*	<b>Decomposition temperature:</b> Data not available.
<b>pH:</b> Data not available.	<b>Vapor pressure (mm Hg):</b> 44.6 mm @ 20°C*	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> -114°C (-173°F)*	<b>Vapor density (Air = 1):</b> 1.59*	<b>Molecular formula:</b> Mixture
<b>Boiling point:</b> 78°C (163-174°F)*	<b>Relative density (Specific gravity):</b> 0.794°C @ 60°F*	<b>Molecular weight:</b> Mixture
<b>Flash point:</b> 13°C (55°F) TCC	<b>Solubility(ies):</b> Soluble in water.	*[Pure Ethanol]

## Section 10 Stability and reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition.

**Incompatible materials:** Strong oxidizers, inorganic acids and halogens.

**Hazardous decomposition products:** Oxides of carbon.

## Section 11 Toxicological information

**Acute toxicity:** Oral-rat LD50: 7060 mg/kg ; Inhalation-rat LC50: 124.7 mg/l/4hours [Ethanol]

**Skin corrosion/irritation:** Skin-rabbit - Slight irritant.

**Serious eye damage/irritation:** Eyes-rabbit - Severe irritant.

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 3: Not classifiable as to its carcinogenicity to humans. [Isopropanol]

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

CA Prop 65: ⚠ WARNING! : This product can expose you to Methanol, which is known to the State of California to cause birth defects or other reproductive harm.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation may cause dizziness, drowsiness, nausea, vomiting, inability to concentrate and irritation of the throat.

Ingestion: Ingestion causes dizziness, drowsiness, decreased reaction, euphoria, nausea, vomiting, staggering gait and coma.

Skin: Contact with skin causes irritation defatting on prolonged contact.

Eyes: Contact with eyes may cause blindness.

**Signs and symptoms of exposure:** See Potential health effects above.

**Additional information:** RTECS #: KQ6300000 [Ethanol]

## Section 12 Ecological information

**Toxicity to fish:** Oncorhynchus mykiss (fish, fresh water), LC50 = 11,200 mg/l/24 hours [Ethanol]

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacia), EC50 = 10,800 mg/l/24 hours [Ethanol, 99.8% pure]

**Toxicity to algae:** Chlorella pyrenoidosa (Algae), EC50 = 9,310 mg/l/growth rate [Ethanol, absolute]

**Persistence and degradability:** No data available **Bioaccumulative potential:** No data available

**Mobility in soil:** No data available **PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** UN1170 **Shipping name:** Ethanol

**Hazard class:** 3

**Packing group:** II

**Reportable Quantity:** 5,000 lbs (2270 kg)

**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 1 L

**2020 ERG Guide #** 127

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Ethanol	Listed	Not listed	D001	Listed	Not listed	⚠ WARNING - Reproductive Harm - www.P65Warnings.ca.gov.
Methanol	Listed	5,000 lbs.	U154	Listed	Not listed	
Isopropanol	Listed	Not listed	Not listed	Listed	Not listed	

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
 221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

<b>Product</b>	HEXANES
<b>Synonyms</b>	n-Hexanes / Hexane / n-Hexane

## Section 2 Hazards identification

**Signal word:** DANGER**Pictograms:** GHS02 / GHS07 / GHS08 / GHS09**Target organs:** Central nervous system, Peripheral nervous system**GHS Classification:**

Flammable liquid (Category 2)

Aspiration hazard (Category 1)

Skin irritation (Category 2)

STOT-SE (Category 3)

Reproductive toxicity (Category 2)

STOT-RE (Category 2)

Chronic aquatic (Category 2)

**GHS Label information: Hazard statement(s):**

H225: Highly flammable liquid and vapour.

H304: May be fatal if swallowed and enters airways.

H315: Causes skin irritation.

H336: May cause drowsiness or dizziness.

H361f: Suspected of damaging fertility.

H373: May cause damage to organs through prolonged or repeated exposure.

H411: Toxic to aquatic life with long lasting effects.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

**Precautionary statement(s):**

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233: Keep container tightly closed.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P260: Do not breathe mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P310: IF SWALLOWED: Immediately call a POISON CENTER or doctor.

P331: Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P332+P313: If skin irritation occurs: Get medical attention.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P314: Get medical attention if you feel unwell.

P370+P378: In case of fire: Use dry chemical, CO<sub>2</sub>, water spray or regular foam to extinguish.

P391: Collect spillage.

P403+P235: Store in a well-ventilated place. Keep cool.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
n-Hexane	110-54-3	70%	203-777-6
Mixed isomers	Various	30%	Various

## Section 4 First aid measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Dry chemical, CO<sub>2</sub>, water spray or regular foam.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back. Containers may explode when heated.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Hexane	TWA: 50 ppm / 176 mg/m <sup>3</sup>	TWA: 500 ppm / 1800 mg/m <sup>3</sup>	TWA: 50 ppm / 180 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** Work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

<b>Appearance:</b> Clear, colorless liquid.	<b>Evaporation rate ( Butyl acetate = 1):</b> 8.10	<b>Partition coefficient:</b> (n-octanol / water): Low Pow: 3.9
<b>Odor:</b> Mild odor.	<b>Flammability (solid/gas):</b> Data not available.	<b>Auto-ignition temperature:</b> Data not available.
<b>Odor threshold:</b> Data not available.	<b>Explosion limits: Lower / Upper:</b> 1.08% / 8.0%	<b>Decomposition temperature:</b> Data not available.
<b>pH:</b> Data not available.	<b>Vapor pressure (mm Hg):</b> 5.6 @ 100°F	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> Data not available	<b>Vapor density (Air = 1):</b> 3.0	<b>Molecular formula:</b> C <sub>6</sub> H <sub>14</sub>
<b>Boiling point:</b> 63-68°C (145-156°F)	<b>Relative density (Specific gravity):</b> 0.660-0.690	<b>Molecular weight:</b> 86.18
<b>Flash point:</b> -22°C (-7°F) TOC	<b>Solubility(ies):</b> Negligible in water.	

## Section 10 Stability and reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition.

**Incompatible materials:** Strong oxidizing, acids, bases, and selected amines.

**Hazardous decomposition products:** Oxides of carbon.

## Section 11 Toxicological information

**Acute toxicity:** Oral-mouse LD50: 5000 mg/kg ; Dermal-rabbit LD50: 3000 mg/kg

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

CA Prop 65: ⚠️ **WARNING!** : This product can expose you to Hexane, which is known to the State of California to cause birth defects or other reproductive harm.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Yes

**Potential health effects:**

Inhalation: Dizziness, drowsiness, lethargy, headache, nausea, weakness, unconsciousness.

Ingestion: Aspiration hazard. Liquid can directly enter the lungs (aspirated) when swallowed or vomited. Serious lung damage and possible fatal chemical pneumonia can develop if this occurs.

Skin: Prolonged or repeated contact may cause dry skin, redness and pain.

Eyes: Contact causes redness and pain.

**Signs and symptoms of exposure:** See Potential health effects above.

**Additional information: RTECS #:** MN9275000

## Section 12 Ecological information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** UN1208

**Shipping name:** Hexanes

**Hazard class:** 3

**Packing group:** II

**Reportable Quantity:** Yes

**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 1 L

**2020 ERG Guide #** 128

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Hexanes	Listed	5000 lb (2270 kg)	D001	Listed	Not listed	⚠️ <b>WARNING - Reproductive Harm</b> - www.P65Warnings.ca.gov.

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
 221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

**Product** HYDROCHLORIC ACID, 0.1 MOLAR (0.1 NORMAL) SOLUTION

**Synonyms** Muriatic Acid, Water Solution / Hydrogen Chloride, Water Solution

## Section 2 Hazards identification

**Signal word:** WARNING

**Pictograms:** None required

**Target organs:** Respiratory system, skin, eyes, lungs.

**GHS Classification:**

Skin irritant (Category 3)

Eye irritant (Category 2B)

**GHS Label information:****Hazard statement(s):**

H316: Causes mild skin irritation.

H320: Causes eye irritation.

**Precautionary statement(s):**

P264: Wash hands thoroughly after handling.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical attention.

P337+P313: If eye irritation persists: Get medical attention.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	99.68%	231-791-2
Hydrochloric acid	7647-01-0	0.314%	231-595-7

## Section 4 First aid measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY CAUSE IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Contact with metals produce hydrogen, which is flammable and may produce explosive mixtures with air.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, well-ventilated area away from incompatible substances.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Hydrogen chloride	STEL: C 2 ppm / C 2.98 mg/m <sup>3</sup>	STEL: C 5 ppm / C 7 mg/m <sup>3</sup>	STEL: C 5 ppm / C 7 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

<b>Appearance:</b> Clear, colorless liquid. <b>Odor:</b> No odor. <b>Odor threshold:</b> No data available <b>pH:</b> No data available <b>Melting / Freezing point:</b> ~ 0°C (~ 32°F) [water] <b>Boiling point:</b> ~ 100°C (212°F) [water] <b>Flash point:</b> Not flammable.	<b>Evaporation rate ( = 1):</b> < 1 <b>Flammability (solid/gas):</b> No data available <b>Explosion limits: Upper/Lower:</b> No data available <b>Vapor pressure (mm Hg):</b> 14 [water] <b>Vapor density (Air = 1):</b> 0.7 [water] <b>Relative density (Specific gravity):</b> 1.0 [water] <b>Solubility(ies):</b> Complete.	<b>Partition coefficient: (n-octanol / water):</b> No data available <b>Auto-ignition temperature:</b> No data available <b>Decomposition temperature:</b> No data available <b>Viscosity:</b> No data available <b>Molecular formula:</b> Mixture. <b>Molecular weight:</b> Mixture.
--	--	--

## Section 10 Stability and reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Containers may burst when heated. Avoid contact with water.

**Incompatible materials:** Metals, bases, active metals, alkali metals, oxidizing agents, hydroxides, amines, carbonates, cyanides, sulfides, sulfites, formaldehyde.

**Hazardous decomposition products:** Hydrogen chloride gas.

## Section 11 Toxicological information

**Acute toxicity:** Data not available

**Skin corrosion/irritation:** Data not available at this dilution.

**Serious eye damage/irritation:** Data not available at this dilution.

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP.

IARC: Group 3: Not classifiable as to its carcinogenicity to humans.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available at this dilution.

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:** To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

Inhalation: May be harmful if inhaled. Material may cause irritation to the tissue of the mucous membranes and upper respiratory tract.

Ingestion: May be harmful if swallowed.

Skin: May cause irritation and/or burns.

Eyes: May cause irritation and/or burns.

**Signs and symptoms of exposure:** Data not available at this dilution.

**Additional information: RTECS #:** MW4025000 [Hydrochloric acid]

## Section 12 Ecological information

**Toxicity to fish:** LC50 - Gambusia affinis (Mosquito fish) - 282 mg/l - 96 h (Hydrochloric acid)

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2020 ERG Guide #** Not applicable

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Hydrochloric acid, 0.1M	Listed	Not listed	Not listed	Not listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.



## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
 221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

<b>Product</b>	MAGNESIUM METAL, TURNINGS
----------------	---------------------------

<b>Synonyms</b>	Magnesium
-----------------	-----------

## Section 2 Hazards identification

Signal word: DANGER

Pictograms: GHS02

Target organs: None known

**GHS Classification:**

Flammable solid (Category 1)

Self heating substance (Category 2)

Water reactivity (Category 2)

**GHS Label information: Hazard statement:**

H228: Flammable solid.

H252: Self-heating in large quantities; may catch fire.

H261: In contact with water releases flammable gas.

**Precautionary statement:**

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P223: Do not allow contact with water.

P231+P232: Handle under inert gas. Protect from moisture.

P235+P410: Keep cool. Protect from sunlight.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P335+P334: Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.

P370+P378: In case of fire: Use graphite powder, soda ash, powdered sodium chloride, or an appropriate metal-fire-extinguishing dry powder to extinguish.

P402+P404: Store in a dry place. Store in a closed container.

P420: Store away from other materials.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Combustible dust

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Magnesium	7439-95-4	99.8%	231-104-6

## Section 4 First aid measures

**INGESTION:** CAUSES BURNING SENSATION IN THE MOUTH. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE BURNS AND CORNEAL ABRASIONS. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY CAUSE IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Use only graphite powder, soda ash, powdered sodium chloride, or an appropriate metal-fire-extinguishing dry powder. DO NOT use water, carbon dioxide, or foam!

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** When heated in air to a temperature near its melting point, magnesium may ignite and burn. Dangerous in the form of dust or flakes and when exposed to flame or by violent chemical reaction with oxidizing agents. Magnesium may react with moisture or acids to evolve hydrogen gas, which is a highly dangerous fire or explosion hazard.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Using non-sparking tools, sweep up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources. Keep away from water and moisture.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Magnesium	Not established	Not established	Not established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

**Appearance:** Solid. Silvery gray, metal turnings  
**Odor:** No odor.

**Odor threshold:** Data not available.

**pH:** Data not available.

**Melting / Freezing point:** 651°C (1203.8°F)

**Boiling point:** 1110°C (2030°F)

**Flash point:** 636°C (1175°F)

**Evaporation rate ( = 1):** Data not available

**Flammability (solid/gas):** Data not available.

**Explosion limits: Lower / Upper:** Data not available

**Vapor pressure (mm Hg):** 1 mm @ 621°C

**Vapor density (Air = 1):** Data not available

**Relative density (Specific gravity):** 1.74 @ 20°C

**Solubility(ies):** Negligible in water.

**Partition coefficient:** Data not available

**Auto-ignition temperature:** 510°C (950°F)

**Decomposition temperature:** Data not available.

**Viscosity:** Data not available.

**Molecular formula:** Mg

**Molecular weight:** 24.31

## Section 10 Stability and reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition.

**Incompatible materials:** Magnesium will react with water and acids to release hydrogen. Also hazardous with chlorine, bromine, iodine and oxidizing agents.

**Hazardous decomposition products:** Hydrogen.

## Section 11 Toxicological information

**Acute toxicity:** Data not available

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation may cause cough, sore throat, shortness of breath.

Ingestion: Ingestion causes burning sensation in the mouth and may cause abdominal pain and diarrhea.

Skin: Particles imbedded in the skin may cause eruptions. Molten magnesium may cause serious skin burns.

Eyes: Contact with eyes may cause irritation and corneal scratches. Avoid direct viewing of magnesium fires as eye injury may result, use fire glasses.

**Signs and symptoms of exposure:** Exposure to magnesium oxide fume subsequent to burning can result in metal fume fever. The temporary symptoms can include fever, chills, nausea, vomiting and muscular pain. Onset of symptoms occurs 4-12 hours after exposure. Exercise appropriate procedures to minimize potential hazards.

**Additional information: RTECS #:** OM2100000

## Section 12 Ecological information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** UN1869

**Shipping name:** Magnesium

**Hazard class:** 4.1

**Packing group:** III

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 5 Kg

**2020 ERG Guide #** 138

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Magnesium	Listed	Not listed	D001	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
 221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency  
 Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

**Product** MAGNESIUM OXIDE, LIGHT POWDER  
**Synonyms** Magnesia / Calcined Magnesia / Calcined Brucite

## Section 2 Hazards identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

**Signal word:** Not classified  
**Pictograms:** Not classified  
**Target organs:** None known

**GHS Classification:** Not classified  
**GHS Label information: Hazard statement:** Not classified  
**Precautionary statement:** Not classified

**Supplemental information:**

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known  
 Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Magnesium oxide	1309-48-4	100%	215-171-9

## Section 4 First aid measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Magnesium oxide	TWA: 10 I mg/m <sup>3</sup> (A4)	TWA: 15 mg/m <sup>3</sup> Total particulate	Not established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

<b>Appearance:</b> Solid, white powder	<b>Evaporation rate ( = 1):</b> Data not available	<b>Partition coefficient:</b> Data not available
<b>Odor:</b> No odor	<b>Flammability (solid/gas):</b> Data not available	<b>Auto-ignition temperature:</b> Data not available
<b>Odor threshold:</b> Data not available	<b>Explosion limits: Lower / Upper:</b> Not applicable	<b>Decomposition temperature:</b> Data not available.
<b>pH:</b> Data not available	<b>Vapor pressure (mm Hg):</b> Negligible	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> 2800°C (5072°F)	<b>Vapor density (Air = 1):</b> Data not available	<b>Molecular formula:</b> MgO
<b>Boiling point:</b> 3600°C (6512°F)	<b>Relative density (Specific gravity):</b> 3.65-3.75	<b>Molecular weight:</b> 40.30
<b>Flash point:</b> Not flammable	<b>Solubility(ies):</b> 0.4 g/100 ml in water @ 20°C	

## Section 10 Stability and reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Absorbs carbon dioxide and moisture from the air.

**Incompatible materials:** Reacts violently with strong acids.

**Hazardous decomposition products:** Magnesium oxides.

## Section 11 Toxicological information

**Acute toxicity:** Data not available

**Skin corrosion/irritation:** Human - slight irritant

**Serious eye damage/irritation:** Human - slight irritant

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation may cause coughing.

Ingestion: Ingestion may cause vomiting.

Skin: Contact with skin may cause irritation.

Eyes: Contact with eyes may cause irritation.

**Signs and symptoms of exposure:** To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

**Additional information:** RTECS #: OM3850000

## Section 12 Ecological information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2020 ERG Guide #** Not applicable

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Magnesium oxide	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
 221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

<b>Product</b>	PARAFFIN WAX, REFINED
<b>Synonyms</b>	Paraffin / Clay Treated Paraffin Wax / Refined Paraffin

## Section 2 Hazards identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

**Signal word:** Not classified  
**Pictograms:** Not classified  
**Target organs:** None known

**GHS Classification:** Not classified  
**GHS Label information: Hazard statement:** Not classified  
**Precautionary statement:** Not classified

**Supplemental information:**

USE CAUTION WHEN HEATING.

Molten wax may cause burns. Overheating will cause wax to ignite. Do not store near high heat or open flames. Avoid prolonged or repeated skin contact. Wash thoroughly after handling.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known  
 Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Paraffin wax, refined	64742-43-4	100%	265-145-6

## Section 4 First aid measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical or dry sand.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Water or foam may cause frothing. Overheating will cause wax to ignite.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Paraffin wax fume	TWA: 2 mg/m <sup>3</sup>	Not established	TWA: 2 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures.

## Section 9 Physical and chemical properties

<b>Appearance:</b> Solid. White granules	<b>Evaporation rate ( = 1):</b> Data not available	<b>Partition coefficient:</b> Data not available
<b>Odor:</b> Practically odorless.	<b>Flammability (solid/gas):</b> Data not available.	<b>Auto-ignition temperature:</b> Data not available
<b>Odor threshold:</b> Data not available.	<b>Explosion limits: Lower / Upper:</b> Data not available	<b>Decomposition temperature:</b> Data not available.
<b>pH:</b> Data not available.	<b>Vapor pressure (mm Hg):</b> Nil	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> 48.8-71°C (120-160°F)	<b>Vapor density (Air = 1):</b> Data not available	<b>Molecular formula:</b> Mixture of petroleum hydrocarbons
<b>Boiling point:</b> Data not available	<b>Relative density (Specific gravity):</b> 0.8	<b>Molecular weight:</b> Data not available
<b>Flash point:</b> >187°C (>370°F)	<b>Solubility(ies):</b> Nil	

## Section 10 Stability and reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, and open flame.

**Incompatible materials:** Strong oxidizers.

**Hazardous decomposition products:** Carbon oxides.

## Section 11 Toxicological information

**Acute toxicity:** Oral-rat LD50: >3750 mg/kg ; Dermal-rat LC50: >3600 mg/kg

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

This material is considered to be in the slight to non-toxic category. Low oral toxicity. Molten wax may cling to skin and result in thermal burns. May be irritating to the skin upon prolonged or repeated contact. Vapors from heated product may cause irritation to the eyes. Inhalation of heated vapors may cause irritation of the nose, throat and lungs.

Exercise appropriate procedures to minimize potential hazards.

**Signs and symptoms of exposure:** To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

**Additional information:** RTECS #: RV0350000

## Section 12 Ecological information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2020 ERG Guide #** Not applicable

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Paraffin wax	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
221 Rochester Street  
Avon, NY 14414-9409  
(585) 226-6177

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	1% PHENOLPHTHALEIN IN ISOPROPYL ALCOHOL SOLUTION
----------------	--

<b>Synonyms</b>	1% Phenolphthalein in IPA
-----------------	---------------------------

## Section 2 Hazards identification

**Signal word:** DANGER**Pictograms:** GHS02 / GHS07 / GHS08**Target organs:** Central nervous system, Liver, Kidneys.**GHS Classification:**

Flammable liquid (Category 2)

Eye irritation (Category 2)

STOT-SE (Category 2)

Mutagenicity (Category 2)

Carcinogen (Category 1B)

Reproductive toxicity (Category 2)

**GHS Label information: Hazard statement(s):**

H225: Highly flammable liquid and vapour.

H319: Causes serious eye irritation.

H336: May cause drowsiness or dizziness.

H341: Suspected of causing genetic defects.

H350: May cause cancer.

H361: Suspected of damaging fertility.

**Precautionary statement(s):**

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P233: Keep container tightly closed.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P260: Do not breathe mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep in a position comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P312: Call a POISON CENTER or doctor if you feel unwell.

P308+P313: IF exposed or concerned: Get medical attention.

P337+P313: If eye irritation persists: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P370+P378: In case of fire: Use dry chemical, alcohol foam, carbon dioxide or water spray to extinguish.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Isopropyl alcohol	67-63-0	70%	200-661-7
Water	7732-18-5	29%	231-791-2
Phenolphthalein	77-09-8	1%	201-004-7

## Section 4 First aid measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL, IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Isopropanol	TWA: 200 ppm / STEL: 400 ppm	TWA: 400 ppm / 980 mg/m <sup>3</sup>	TWA: 400 ppm / STEL: 500 ppm

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

<b>Appearance:</b> Clear, colorless liquid.	<b>Evaporation rate ( Butyl acetate = 1):</b> >1	<b>Partition coefficient:</b> (n-octanol / water): Data not available
<b>Odor:</b> Aromatic odor.	<b>Flammability (solid/gas):</b> Data not available.	<b>Auto-ignition temperature:</b> 399°C (750°F) ASTM-E659-78 [Pure IPA]
<b>Odor threshold:</b> Data not available.	<b>Explosion limits: Lower / Upper:</b> 2% / 12% [Pure IPA]	<b>Decomposition temperature:</b> Data not available.
<b>pH:</b> Data not available.	<b>Vapor pressure (mm Hg):</b> 33 mm @20°C [Pure IPA]	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> Approximately -50°C (-58°F)*	<b>Vapor density (Air = 1):</b> 2.1 [Pure IPA]	<b>Molecular formula:</b> Mixture
<b>Boiling point:</b> Approximately 85-100°C (185-212°F)*	<b>Relative density (Specific gravity):</b> 0.8*	<b>Molecular weight:</b> Mixture
<b>Flash point:</b> 21.7°C (71°F) TCC [70% IPA]	<b>Solubility(ies):</b> Complete in water.	*[70% IPA]

## Section 10 Stability and reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition.

**Incompatible materials:** Strong oxidizing materials, caustics, aluminums, metals, nitroform, oleum, chlorinated compounds can react vigorously with this alcohol.

**Hazardous decomposition products:** Oxides of carbon.

## Section 11 Toxicological information

**Acute toxicity:** Oral-rat LD50: >2000 mg/kg ; Inhalation-rat LC50: >5000 ppm/1hr [Isopropanol]

**Skin corrosion/irritation:** Skin-rabbit - Slight irritant.

**Serious eye damage/irritation:** Eyes-rabbit - Severe irritant.

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

**NTP:** Reasonably anticipated to be a human carcinogen. [Phenolphthalein]

**IARC classified:** Group 2B: Possibly carcinogenic to humans. [Phenolphthalein]

**OSHA:** No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

**CA Prop 65:** ⚠️ **WARNING!** :This product can expose you to Phenolphthalein, which is known to the State of California to cause cancer.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Yes

**Potential health effects:**

**Inhalation:** Inhalation of high vapor concentrations may cause central nervous system depression resulting in dizziness, drowsiness, nausea, vomiting, inability to concentrate and irritation of the throat. Continued inhalation may result in unconsciousness and death.

**Ingestion:** Aspiration hazard. Liquid can directly enter the lungs (aspirated) when swallowed or vomited. Serious lung damage and possible fatal chemical pneumonia can develop if this occurs.

**Skin:** Prolonged or repeated contact may cause irritation and drying, cracking and defatting of the skin which can lead to dermatitis.

**Eyes:** Contact causes burning sensation, redness, swelling, and/or blurred vision.

**Signs and symptoms of exposure:** See Potential health effects above.

**Additional information:** RTECS #: NT8050000 [Isopropanol] / SM8380000 [Phenolphthalein]

## Section 12 Ecological information

**Toxicity to fish:** Pimephales promelas (Fish, fresh water) LC50: 9640 mg/l/96 hours [Isopropanol]

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacea), EC50 = >10,000 mg/l/24 hours [Isopropanol]

**Toxicity to algae:** Scenedesmus quadricauda (Algae), LOEC50 = 1,800 mg/l/7 days [Isopropanol]

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** UN1219

**Shipping name:** Isopropanol solution

**Hazard class:** 3

**Packing group:** II

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 1 L

**2020 ERG Guide #** 129

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Isopropyl alcohol	Listed	Not listed	Not listed	Listed	Not listed	⚠️ <b>WARNING</b> -Cancer - www.P65Warnings.ca.gov.
Phenolphthalein	Listed	Not listed	Not listed	Listed	Not listed	

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.



## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
221 Rochester Street  
Avon, NY 14414-9409  
(585) 226-6177

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	POTASSIUM NITRATE
<b>Synonyms</b>	Potash Nitrate / Saltpeter

## Section 2 Hazards identification

**Signal word:** DANGER  
**Pictograms:** GHS03 / GHS07  
**Target organs:** Red blood cells



**GHS Classification:**  
Oxidizing solid (Category 2)  
Skin irritation (Category 2)  
Eye irritation (Category 2B)  
STOT-SE (Category 3)

**GHS Label information: Hazard statement:**

H272: May intensify fire; oxidizer.  
H315: Causes skin irritation.  
H319: Causes serious eye irritation.  
H335: May cause respiratory irritation.

**Precautionary statement:**

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.  
P220: Keep away from clothing/incompatible/combustible materials.  
P221: Take any precaution to avoid mixing with combustibles/reducing agents.  
P261: Avoid breathing dust.  
P264: Wash hands thoroughly after handling.  
P271: Use only outdoors or in a well-ventilated area.  
P280: Wear protective gloves/protective clothing/eye protection/face protection.  
P370+P378: In case of fire: Use water to extinguish.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313: If eye irritation persists: Get medical attention.  
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P312: Call a POISON CENTER or doctor if you feel unwell.  
P302+P352: IF ON SKIN: Wash with plenty of water and soap.  
P332+P313: If skin irritation occurs: Get medical attention.  
P362+P364: Take off contaminated clothing and wash it before reuse.  
P403+P233: Store in a well-ventilated place. Keep container tightly closed.  
P405: Store locked up.  
P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known  
Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Potassium nitrate	7757-79-1	100%	231-818-8

## Section 4 First aid measures

**INGESTION:** HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Use water. Do not use dry chemicals or foams. CO<sub>2</sub> or Halon® may provide limited control.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Not combustible but enhances combustion of other substances. Risk of fire and explosion on contact with reducing agents.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Potassium nitrate	Not established	Not established	Not established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

**Appearance:** Solid. White crystals or prills

**Odor:** No odor.

**Odor threshold:** Data not available.

**pH:** Data not available.

**Melting / Freezing point:** 333°C (631°F)

**Boiling point:** 400°C (752°F)

**Flash point:** Not flammable

**Evaporation rate ( = 1):** Data not available

**Flammability (solid/gas):** Data not available.

**Explosion limits: Lower / Upper:** Data not available

**Vapor pressure (mm Hg):** Negligible

**Vapor density (Air = 1):** 3.0

**Relative density (Specific gravity):** 2.1

**Solubility(ies):** 36 g/100 ml in water.

**Partition coefficient:** Data not available

**Auto-ignition temperature:** Data not available

**Decomposition temperature:** Data not available.

**Viscosity:** Data not available.

**Molecular formula:** KNO<sub>3</sub>

**Molecular weight:** 101.11

## Section 10 Stability and reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition.

**Incompatible materials:** Heavy metals, phosphites, organic compounds, carbonaceous materials, strong acids and many other materials.

**Hazardous decomposition products:** Nitrogen oxides and toxic metal fumes.

## Section 11 Toxicological information

**Acute toxicity:** Oral-rat LD50: 3015 mg/kg

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation causes cough, sore throat.

Ingestion: Ingestion causes abdominal pain, blue lips, fingernails and skin, dizziness, labored breathing, confusion, convulsions, diarrhea, headache, nausea, unconsciousness.

Skin: Contact with skin causes redness.

Eyes: Contact with eyes causes redness and pain.

**Signs and symptoms of exposure:** Ingestion could cause effects on the blood. This may result in formation of methaemoglobin. The effects may be delayed. Medical observation is indicated. Exercise appropriate procedures to minimize potential hazards.

**Additional information:** RTECS #: TT3700000

## Section 12 Ecological information

**Toxicity to fish:** Poecilia reticulata (fish, fresh water), LC50 = 1378 mg/L/96 hours

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacea), TLm = 39 mg/L/96 hours

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** UN1486

**Shipping name:** Potassium nitrate

**Hazard class:** 5.1

**Packing group:** III

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 5 Kg

**2020 ERG Guide #** 140

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Potassium nitrate	Listed	Not listed	D001	Listed	Not listed	

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
221 Rochester Street  
Avon, NY 14414-9409  
(585) 226-6177

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
For laboratory and industrial use only.  
Not for drug, food or household use.

<b>Product</b>	SALICYLIC ACID
----------------	----------------

<b>Synonyms</b>	2-Hydroxybenzoic acid
-----------------	-----------------------

## Section 2 Hazards identification

**Signal word:** WARNING

**Pictograms:** GHS07

**Target organs:** Central nervous system, Kidneys, Pancreas



**GHS Classification:**

Acute toxicity, oral (Category 4)

Eye irritation (Category 2B)

STOT SE (Category 3)

**GHS Label information: Hazard statement:**

H302: Harmful if swallowed.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

**Precautionary statement:**

P261: Avoid breathing dust.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Salicylic acid	69-72-7	100%	200-712-3

## Section 4 First aid measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Dusts may form flammable and explosive mixtures in air.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources. Light sensitive. Protect from light and moisture.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Salicylic acid	Not listed	Not listed	Not listed

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

<b>Appearance:</b> Solid. White, crystalline powder. <b>Odor:</b> No odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> 2.4 <b>Melting / Freezing point:</b> 158-160°C (316-320°F) <b>Boiling point:</b> 211°C (412°F) <b>Flash point:</b> 157°C (315°F)	<b>Evaporation rate ( Butyl acetate = 1):</b> <1 <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower:</b> Ca. 1.1% @ 20°C <b>Upper:</b> N/A <b>Vapor pressure (mm Hg):</b> 1 mm @ 114°C <b>Vapor density (Air = 1):</b> 4.8 <b>Relative density (Specific gravity):</b> 1.443 (20°/4°) <b>Solubility(ies):</b> Slightly soluble in water.	<b>Partition coefficient:</b> Data not available <b>Auto-ignition temperature:</b> 540°C (1004°F) <b>Decomposition temperature:</b> 540°C (1004°F) <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> C <sub>7</sub> H <sub>6</sub> O <sub>3</sub> <b>Molecular weight:</b> 138.12
---	---	--

## Section 10 Stability and reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures and heat. Light and moisture sensitive.

**Incompatible materials:** Strong oxidizers, iron salts, spirit nitrous ether, lead acetate and iodine.

**Hazardous decomposition products:** Oxides of carbon and phenol.

## Section 11 Toxicological information

**Acute toxicity:** Oral-rat LD50: 891 mg/kg ; Inhalation-rat LC50: 0.9 mg/L/1 hour

**Skin corrosion/irritation:** Skin-rabbit - draize test 500 mg/24H - Mild irritant

**Serious eye damage/irritation:** Eyes-rabbit - draize test 100 mg - Severe

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation causes irritation of the mucous membrane and upper respiratory tract.

Ingestion: Ingestion causes gastrointestinal irritation with nausea, vomiting and diarrhea. May cause 'salicylism', characterized by headache, dizziness, ringing in the ears, hearing difficulty, visual disturbance, mental confusion, drowsiness, sweating, thirst, hyperventilation, nausea, vomiting and diarrhea. Severe salicylate intoxication may cause CNS disturbances such as convulsions and coma. skin eruptions, and alteration in the acid-base balance.

Skin: Contact causes irritation and possible burns, especially if the skin is wet or moist. May cause rash and eruptions.

Eyes: Contact causes severe irritation. May result in corneal injury.

**Signs and symptoms of exposure:** See Potential health effects above. Exercise appropriate procedures to minimize potential hazards.

**Additional information:** RTECS #: VO0525000

## Section 12 Ecological information

**Toxicity to fish:** Leuciscus idus (fish, fresh water), LC50 = 90 mg/L/48 hours

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacea), EC50 = 230 mg/L/24 hours

**Toxicity to algae:** Haematococcus pluvialis (Algae), EC10 = 165 mg/L/4 hours

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2020 ERG Guide #** Not applicable

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Salicylic acid	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
 221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency  
 Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

<b>Product</b>	<b>SODIUM ACETATE, ANHYDROUS</b>
----------------	----------------------------------

<b>Synonyms</b>	Acetic Acid, Sodium Salt
-----------------	--------------------------

## Section 2 Hazards identification

**This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.**

**Signal word:** None required

**Pictograms:** No symbol required

**Target organs:** None known

**GHS Classification:** None required

**GHS Label information: Hazard statement:** None required

**Precautionary statement:** None required

**Supplemental information:**

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Sodium acetate	127-09-3	100%	204-823-8

## Section 4 First aid measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Sodium acetate	Not established	Not established	Not established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

<b>Appearance:</b> Solid, White crystalline powder. <b>Odor:</b> Slight acetic acid odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> Data not available. <b>Melting / Freezing point:</b> 324°C (615°F) <b>Boiling point:</b> Data not available <b>Flash point:</b> Data not available	<b>Evaporation rate ( = 1):</b> Data not available <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> Data not available <b>Vapor pressure (mm Hg):</b> Data not available <b>Vapor density (Air = 1):</b> Data not available <b>Relative density (Specific gravity):</b> 1.53 <b>Solubility(ies):</b> Soluble in water.	<b>Partition coefficient:</b> (n-octanol / water): Low Pow: -4.22 <b>Auto-ignition temperature:</b> Data not available <b>Decomposition temperature:</b> Data not available. <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> NaC <sub>2</sub> H <sub>3</sub> O <sub>2</sub> <b>Molecular weight:</b> 82.04
--	--	---

## Section 10 Stability and reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures.

**Incompatible materials:** None listed.

**Hazardous decomposition products:** Carbon and sodium oxides.

## Section 11 Toxicological information

**Acute toxicity:** Oral-rat LD50: 3530 mg/kg

**Skin corrosion/irritation:** Skin-rabbit - 500 mg/24 hours - irritating

**Serious eye damage/irritation:** Eyes-rabbit - 500 mg - irritating

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: May be harmful if inhaled. Inhalation may cause irritation to respiratory tract.

Ingestion: May be harmful if swallowed. Ingestion may cause abdominal pain and vomiting.

Skin: Causes mild skin irritation.

Eyes: Causes eye irritation.

**Signs and symptoms of exposure:** Exercise appropriate procedures to minimize potential hazards.

**Additional information:** RTECS #: AJ4300010

## Section 12 Ecological information

**Toxicity to fish:** Brachydanio rerio (fish, fresh water), LC0: ≥100 mg/L/96 hours

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacea), EC50: >1000 mg/L/48 hours

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2020 ERG Guide #:** Not applicable

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Sodium acetate	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
 221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency  
 Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

<b>Product</b>	SODIUM BICARBONATE, ANHYDROUS
<b>Synonyms</b>	Baking Soda / Sodium Hydrogen Carbonate / Carbonic Acid Sodium (1:1)

## Section 2 Hazards identification

**This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.**

**Signal word:** Not classified  
**Pictograms:** Not classified  
**Target organs:** None known

**GHS Classification:** Not classified

**GHS Label information: Hazard statement(s):** Not classified

**Precautionary statement(s):**

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known  
 Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Sodium bicarbonate	144-55-8	100%	205-633-8

## Section 4 First aid measures

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. This material is commonly used to extinguish fires.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Store away from acids.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Sodium bicarbonate	None established	None established	None established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

<b>Appearance:</b> Solid, white crystalline powder. <b>Odor:</b> No odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> 8.2 (1% solution) <b>Melting / Freezing point:</b> Data not available <b>Boiling point:</b> Decomposes <b>Flash point:</b> Non combustible	<b>Evaporation rate ( = 1):</b> Data not available <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> Data not available <b>Vapor pressure (mm Hg):</b> Negligible <b>Vapor density (Air = 1):</b> Data not available <b>Relative density (Specific gravity):</b> 2.16 @ 20°C <b>Solubility(ies):</b> 8.6 g/100 ml water at 20°C	<b>Partition coefficient:</b> Data not available <b>Auto-ignition temperature:</b> Data not available <b>Decomposition temperature:</b> Data not available <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> NaHCO <sub>3</sub> <b>Molecular weight:</b> 84.01
--	--	---

## Section 10 Stability and reactivity

**Chemical stability:** Stable  
**Hazardous polymerization:** Will not occur.  
**Conditions to avoid:** High temperature causes decomposition to sodium carbonate, water and carbon dioxide.  
**Incompatible materials:** Reacts with acids to yield acid salts, water and carbon dioxide.  
**Hazardous decomposition products:** Gaseous carbon dioxide.

## Section 11 Toxicological information

**Acute toxicity:** Oral-rat LD50: 4220-4400 mg/kg  
**Skin corrosion/irritation:** Skin-rabbit - not irritating  
**Serious eye damage/irritation:** Eye-rabbit - not irritating  
**Respiratory or skin sensitization:** Non sensitizing  
**Germ cell mutagenicity:** Data not available  
**Carcinogenicity:** Data not available  
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.  
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.  
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.  
Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.  
**Reproductive toxicity:** Data not available  
**STOT-single exposure:** Data not available  
**STOT-repeated exposure:** Data not available  
**Aspiration hazard:** Data not available  
**Potential health effects:**  
Inhalation: Excessive dust may irritate respiratory tract.  
Ingestion: Ingestion may cause gastrointestinal disturbance if ingested.  
Skin: No hazard known.  
Eyes: Contact with eyes may cause very slight irritation.  
**Signs and symptoms of exposure:** See Potential health effects above.  
**Additional information:** RTECS #: VZ0950000

## Section 12 Ecological information

**Toxicity to fish:** *Gambusia affinis* (fish, freshwater) LC50: 7550 mg/l/24 hours  
**Toxicity to daphnia and other aquatic invertebrates:** *Daphnia magna* (Crustacea) EC50: 2350 mg/l/48 hours  
**Toxicity to algae:** *Nitzschia linearis* (Algae) LC50: 650 mg/l/5 day  
**Persistence and degradability:** No data available  
**Bioaccumulative potential:** No data available  
**Mobility in soil:** No data available  
**PBT and vPvB assessment:** No data available  
**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** Not applicable  
**Hazard class:** Not applicable  
**Exceptions:** Not applicable  
**Shipping name:** Not Regulated  
**Packing group:** Not applicable  
**2020 ERG Guide #** Not applicable  
**Reportable Quantity:** No  
**Marine pollutant:** No

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Sodium bicarbonate	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.



## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
 221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency  
 Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

<b>Product</b>	SODIUM CARBONATE, ANHYDROUS
----------------	-----------------------------

<b>Synonyms</b>	Soda Ash
-----------------	----------

## Section 2 Hazards identification

Signal word: WARNING

Pictograms: GHS07

Target organs: None known.



GHS Classification:

Eye irrit. (Category 2A)

GHS Label information: Hazard statement:

H319: Causes serious eye irritation.

**Precautionary statement:**

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Sodium carbonate	497-19-8	100%	207-838-8

## Section 4 First aid measures

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Extinguishing Media:** Use any media suitable for extinguishing supporting fire.

**General information:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water spray to keep fire-exposed containers cool. Sodium carbonate reacts with hydrated lime to form caustic soda. Special care should be taken where lime and sodium carbonate are handled in the same area.

## Section 6 Accidental release measures

Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation. Recover for use if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water. Avoid runoff into storm sewers and ditches which lead to waterways.

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. Keep out of reach of children. Use with adequate ventilation. Wash thoroughly after handling.

**Handling:** Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale dusts. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Sodium carbonate	None established.	None established.	None established.

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

**Appearance:** Solid, white powder.

**Odor:** No odor.

**Odor threshold:** Data not available.

**pH:** Data not available.

**Melting / Freezing point:** 864°C (1587°F)

**Boiling point:** Decomposes

**Flash point:** Not flammable

**Evaporation rate ( = 1):** Data not available

**Flammability (solid/gas):** Data not available.

**Explosion limits: Lower / Upper:** Not flammable

**Vapor pressure (mm Hg):** Data not available

**Vapor density (Air = 1):** Data not available

**Relative density (Specific gravity):** 2.533

**Solubility(ies):** 17% @ 20°C in water

**Partition coefficient:** Data not available

**Auto-ignition temperature:** Data not available

**Decomposition temperature:** 1000°C (1832°F)

**Viscosity:** Data not available.

**Molecular formula:** Na<sub>2</sub>CO<sub>3</sub>

**Molecular weight:** 105.99

## Section 10 Stability and reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures. Hygroscopic material, avoid moisture.

**Incompatibilities with other materials:** Acids cause decomposition liberating gaseous carbon dioxide. When mixed with lime dust and water, corrosive and caustic soda may be produced.

**Hazardous decomposition products:** Carbon dioxide.

## Section 11 Toxicological information

**Acute toxicity:** Oral-rat LD50: 4090 mg/kg ; Inhalation-rat LC50: 2.3 mg/l/2 hours ; Dermal-rat LD50: 2210 mg/kg

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available.

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: May be harmful if inhaled. Causes respiratory tract irritation.

Ingestion: May cause irritation of the digestive tract. May be harmful if swallowed.

Skin: May be harmful if absorbed through skin. Causes skin irritation.

Eyes: Causes eye irritation.

**Signs and symptoms of exposure:** Burning sensation, cough, wheezing, laryngitis, shortness of breath, headache, nausea, vomiting.

**Additional information:** RTECS #: VZ4050000

## Section 12 Ecological information

**Toxicity to fish:** LC50 - Lepomis macrochirus (Bluegill) - 300 mg/l - 96 h

**Toxicity to daphnia and other aquatic invertebrates:** EC50 - Daphnia magna (Water flea) - 265 mg/l - 48 h

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2020 ERG Guide #:** Not applicable

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Sodium carbonate	Listed	Not listed	Not listed	Not listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
 221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency  
 Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

**Product** SODIUM CHLORIDE  
**Synonyms** Common Salt / Rock Salt

## Section 2 Hazards identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

**Signal word:** Not classified  
**Pictograms:** Not classified  
**Target organs:** None known

**GHS Classification:** Not classified  
**GHS Label information: Hazard statement(s):** Not classified  
**Precautionary statement(s):** Not classified

**Supplementary information:**

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known  
 Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Sodium chloride	7647-14-5	100%	231-598-3

## Section 4 First aid measures

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Store away from acids.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Sodium chloride	None established	None established	None established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

<b>Appearance:</b> Solid, white crystals.	<b>Evaporation rate ( = 1):</b> Data not available	<b>Partition coefficient:</b> Data not available
<b>Odor:</b> No odor.	<b>Flammability (solid/gas):</b> Data not available.	<b>Auto-ignition temperature:</b> Data not available
<b>Odor threshold:</b> Data not available.	<b>Explosion limits: Lower / Upper:</b> Data not available	<b>Decomposition temperature:</b> Data not available
<b>pH:</b> 4.0-9.0	<b>Vapor pressure (mm Hg):</b> 2.4	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> 801°C (>1473°F)	<b>Vapor density (Air = 1):</b> Data not available	<b>Molecular formula:</b> NaCl
<b>Boiling point:</b> 1465°C (2669°F)	<b>Relative density (Specific gravity):</b> 2.16 @ 25°C	<b>Molecular weight:</b> 58.45
<b>Flash point:</b> Non combustible	<b>Solubility(ies):</b> 1 g/2.8 ml water at 25°C	

## Section 10 Stability and reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Wet conditions can cause caking and/or corrosion.

**Incompatible materials:** Strong acids.

**Hazardous decomposition products:** Electrolysis can produce chlorine gas.

## Section 11 Toxicological information

**Acute toxicity:** Oral-rat LD50: 3000 mg/kg

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation of dust leaves salty taste with mild irritation to mucous membrane in nose and throat.

Ingestion: Ingestion of large amounts (more than 0.1 pound) may cause vomiting.

Skin: Contact may cause very slight irritation.

Eyes: Contact may cause very slight irritation.

**Signs and symptoms of exposure:** Gross overexposure over a long period of time, results in dehydration.

**Additional information:** RTECS #: VZ4725000

## Section 12 Ecological information

**Toxicity to fish:** Lepomis macrochirus (fish, freshwater) LC50: 9,675 mg/l/96 hours

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacea) EC50: 6,175 mg/l/16 hours

**Toxicity to algae:** Anabaena variabilis (Algae) LC50: 23,565 mg/l/4 day

**Persistence and degradability:** No data available **Bioaccumulative potential:** No data available

**Mobility in soil:** No data available **PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2020 ERG Guide #** Not applicable

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Sodium chloride	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
 221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

<b>Product</b>	<b>SODIUM HYDROXIDE, 0.1 MOLAR (0.1N) SOLUTION</b>
----------------	--

<b>Synonyms</b>	Sodium Hydroxide, Water Solution (0.1M)
-----------------	---

## Section 2 Hazards identification

**Signal word:** WARNING**Pictograms:** None required**Target organs:** Respiratory tract, gastrointestinal tract, eyes, skin.**GHS Classification:**

Skin irritation (Category 3)

Eye Irritation (Category 2B)

**GHS Label information: Hazard statement:**

H316: Causes mild skin irritation.

H320: Causes eye irritation.

**Precautionary statement:**

P264: Wash hands thoroughly after handling.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical attention.

P337+P313: If eye irritation persists: Get medical attention.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	99.6%	231-791-2
Sodium hydroxide	1310-73-2	0.4%	215-185-5

## Section 4 First aid measures

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** CAUSES MILD IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Dry chemical, water spray, alcohol foam. Can react with carbon dioxide to form sodium carbonate.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume. Contact with metals can generate hydrogen gas.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.



## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
 221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency  
 Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

<b>Product</b>	<b>SUCROSE</b>
<b>Synonyms</b>	Cane Sugar / Beet Sugar

## Section 2 Hazards identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

**Signal word:** None required  
**Pictograms:** No symbol required  
**Target organs:** None known

**GHS Classification:** None required  
**GHS Label information: Hazard statement:** None required  
**Precautionary statement:** None required

**Supplemental information:**

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Combustible dust  
 Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Sucrose	57-50-1	100%	200-334-9

## Section 4 First aid measures

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Use any media suitable for extinguishing supporting fire

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Dust dispersed in air is capable of creating a dust explosion when exposed to an ignition source. Avoid dispersion of dust in air.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for use if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.





## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
 221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency**  
**Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

<b>Product</b>	UNIVERSAL PH INDICATOR
----------------	------------------------

<b>Synonyms</b>	Universal Indicator
-----------------	---------------------

## Section 2 Hazards identification

Signal word: DANGER

Pictograms: GHS02 / GHS08 / GHS06

Target organs: Eyes, Central nervous system, Liver, Kidneys.

**GHS Classification:**

Flammable liquid (Category 2)

Acute toxicity, inhalation (Category 3)

Skin irritation (Category 2)

Eye irritation (Category 2B)

STOT-SE (Category 2)

STOT-SE (Category 3)

**GHS Label information: Hazard statement:**

H225: Highly flammable liquid and vapour.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H331: Toxic if inhaled.

H336: May cause drowsiness or dizziness.

H371: May cause damage to organs.

**Precautionary statement:**

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P260: Do not breathe mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTER or doctor if you feel unwell.

P332+P313: If skin irritation occurs: Get medical attention.

P337+P313: If eye irritation persists: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Ethyl alcohol	64-17-5	64.50 - 65.11%	200-578-6
Water	7732-18-5	23.96%	231-791-2
Isopropyl alcohol	67-63-0	6.83%	200-661-7
Methanol	67-56-1	3.03 - 3.26%	200-659-6
Methyl isobutyl ketone	108-10-1	0.68 - 0.76%	203-550-1
Bromothymol blue	76-59-5	0.06%	200-971-2
Phenolphthalein	77-09-8	0.06%	201-004-7
Methyl red	845-10-3	0.02%	212-682-9
Thymol blue	62625-21-2	0.005%	263-650-6

## Section 4 First aid measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Ethanol	STEL: 1000 ppm / 1880 mg/m <sup>3</sup> (A3)	TWA: 1000 ppm / 1900 mg/m <sup>3</sup>	TWA: 1000 ppm / 1900 mg/m <sup>3</sup>

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

<b>Appearance:</b> Clear, green liquid.	<b>Evaporation rate ( Butyl acetate = 1):</b> 4.1*	<b>Partition coefficient:</b> Data not available
<b>Odor:</b> Mild characteristic odor.	<b>Flammability (solid/gas):</b> Data not available.	<b>Auto-ignition temperature:</b> 400°C (752°F)*
<b>Odor threshold:</b> Data not available.	<b>Explosion limits: Lower / Upper:</b> 4.0%(V) / 20.0%(V)*	<b>Decomposition temperature:</b> Data not available.
<b>pH:</b> Data not available.	<b>Vapor pressure (mm Hg):</b> 44.6 @ 20°C (68°F)*	<b>Viscosity:</b> Data not available.
<b>Melting / Freezing point:</b> -114°C (-173°F)*	<b>Vapor density (Air = 1):</b> 1.59*	<b>Molecular formula:</b> Mixture
<b>Boiling point:</b> 75-80°C (173-174°F)*	<b>Relative density (Specific gravity):</b> 0.794 @ 60°F*	<b>Molecular weight:</b> Mixture
<b>Flash point:</b> Approximately 21°C (70°F)	<b>Solubility(ies):</b> Soluble in water.	*[Pure Ethanol]

## Section 10 Stability and reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, heat, sparks, open flame and other sources of ignition.

**Incompatible materials:** Strong oxidizers, inorganic acids and halogens.

**Hazardous decomposition products:** Oxides of carbon.

## Section 11 Toxicological information

**Acute toxicity:** Oral-rat LD50: 7060 mg/kg ; Inhalation-rat LC50: 124.7 mg/l/4hours [Ethanol]

**Skin corrosion/irritation:** Skin-rabbit - Slight irritant.

**Serious eye damage/irritation:** Eyes-rabbit - Severe irritant.

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 3: Not classifiable as to its carcinogenicity to humans. [Isopropanol]

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

CA Prop 65: ⚠️ WARNING! :This product can expose you to Phenolphthalein, Methanol and Methyl isobutyl ketone, which are known to the State of California to cause cancer and birth defects or other reproductive harm.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation may cause dizziness, drowsiness, nausea, vomiting, inability to concentrate and irritation of the throat.

Ingestion: Ingestion causes dizziness, drowsiness, decreased reaction, euphoria, nausea, vomiting, staggering gait and coma.

Skin: Contact with skin causes irritation defatting on prolonged contact.

Eyes: Contact with eyes may cause blindness.

**Signs and symptoms of exposure:** See Potential health effects above.

**Additional information:** RTECS #: KQ6300000 [Ethanol]

## Section 12 Ecological information

**Toxicity to fish:** Oncorhynchus mykiss (fish, fresh water), LC50 = 11,200 mg/l/24 hours [Ethanol]

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacia), EC50 = 10,800 mg/l/24 hours [Ethanol, 99.8% pure]

**Toxicity to algae:** Chlorella pyrenoidosa (Algae), EC50 = 9,310 mg/l/growth rate [Ethanol, absolute]

**Persistence and degradability:** No data available **Bioaccumulative potential:** No data available

**Mobility in soil:** No data available **PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** UN1170 **Shipping name:** Ethanol solution

**Hazard class:** 3

**Packing group:** II

**Reportable Quantity:** 5,000 lbs (2270 kg)

**Marine pollutant:** No

**Exceptions:** Limited quantity equal to or less than 1 L

**2020 ERG Guide #** 127

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Ethanol	Listed	Not listed	D001	Listed	Not listed	⚠️ WARNING -Cancer and Reproductive Harm - www.P65Warnings.ca.gov.
Methanol	Listed	5,000 lbs.	U154	Listed	Not listed	
Isopropanol	Listed	Not listed	Not listed	Listed	Not listed	

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
 221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency  
 Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

<b>Product</b>	UREA
<b>Synonyms</b>	Carbamide Resin

## Section 2 Hazards identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

**Signal word:** Not classified  
**Pictograms:** Not classified  
**Target organs:** Blood, Cardiovascular system

**GHS Classification:** Not classified  
**GHS Label information: Hazard statement:** Not classified  
**Precautionary statement:** Not classified

**Supplementary information:**

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Not Known  
 Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Urea	57-13-6	100%	200-315-5

## Section 4 First aid measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Carbon dioxide, dry chemical, dry sand, alcohol foam.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

**Precautions for Safe Handling:** Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Conditions for Safe Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Urea	Not established	Not established	Not established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

<b>Appearance:</b> Solid, white crystals. <b>Odor:</b> Ammonia-like odor. <b>Odor threshold:</b> Data not available. <b>pH:</b> Data not available. <b>Melting / Freezing point:</b> 132°C (270°F) <b>Boiling point:</b> Decomposes <b>Flash point:</b> Not flammable	<b>Evaporation rate ( = 1):</b> Data not available <b>Flammability (solid/gas):</b> Data not available. <b>Explosion limits: Lower / Upper:</b> Data not available <b>Vapor pressure (mm Hg):</b> 1.2105 @ 25°C <b>Vapor density (Air = 1):</b> 2.07 <b>Relative density (Specific gravity):</b> 1.335 <b>Solubility(ies):</b> Soluble in water.	<b>Partition coefficient:</b> (n-octanol / water): Log Pow: -3.0/-1.54 <b>Auto-ignition temperature:</b> Data not available <b>Decomposition temperature:</b> Data not available. <b>Viscosity:</b> Data not available. <b>Molecular formula:</b> NH <sub>2</sub> CONH <sub>2</sub> <b>Molecular weight:</b> 60.06
---	--	---

## Section 10 Stability and reactivity

**Chemical stability:** Stable **Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures, and moisture.

**Incompatible materials:** Strong oxidizing agents, sodium hypochlorite, sodium nitrate, calcium hypochlorite, nitrosyl perchlorate, gallium perchlorate, diphosphorus pentachloride.

**Hazardous decomposition products:** Oxides of carbon, ammonia, cyanuric acid, oxides of nitrogen.

## Section 11 Toxicological information

**Acute toxicity:** Oral-rat LD50: 8471 mg/kg ; Dermal-rat LD50: 8200 mg/kg

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation may cause cough, shortness of breath, sore throat.

Ingestion: Ingestion causes convulsions, headache, nausea, vomiting.

Skin: Contact with skin causes irritation.

Eyes: Contact with eyes causes irritation.

**Signs and symptoms of exposure:** Exercise appropriate procedures to minimize potential hazards.

**Additional information:** RTECS #: YR6250000

## Section 12 Ecological information

**Toxicity to fish:** Rasbora heteromorpha (Fish, marine) LC50: 12,000 mg/L/96 hours

**Toxicity to daphnia and other aquatic invertebrates:** Daphnia magna (Crustacea), EC50 = >10,000 mg/l/24 hours

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2020 ERG Guide #** Not applicable

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Urea	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

## Section 1 Identification

Page E1 of E2

**INNOVATING SCIENCE**® by Aldon  
 221 Rochester Street  
 Avon, NY 14414-9409  
 (585) 226-6177

**CHEMTREC 24 Hour Emergency  
 Phone Number (800) 424-9300**  
 For laboratory and industrial use only.  
 Not for drug, food or household use.

**Product** ZINC METAL  
**Synonyms** Zinc / Zinc Metal Granules

## Section 2 Hazards identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

**Signal word:** Not classified  
**Pictograms:** Not classified  
**Target organs:** None known

**GHS Classification:** Not classified  
**GHS Label information: Hazard statement(s):** Not classified  
**Precautionary statement(s):** Not classified

**Supplemental information:**

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

**Hazards not otherwise classified:**

Health hazards not otherwise classified (HHNOC) - Combustible dust  
 Physical hazards not otherwise classified (PHNOC) - Not Known

## Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Zinc, granules	7440-66-6	100%	231-175-3

## Section 4 First aid measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** HARMFUL IF INHALED AS FUME. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

**EYE CONTACT:** MAY CAUSE MECHANICAL IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

**SKIN ABSORPTION:** MAY CAUSE DERMATITIS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

## Section 5 Fire fighting measures

**Suitable Extinguishing Media:** Use triclass, dry chemical fire extinguisher. Do NOT use water on fire where molten metal is present.

**Protective Actions for Fire-fighters:** In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

**Specific Hazards:** During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Molten metals produce fume, vapor and/or dust that may be toxic and/or a respiratory irritant. Metal reacts with oxidizing agents. Small chips, turnings, and dust with ignite readily. Dust cloud may be explosive.

## Section 6 Accidental release measures

**Personal Precautions:** Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

**Environmental Precautions:** Avoid runoff into storm sewers and ditches which lead to waterways.

**Containment and Cleanup:** Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. Keep out of reach of children. Use with adequate ventilation. Wash thoroughly after handling.

**Handling:** Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale fumes from molten metals. Wash thoroughly after handling. Remove and wash clothing before reuse.

**Storage:** Store in a cool, dry, well-ventilated area away from incompatible substances.

## Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Particulates not otherwise classified	None established	TWA: 5 mg/m <sup>3</sup> respirable fraction	None established

**Engineering controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

**Respiratory protection:** None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

## Section 9 Physical and chemical properties

**Appearance:** Solid. Metallic silver-gray granules  
**Odor:** No odor.  
**Odor threshold:** Data not available.  
**pH:** Data not available.  
**Melting / Freezing point:** 419°C (787°F)  
**Boiling point:** 907°C (1665°F)  
**Flash point:** Not applicable

**Evaporation rate ( = 1):** Not applicable  
**Flammability (solid/gas):** Not applicable  
**Explosion limits: Lower / Upper:** Not applicable  
**Vapor pressure (mm Hg):** Data not available  
**Vapor density (Air = 1):** Data not available  
**Relative density (Specific gravity):** 7.12  
**Solubility(ies):** Insoluble

**Partition coefficient:** Data not available  
**Auto-ignition temperature:** Not applicable  
**Decomposition temperature:** Data not available.  
**Viscosity:** Data not available.  
**Molecular formula:** Zn  
**Molecular weight:** 65.38

## Section 10 Stability and reactivity

**Chemical stability:** Stable

**Hazardous polymerization:** Will not occur.

**Conditions to avoid:** Excessive temperatures. Hydrogen may evolve when in contact with water or damp air.

**Incompatibilities with other materials:** Strong acids, halogens, acids, alkalis and water.

**Hazardous decomposition products:** Zinc oxides and zinc fumes. Reacts with water, acids or alkalis to generate hydrogen gas.

## Section 11 Toxicological information

**Acute toxicity:** Data not available

**Skin corrosion/irritation:** Data not available

**Serious eye damage/irritation:** Data not available

**Respiratory or skin sensitization:** Data not available

**Germ cell mutagenicity:** Data not available

**Carcinogenicity:** Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

**Reproductive toxicity:** Data not available

**STOT-single exposure:** Data not available

**STOT-repeated exposure:** Data not available

**Aspiration hazard:** Data not available

**Potential health effects:**

Inhalation: Inhalation of dust or fume may cause irritation to eyes, nose, throat, and cause a metallic taste in the mouth. May cause metal fume fever or produce flu-like symptoms.

Ingestion: May be harmful if swallowed.

Skin: May cause dermatitis.

Eyes: Contact with eyes may cause mechanical irritation.

**Signs and symptoms of exposure:** Over-heating of alloy can produce metal fumes and oxides. Over-exposure to dust and fumes may cause mouth, eye, and nose irritation.

**Additional information: RTECS #:** None assigned

## Section 12 Ecological information

**Toxicity to fish:** No data available

**Toxicity to daphnia and other aquatic invertebrates:** No data available

**Toxicity to algae:** No data available

**Persistence and degradability:** No data available

**Bioaccumulative potential:** No data available

**Mobility in soil:** No data available

**PBT and vPvB assessment:** No data available

**Other adverse effects:** An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

## Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

## Section 14 Transport information

**UN/NA number:** Not applicable

**Shipping name:** Not Regulated

**Hazard class:** Not applicable

**Packing group:** Not applicable

**Reportable Quantity:** No

**Marine pollutant:** No

**Exceptions:** Not applicable

**2020 ERG Guide #:** Not applicable

## Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Zinc	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

## Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.