

Section 1 Identification

Page E1 of E2

INNOVATING SCIENCE® by Aldon
 221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory and industrial use only.
 Not for drug, food or household use.

Product	HYDROCHLORIC ACID, 1 MOLAR (1 NORMAL) SOLUTION
Synonyms	Muriatic Acid, Water Solution / Hydrogen Chloride, Water Solution

Section 2 Hazards identification

Signal word: WARNING

Pictograms: GHS05

Target organs: Respiratory system, skin, eyes, lungs.

**GHS Classification:**

Corrosive to metals (Category 1)

Skin irritant (Category 3)

Eye irritant (Category 2B)

GHS Label information:**Hazard statement(s):**

H290: May be corrosive to metals.

H316: Causes mild skin irritation.

H320: Causes eye irritation.

Precautionary statement(s):

P234: Keep only in original container.

P264: Wash hands thoroughly after handling.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313: If skin irritation occurs: Get medical attention.

P337+P313: If eye irritation persists: Get medical attention.

P390: Absorb spillage to prevent material damage.

P406: Store in corrosive resistant container with a resistant inner liner.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Water	7732-18-5	96.86%	231-791-2
Hydrochloric acid	7647-01-0	3.14%	231-595-7

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Contact with metals produce hydrogen, which is flammable and may produce explosive mixtures with air.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Hydrogen chloride	STEL: C 2 ppm / C 2.98 mg/m ³	STEL: C 5 ppm / C 7 mg/m ³	STEL: C 5 ppm / C 7 mg/m ³

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

Appearance: Clear, colorless liquid. Odor: No odor. Odor threshold: No data available pH: No data available Melting / Freezing point: ~ 0°C (~ 32°F) [water] Boiling point: ~ 100°C (212°F) [water] Flash point: Not flammable. Evaporation rate (= 1): < 1	Flammability (solid/gas): No data available Explosion limits: Upper/Lower: No data available Vapor pressure (mm Hg): 14 [water] Vapor density (Air = 1): 0.7 [water] Relative density (Specific gravity): 1.0 [water] Solubility(ies): Complete. Partition coefficient: (n-octanol / water): No data available Auto-ignition temperature: No data available	Decomposition temperature: No data available Viscosity: No data available Molecular formula: Mixture. Molecular weight: Mixture.
---	--	---

Section 10 Stability and reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Containers may burst when heated. Avoid contact with water.

Incompatible materials: Metals, bases, active metals, alkali metals, oxidizing agents, hydroxides, amines, carbonates, cyanides, sulfides, sulfites, formaldehyde.

Hazardous decomposition products: Hydrogen chloride gas.

Section 11 Toxicological information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available at this dilution.

Serious eye damage/irritation: Data not available at this dilution.

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by NTP.

IARC: Group 3: Not classifiable as to its carcinogenicity to humans.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available at this dilution.

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

Inhalation: May be harmful if inhaled. Material may cause irritation to the tissue of the mucous membranes and upper respiratory tract.

Ingestion: May be harmful if swallowed.

Skin: May cause irritation and/or burns.

Eyes: May cause irritation and/or burns.

Signs and symptoms of exposure: Data not available at this dilution.

Additional information: RTECS #: MW4025000 [Hydrochloric acid]

Section 12 Ecological information

Toxicity to fish: LC50 - Gambusia affinis (Mosquito fish) - 282 mg/l - 96 h (Hydrochloric acid)

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: UN1789

Shipping name: Hydrochloric acid

Hazard class: 8

Packing group: III

Reportable Quantity: 5000 lbs (2270 kg)

Marine pollutant: No

Exceptions: Limited quantity equal to or less than 5 L

2020 ERG Guide # 157

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Hydrochloric acid	Listed	5000 lbs (2270 kg)	D002	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

INNOVATING SCIENCE® by Aldon
 221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory and industrial use only.
 Not for drug, food or household use.

Product	CALCIUM SULFATE, HEMIHYDRATE
----------------	------------------------------

Synonyms	Plaster of Paris / Dried Gypsum
-----------------	---------------------------------

Section 2 Hazards identification

Signal word: WARNING

Pictograms: GHS08

Target organs: None known



GHS Classification:

*STOT-RE (Category 2)

GHS Label information: Hazard statement:

*H373: May cause damage to organs (*lungs*) through prolonged or repeated exposure (*inhalation*).

* Respirable dust particles containing crystalline silica may be generated by crushing. There are no known hazards associated with this material when used as recommended.

Precautionary statement:

P260: Do not breathe dust.

P314: Get medical advice/attention if you feel unwell.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Calcium sulfate, hemihydrate	26499-65-0	60-100%	231-900-3 (anhydrous)
Calcium carbonate	1317-65-3	10-30%	215-279-6
Crystalline silica	14808-60-7	0.5-1.5%	238-878-4

Section 4 First aid measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: PROLONGED INHALATION OF PARTICULATE DUST MAY BE HARMFUL. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE ABRASIONS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Product will not burn or support fire. Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: Limestone reacts with acids to release carbon dioxide.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 1 Identification

Page E1 of E2

INNOVATING SCIENCE® by Aldon
 221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory and industrial use only.
 Not for drug, food or household use.

Product	LIMESTONE
Synonyms	Calcium Carbonate

Section 2 Hazards identification

Signal word: WARNING
Pictograms: GHS08
Target organs: None known



GHS Classification:
 *STOT-RE (Category 2)

GHS Label information: Hazard statement:
 *H373: May cause damage to organs (*lungs*) through prolonged or repeated exposure (*inhalation*).

* *Respirable dust particles containing crystalline silica may be generated by crushing. There are no known hazards associated with this material when used as recommended.*

Precautionary statement:

P260: Do not breathe dust.
 P314: Get medical attention if you feel unwell.
 P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known
 Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Limestone (Calcium carbonate)	1317-65-3	≥99%	215-279-6
Quartz	14808-60-7	0.1-1.0%	238-878-4

Section 4 First aid measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: PROLONGED INHALATION OF PARTICULATE DUST MAY BE HARMFUL. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Product will not burn or support fire. Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool..

Specific Hazards: Limestone reacts with acids to release carbon dioxide.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area.

Section 8 Exposure controls / personal protection

Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
	Silica, crystalline, α -quartz	TWA: 0.025 mg/m ³ respirable (A2)	TWA: 10 mg/m ³ respirable dust	TWA: 0.05 mg/m ³ respirable dust

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

Appearance: Solid. Tan to light brown round particles.	Evaporation rate (= 1): Not applicable	Partition coefficient: Not applicable
Odor: No odor.	Flammability (solid/gas): Data not available.	Auto-ignition temperature: Not applicable
Odor threshold: Data not available.	Explosion limits: Lower / Upper: Not flammable	Decomposition temperature: Data not available.
pH: Data not available.	Vapor pressure (mm Hg): Data not available	Viscosity: Data not available.
Melting / Freezing point: Data not available	Vapor density (Air = 1): Data not available	Molecular formula: Mixture
Boiling point: Data not available	Relative density (Specific gravity): 2.6 - 2.75	Molecular weight: Mixture
Flash point: Not flammable	Solubility(ies): Insoluble in water.	

Section 10 Stability and reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.

Conditions to avoid: Avoid contact with incompatible materials.

Incompatible materials: Contact with powerful oxidizing agents such as fluorine, chlorine trifluoride, manganese trioxide and oxygen difluoride may cause fire.

Hazardous decomposition products: Will dissolve in hydrofluoric acid and produce silicon tetrafluoride, a corrosive gas.

Section 11 Toxicological information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: Known to be a human carcinogen (respirable). [crystalline silica]*

IARC classified: Group 1: Carcinogenic to humans. [crystalline silica]*

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: ⚠️ WARNING! This product can expose you to a chemical, crystalline silica, which is known to the State of California to cause cancer.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Inhalation - May cause damage to organs through prolonged or repeated exposure. [crystalline silica]*

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Dust may cause congestion and irritation in nasal and respiratory passages.

Ingestion: Ingestion may cause gastrointestinal irritation and blockage.

Skin: May cause abrasions.

Eyes: May cause mild to severe irritation by abrasion with dust or chips.

Signs and symptoms of exposure: Prolonged inhalation of particulate dust, may result in silicosis, a disabling pulmonary fibrosis characterized by fibrotic changes and miliary nodules in the lungs, a dry cough, shortness of breath, emphysema, decreased chest expansion, and increased susceptibility to tuberculosis.

Additional information: RTECS #: EV9580000 * *Respirable dust particles containing crystalline silica may be generated by crushing. There are no known hazards associated with this material when used as recommended.*

Section 12 Ecological information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: No

Marine pollutant: No

Exceptions: Not applicable

2020 ERG Guide #: Not applicable

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Limestone	Listed	Not listed	Not listed	Listed	Not listed	⚠️ WARNING -Cancer - www.P65Warnings.ca.gov.

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

INNOVATING SCIENCE® by Aldon

"Cutting edge science for the classroom"

221 Rochester Street
Avon, NY 14414-9409
(585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
For laboratory and industrial use only.
Not for drug, food or household use.

Product	GRANITE
Synonyms	Crushed Stone

Section 2 Hazards identification

Signal word: WARNING
Pictograms: GHS08
Target organs: Central nervous system, Respiratory system, Eyes, Skin



GHS Classification:
*STOT-RE (Category 2)

GHS Label information: Hazard statement:
*H373: May cause damage to organs (*lungs*) through prolonged or repeated exposure (*inhalation*).

* Respirable dust particles containing silicon dioxide may be generated by crushing. There are no known hazards associated with this material when used as recommended.

Precautionary statement:

P260: Do not breathe dust.
P314: Get medical advice/attention if you feel unwell.
P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known
Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Silicon dioxide	14808-60-7	70-72%	231-545-4
Aluminum oxide	1344-28-1	13-15%	None assigned
Potassium oxide	12136-45-7	4-5%	None assigned
Sodium oxide	1313-59-3	3-4%	235-641-7
Ferric oxide	1309-37-1	1-2%	None assigned
Ferrous oxide	1345-25-1	1-2%	None assigned
Calcium oxide	1305-78-8	1-2%	215-138-9
Magnesium oxide	1309-48-4	<1%	215-171-9

Section 4 First aid measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: PROLONGED INHALATION OF PARTICULATE DUST MAY BE HARMFUL. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE ABRASIONS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Product will not burn or support fire. Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool..

Specific Hazards: None known.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 1 Identification

Page E1 of E2

INNOVATING SCIENCE® by Aldon
 221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Hour Emergency
 Phone Number (800) 424-9300**
 For laboratory and industrial use only.
 Not for drug, food or household use.

Product	SANDSTONE
----------------	-----------

Synonyms	Aggregate
-----------------	-----------

Section 2 Hazards identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: WARNING

Pictograms: GHS08

Target organs: Central nervous system, Respiratory system, Eyes, Skin



GHS Classification:

*STOT-RE (Category 2)

GHS Label information: Hazard statement:

*H373: May cause damage to organs (*lungs*) through prolonged or repeated exposure (*inhalation*).

* *Respirable dust particles containing silicon dioxide may be generated by crushing. There are no known hazards associated with this material when used as recommended.*

Precautionary statement:

P260: Do not breathe dust.

P314: Get medical advice/attention if you feel unwell.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

Chemical Name	CAS #	%	EINECS
Silicon dioxide	14808-60-7	77-79%	231-545-4
Calcium oxide	1305-78-8	5-6%	215-138-9
Aluminum oxide	1344-28-1	4-5%	None assigned
Potassium oxide	12136-45-7	1-2%	None assigned
Ferric oxide	1309-37-1	1-2%	None assigned
Ferrous oxide	1345-25-1	1-2%	None assigned
Magnesium oxide	1309-48-4	1-2%	215-171-9
Sodium oxide	1313-59-3	<1%	235-641-7

Section 4 First aid measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: PROLONGED INHALATION OF PARTICULATE DUST MAY BE HARMFUL. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE ABRASIONS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Product will not burn or support fire. Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool..

Specific Hazards: None known.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

