# SAFETY DATA SHEET

# CORROSIVE STORAGE CODE WHITE

Page E1 of E2

Section 1

Identification

# **INNOVATING SCIENCE<sup>®</sup>** "Cutting edge science for the classroom"

by Aldon 221 Rochester Street Avon, NY 14414-9409 (585) 226-6177

## **CHEMTREC 24 Hour Emergency** Phone Number (800) 424-9300 For laboratory and industrial use only.

Not for drug, food or household use.

Product HYDROCHLORIC ACID, 0.01 MOLAR (0.01 NORMAL) SOLUTION	
--	--

#### Synonyms Muriatic Acid, Water Solution ; Hydrogen Chloride, Water Solution Section 2 Hazards identification

# Signal word: WARNING

Pictograms: None required Target organs: Respiratory system, skin, eyes, lungs.

## **GHS Classification:**

Skin irritant (Category 3) Eye irritant (Category 2B)

### GHS Label information:

Hazard statement(s): H316: Causes mild skin irritation. H320: Causes eye irritation.

# Precautionary statement(s):

P264: Wash hands thoroughly after handling. P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P332+P313: If skin irritation occurs: Get medical attention. P337+P313: If eye irritation persists: Get medical attention.

### Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients **Chemical Name** CAS # % EINECS Water 7732-18-5 99.970% 231-791-2 Hydrochloric acid 7647-01-0 0.032% 231-595-7 Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES MILD SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

#### Section 5 Fire fighting measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Contact with metals produce hydrogen, which is flammable and may produce explosive mixtures with air.

#### Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Neutralize spill with sodium bicarbonate or calcium hydroxide, absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

#### Section 7 Handling and storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8 Exposure controls / personal protection						
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)		
Exposure Limits.	Hydrogen chloride	STEL: C 2 ppm / C 2.98 mg/m <sup>3</sup>	STEL: C 5 ppm / C 7 mg/m <sup>3</sup>	STEL: C 5 ppm / C 7 mg/m <sup>3</sup>		

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

approved respirato	1.								
Section 9	Physical and chemical	l properties							
• • •	or. Data not available. <b>point:</b> Approx. 0°C (32°F) [wate prox. 100°C (212°F) [water]	Flammability (s Explosion limit Vapor pressure r] Vapor density Relative densit	tte (=1): Data not a solid/gas): Data not ts: Upper/Lower: D e (mm Hg): 14 [wate (Air = 1): 0.7 [water] ty (Specific gravity): Soluble in water.	available. ata not available. r]	Auto-igniti Decompos Viscosity: Molecular	ion temperature	e		
Section 10	Stability and reactivity	,							
Chemical stability	r: Stable id: Containers may burst whe		ous polymerization:	Will not occur.					
	erials: Metals, bases, active			roxides, amines, car	bonates, cyani	ides, sulfides, sul	lfites,		
-	position products: Hydroge	en chloride gas.							
Section 11	Toxicological informat	ion							
Carcinogenity: D NTP: No component IARC: Group 3: No OSHA: No compo Ca Prop 65: This p Reproductive tox STOT-single expo STOT-repeated ex Aspiration hazard Potential health e Exercise appropria Inhalation: May be Skin: May cause i Eyes: May cause i Signs and symptometal Statemetal Statemetal Statemetal Signs and symptometal Statemetal Statemetal Statemetal Statemetal Stat	ent of this product present at le ot classifiable as to its carcino nent of this product present at roduct does not contain any c <b>icity</b> : Data not available <b>isure</b> : Data not available <b>i:</b> Data not available <b>i:</b> Data not available <b>i:</b> Data not available <b>iftects</b> : To the best of our kno the procedures to minimize pot a harmful if inhaled. Material r harmful if swallowed. rritation.	genicity to humans. I levels greater than o hemicals known to th nis dilution. wledge the chemical, iential hazards. nay cause irritation to available at this dilutio	n equal to 0.1% is ide e State of California t physical and toxicolo the tissue of the muc n.	ntified as a carcinogo o cause cancer or re ogical properties have	en or potential productive toxi e not been tho	carcinogen by O icity. roughly investiga			
Section 12	Ecological information		1						
Toxicity to daphni Toxicity to algae: Persistence and o Mobility in soil: N	legradability: No data availa	brates: No data availa ble Bioaccumu PBT and vi	able ulative potential: No PvB assessment: N	data available o data available	r disposal.				
Section 13	Disposal consideratio	ns							
These disposal g regulations may b Section 14	uidelines are intended for t be different. Dispose of in a <b>Transport information</b>	accordance with all	log-size quantities of local, state and fee	only. Federal regul leral regulations or	ations may a contract with	pply to empty on a licensed che	container. State and/or local emical disposal agency.		
	Not applicable SNot applicable P	· hipping name: N acking group: N 020 ERG Guide #	ot applicable	Reportable Qua	antity: No	Ma	arine pollutant: No		
Section 15	Regulatory information								
	red to be listed if the CAS number								
Compo	nent	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65		
Hydrochloric acid		Listed	Not listed	D002	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.		
Section 16	Other information								

#### Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook. Form 06/2015

# SAFETY DATA SHEET

# FLAMMABLE STORAGE CODE RED

Page E1 of E2

Section 1

Identification

#### "Cutting edge science for the classroom" by Aldon (585) 221 Roc Avon, N (585) 22

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177 CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory and industrial use only. Not for drug, food or household use.

PHENOLPHTHALEIN SOLUTION Product Synonyms 1% Phenolphthalein in 95% Ethanol / Phenolphthalein Indicator Section 2 Hazards identification Signal word: DANGER Precautionary statement: Pictograms: GHS02 / GHS08 / GHS06 P201: Obtain special instructions before use. Target organs: Eyes, Central nervous system, Liver, Kidneys. P202: Do not handle until all safety precautions have been read and understood. P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking. P240: Ground/bond container and receiving equipment. P241: Use explosion-proof electrical/ventilating/lighting equipment. P242: Use only non-sparking tools. **GHS** Classification: P243: Take precautionary measures against static discharge. P260: Do not breathe mist/vapours/spray. Flammable liquid (Category 2) P264: Wash hands thoroughly after handling. Acute toxicity, inhalation (Category 3) Skin irritation (Category 2) Eye irritation (Category 2B) P271: Use only outdoors or in a well-ventilated area. P280: Wear protective gloves/protective clothing/eye protection/face protection. Mutagenicity (Category 2) P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove Carcinogenicity (Category 1B) contact lenses, if present and easy to do. Continue rinsing Reproductive toxicity (Category 2) P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated STOT-SE (Category 2) clothing. Rinse skin with water/shower. STOT-SE (Category 3) P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for GHS Label information: Hazard statement: breathing H225: Highly flammable liquid and vapour. P312: Call a POISON CENTER or doctor if you feel unwell. H315: Causes skin irritation. P332+P313: If skin irritation occurs: Get medical attention. H319: Causes serious eye irritation. P337+P313: If eye irritation persists: Get medical attention. H331: Toxic if inhaled. P362+P364: Take off contaminated clothing and wash it before reuse. H336: May cause drowsiness or dizziness. P403+P233: Store in a well-ventilated place. Keep container tightly closed. H341: Suspected of causing genetic defects. P405: Store locked up. H350: May cause cancer. P501: Dispose of contents/container to a licensed chemical disposal agency in H361f: Suspected of damaging fertility. accordance with local/regional/national regulations. H371: May cause damage to organs. Hazards not otherwise classified: Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients						
Chemical Name	CAS #	%	EINECS			
Ethyl alcohol	64-17-5	80.75 - 81.51%	200-578-6			
Isopropyl alcohol	67-63-0	8.55%	200-661-7			
Water	7732-18-5	5.00%	231-791-2			
Methanol	67-56-1	3.80 - 4.08%	200-659-6			
Phenolphthalein	77-09-8	1.00%	201-004-7			
Methyl isobutyl ketone	108-10-1	0.85 - 0.95%	203-550-1			

### Section 4 First aid measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

### Section 5 Fire fighting measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

### Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

#### Section 7 Handling and storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8 Exposure controls / personal protection						
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)		
Exposure Limits.	Ethanol	STEL: 1000 ppm / 1880 mg/m <sup>3</sup> (A3)	TWA: 1000 ppm / 1900 mg/m <sup>3</sup>	TWA: 1000 ppm / 1900 mg/m <sup>3</sup>		

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9 Appearance: Clear Odor: Mild characte	Dhysical and shamical				
	Physical and chemical	properties			
	eristic odor. lata not available. lble. <b>point:</b> -114°C (-173°F)* 30°C (165.2-176°F)*	Vapor pressure (mm Hg Vapor density (Air = 1):	): Data not available. r / Upper: 4.0%(V) / 20.0%(V)* ): Ca 50 @ 20°C* Ca 1.5* ravity): 0.7919-0.7955°C @ 60/60°F*	Partition coefficient: (n-octa Auto-ignition temperature: A Decomposition temperature Viscosity: Data not available Molecular formula: Mixture Molecular weight: Mixture	400°C (752°F)* : Data not available.
Section 10	Stability and reactivity				
		neat, sparks, open flame and c	<b>terization:</b> Will not occur. ther sources of ignition.		
•	position products: Oxides of				
Section 11	Toxicological informati	on			
Section 11	Toxicological informati				
Carcinogenity: Da NTP: (R) Reasonab IARC classified: Grr OSHA: No compone CA Prop 65: A WAI fornia to cause cance <b>Reproductive toxis</b> STOT-single expos STOT-repeated exp Aspiration hazard: Potential health ef Inhalation: Inhalatic	bly anticipated to be a human oup 2B: Possibly carcinogenic ent of this product present at I RNING! : This product can ex cer and birth defects or other <b>city:</b> Data not available <b>sure:</b> The substance or mixtu <b>posure:</b> Data not available : Data not available <b>ffects:</b> on may cause dizziness, drowsines	pose you to chemicals includir reproductive harm. Ire is classified as specific targ rsiness, nausea, vomiting, inab ss, decreased reaction, euphor	0.1% is identified as a carcinoge g Phenolphthalein, Methanol, an et organ toxicant, single exposur ility to concentrate and irritation of	d Methyl isobutyl ketone, which a e, category 3 with narcotic effect of the throat.	are known to the State of Cal
Eyes: Contact with Signs and sympto Additional information	eyes may cause blindness. ms of exposure: See Poten ation: RTECS #: KQ630000	0 [Ethanol]	of cancer depends on level and c	uration of exposure.	
Eyes: Contact with Signs and sympto Additional informa Section 12	eyes may cause blindness. ms of exposure: See Poten ation: RTECS #: KQ630000 Ecological information	tial health effects above. Risk ( 0 [Ethanol]	of cancer depends on level and c	uration of exposure.	
Eyes: Contact with Signs and sympto Additional informa Section 12 Toxicity to fish: OI Toxicity to daphnia Toxicity to algae: OPersistence and do Mobility in soil: No Other adverse effe	eyes may cause blindness. ms of exposure: See Poten ation: RTECS #: KQ630000 Ecological information ncorhynchus mykiss (fish, free a and other aquatic inverteb Chlorella pyrenoidosa (Algae) egradability: No data availate o data available cts: An environmental hazar	tial health effects above. Risk o [Ethanol] sh water), LC50 = 11,200 mg/l/ rates: Daphnia magna (Crusta EC50 = 9,310 mg/l/growth rat ble Bioaccumulative po PBT and vPvB asse d cannot be excluded in the ev	of cancer depends on level and c 24 hours [Ethanol] acia), EC50 = 10,800 mg/l/24 hou	rs [Ethanol, 99.8% pure]	
Eyes: Contact with Signs and sympto Additional informa Section 12 Toxicity to fish: O Toxicity to daphnia Toxicity to algae: O Persistence and d Mobility in soil: No Other adverse effe Section 13	eyes may cause blindness. ms of exposure: See Poten ation: RTECS #: KQ630000 Ecological information ncorhynchus mykiss (fish, free a and other aquatic inverteb Chlorella pyrenoidosa (Algae). egradability: No data available o data available ects: An environmental hazar Disposal consideration	tial health effects above. Risk of D [Ethanol] sh water), LC50 = 11,200 mg/l/ rates: Daphnia magna (Crusta EC50 = 9,310 mg/l/growth rat ble Bioaccumulative po PBT and vPvB asse d cannot be excluded in the ev 15	of cancer depends on level and c 24 hours [Ethanol] acia), EC50 = 10,800 mg/l/24 hou e [Ethanol, absolute] tential: No data available ssment: No data available ent of unprofessional handling on	rs [Ethanol, 99.8% pure] disposal.	
Eyes: Contact with Signs and sympto Additional informa Section 12 Toxicity to fish: O Toxicity to daphnia Toxicity to algae: O Persistence and do Mobility in soil: No Other adverse effe Section 13 These disposal gu	eyes may cause blindness. ms of exposure: See Poten ation: RTECS #: KQ630000 Ecological information ncorhynchus mykiss (fish, free a and other aquatic inverteb Chlorella pyrenoidosa (Algae). egradability: No data availation o data available ects: An environmental hazar Disposal consideration uidelines are intended for th	tial health effects above. Risk of [Ethanol] sh water), LC50 = 11,200 mg/l/ rates: Daphnia magna (Crusta EC50 = 9,310 mg/l/growth rat ble Bioaccumulative po PBT and vPvB asse d cannot be excluded in the ev 15 ne disposal of catalog-size of	of cancer depends on level and c 24 hours [Ethanol] acia), EC50 = 10,800 mg/l/24 hou e [Ethanol, absolute] tential: No data available ssment: No data available ent of unprofessional handling or quantities only. Federal regula	rs [Ethanol, 99.8% pure] disposal. ations may apply to empty cor	
Eyes: Contact with Signs and sympto Additional informa Section 12 Toxicity to fish: O Toxicity to daphnia Toxicity to algae: O Persistence and do Mobility in soil: No Other adverse effe Section 13 These disposal gu	eyes may cause blindness. ms of exposure: See Poten ation: RTECS #: KQ630000 Ecological information ncorhynchus mykiss (fish, free a and other aquatic inverteb Chlorella pyrenoidosa (Algae). egradability: No data availation o data available ects: An environmental hazar Disposal consideration uidelines are intended for th	tial health effects above. Risk of [Ethanol] sh water), LC50 = 11,200 mg/l/ rates: Daphnia magna (Crusta EC50 = 9,310 mg/l/growth ratole Bioaccumulative por PBT and vPvB assed d cannot be excluded in the events ne disposal of catalog-size of accordance with all local, sta	of cancer depends on level and c 24 hours [Ethanol] acia), EC50 = 10,800 mg/l/24 hou e [Ethanol, absolute] tential: No data available ssment: No data available ent of unprofessional handling on	rs [Ethanol, 99.8% pure] disposal. ations may apply to empty cor	
Eyes: Contact with Signs and sympto Additional informa Section 12 Toxicity to fish: O Toxicity to daphnia Toxicity to algae: O Persistence and do Mobility in soil: No Other adverse effe Section 13 These disposal guregulations may b	eyes may cause blindness. ms of exposure: See Poten ation: RTECS #: KQ630000 Ecological information ncorhynchus mykiss (fish, free a and other aquatic inverteb Chlorella pyrenoidosa (Algae) egradability: No data availate o data available icts: An environmental hazar Disposal consideration uidelines are intended for the different. Dispose of in a Transport information	tial health effects above. Risk of [Ethanol] sh water), LC50 = 11,200 mg/l/ rates: Daphnia magna (Crusta EC50 = 9,310 mg/l/growth ratole Bioaccumulative por PBT and vPvB assed d cannot be excluded in the events ne disposal of catalog-size of accordance with all local, sta	of cancer depends on level and c 24 hours [Ethanol] acia), EC50 = 10,800 mg/l/24 hou e [Ethanol, absolute] tential: No data available ssment: No data available ent of unprofessional handling of quantities only. Federal regula ate and federal regulations or	rs [Ethanol, 99.8% pure] disposal. ations may apply to empty cor	
Eyes: Contact with Signs and sympto Additional informa Section 12 Toxicity to fish: O Toxicity to daphnia Toxicity to algae: O Persistence and do Mobility in soil: NA Other adverse effe Section 13 These disposal guregulations may b Section 14 UN/NA number: Hazard class: 3	eyes may cause blindness. ms of exposure: See Poten ation: RTECS #: KQ630000 Ecological information ncorhynchus mykiss (fish, frea a and other aquatic inverteb Chlorella pyrenoidosa (Algae), egradability: No data availato o data available ects: An environmental hazar Disposal consideration uidelines are intended for the different. Dispose of in a Transport information UN1170 Shippin Packin	tial health effects above. Risk of D [Ethanol] sh water), LC50 = 11,200 mg/l/ rates: Daphnia magna (Crust EC50 = 9,310 mg/l/growth rat ole <b>Bioaccumulative po</b> <b>PBT and vPvB asse</b> d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excluded in the ev <b>BE</b> and vPvB asse d cannot be excl	of cancer depends on level and c 24 hours [Ethanol] acia), EC50 = 10,800 mg/l/24 hou e [Ethanol, absolute] tential: No data available ent of unprofessional handling of quantities only. Federal regula ate and federal regulations or n <b>Reportable Quantity:</b> 5,0	rs [Ethanol, 99.8% pure] disposal. ations may apply to empty cor contract with a licensed chem	
Eyes: Contact with Signs and sympto Additional informa Section 12 Toxicity to fish: Or Toxicity to daphnia Toxicity to algae: Or Persistence and de Mobility in soil: No Other adverse effe Section 13 These disposal guregulations may b Section 14 UN/NA number: Hazard class: 3 Exceptions: Lin	eyes may cause blindness. ms of exposure: See Poten ation: RTECS #: KQ630000 Ecological information ncorhynchus mykiss (fish, fre: a and other aquatic inverteb Chlorella pyrenoidosa (Algae), egradability: No data availato o data available ects: An environmental hazar Disposal consideration uidelines are intended for th be different. Dispose of in a Transport information UN1170 Shippin Packin mited quantity equal to or l	tial health effects above. Risk of D [Ethanol] sh water), LC50 = 11,200 mg/l/ rates: Daphnia magna (Crusta EC50 = 9,310 mg/l/growth rat ble Bioaccumulative po PBT and vPvB asse d cannot be excluded in the ev ns d cannot be excluded in the ev ns d cannot be excluded in the ev ns ne disposal of catalog-size of accordance with all local, sta ng name: Ethanol solutio g group: II ess than 1 L	of cancer depends on level and c 24 hours [Ethanol] acia), EC50 = 10,800 mg/l/24 hou e [Ethanol, absolute] tential: No data available ssment: No data available ent of unprofessional handling of quantities only. Federal regula ate and federal regulations or	rs [Ethanol, 99.8% pure] disposal. ations may apply to empty cor contract with a licensed chem	nical disposal agency.
Eyes: Contact with Signs and sympto Additional informa Section 12 Toxicity to fish: Or Toxicity to daphnia Toxicity to algae: Or Persistence and de Mobility in soil: No Other adverse effe Section 13 These disposal guregulations may b Section 14 UN/NA number: Hazard class: 3 Exceptions: Lin Section 15	eyes may cause blindness. ms of exposure: See Poten ation: RTECS #: KQ630000 Ecological information ncorhynchus mykiss (fish, frea a and other aquatic inverteb Chlorella pyrenoidosa (Algae), egradability: No data availato o data available ects: An environmental hazar Disposal consideration uidelines are intended for th be different. Dispose of in a Transport information UN1170 Shippin Packin mited quantity equal to or l	tial health effects above. Risk of D [Ethanol] sh water), LC50 = 11,200 mg/l/ irates: Daphnia magna (Crusta EC50 = 9,310 mg/l/growth rat ble Bioaccumulative po PBT and vPvB asse d cannot be excluded in the ev ns d cannot be excluded in the ev ns d cannot be excluded in the ev ns ne disposal of catalog-size of accordance with all local, sta ng name: Ethanol solutio g group: II ess than 1 L	of cancer depends on level and c 24 hours [Ethanol] acia), EC50 = 10,800 mg/l/24 hou e [Ethanol, absolute] tential: No data available ssment: No data available ent of unprofessional handling of quantities only. Federal regula ate and federal regulations or n Reportable Quantity: 5,0 2020 ERG Guide # 127	rs [Ethanol, 99.8% pure] disposal. ations may apply to empty cor contract with a licensed chem	nical disposal agency.
Eyes: Contact with Signs and sympto Additional informa Section 12 Toxicity to fish: Or Toxicity to daphnia Toxicity to algae: Or Persistence and de Mobility in soil: No Other adverse effe Section 13 These disposal guregulations may b Section 14 UN/NA number: Hazard class: 3 Exceptions: Lin Section 15 A chemical is considered	eyes may cause blindness. ms of exposure: See Poten ation: RTECS #: KQ630000 Ecological information ncorhynchus mykiss (fish, frea a and other aquatic inverteb Chlorella pyrenoidosa (Algae), egradability: No data availate o data available ects: An environmental hazar Disposal consideration uidelines are intended for the different. Dispose of in a Transport information UN1170 Shippin Packin mited quantity equal to or I Regulatory information	tial health effects above. Risk of D [Ethanol] sh water), LC50 = 11,200 mg/l/ irates: Daphnia magna (Crusta EC50 = 9,310 mg/l/growth rat De Bioaccumulative po PBT and vPvB asse d cannot be excluded in the ev ns ne disposal of catalog-size of accordance with all local, sta ng name: Ethanol solutio g group: II ess than 1 L n for the anhydrous form is on the Ir	of cancer depends on level and c 24 hours [Ethanol] acia), EC50 = 10,800 mg/l/24 hou e [Ethanol, absolute] tential: No data available ent of unprofessional handling of quantities only. Federal regula ate and federal regulations or n <b>Reportable Quantity:</b> 5,0 2020 ERG Guide # 127 wentory list.	rs [Ethanol, 99.8% pure] disposal. ations may apply to empty cor contract with a licensed chem 00 lbs (2270 kg) Mari	nical disposal agency. ine pollutant: No
Eyes: Contact with Signs and sympto Additional informa Section 12 Toxicity to fish: Or Toxicity to daphnia Toxicity to algae: Or Persistence and de Mobility in soil: No Other adverse effe Section 13 These disposal guregulations may b Section 14 UN/NA number: Hazard class: 3 Exceptions: Lin Section 15	eyes may cause blindness. ms of exposure: See Poten ation: RTECS #: KQ630000 Ecological information ncorhynchus mykiss (fish, frea a and other aquatic inverteb Chlorella pyrenoidosa (Algae), egradability: No data availate o data available ects: An environmental hazar Disposal consideration uidelines are intended for the different. Dispose of in a Transport information UN1170 Shippin Packin mited quantity equal to or I Regulatory information	tial health effects above. Risk of D [Ethanol] sh water), LC50 = 11,200 mg/l/ rates: Daphnia magna (Crust EC50 = 9,310 mg/l/growth rat oble Bioaccumulative po PBT and vPvB asse d cannot be excluded in the ev ns ne disposal of catalog-size of accordance with all local, sta mg name: Ethanol solutio g group: II ess than 1 L for the anhydrous form is on the Ir TSCA CERL Listed Not Listed Not	of cancer depends on level and c 24 hours [Ethanol] acia), EC50 = 10,800 mg/l/24 hou e [Ethanol, absolute] tential: No data available ssment: No data available ent of unprofessional handling of quantities only. Federal regula ate and federal regulations or n Reportable Quantity: 5,0 2020 ERG Guide # 127	rs [Ethanol, 99.8% pure] disposal. ations may apply to empty cor contract with a licensed chem	nical disposal agency.

dent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook. Form 06/2015

# SAFETY DATA SHEET

# GENERAL STORAGE CODE GREEN

Page E1 of E2

Section 1

Identification

# INNOVATING SCIENCE

"Cutting edge science for the classroom"

by Aldon 221 Rochester Street Avon, NY 14414-9409 (585) 226-6177 CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory and industrial use only. Not for drug, food or household use.

TOTAL ALKALINITY INDICATOR Product Synonyms None Section 2 Hazards identification This substance or mixture has not been classified as hazardous according Supplementary information: to the Globally Harmonized System (GHS) of Classification and Labeling of Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear Chemicals. protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell. Signal word: Not classified Pictograms: Not classified Target organs: None known GHS Classification: Not classified GHS Label information: Hazard statement: Not classified Precautionary statement: Not classified

### Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients							
Chemical Name	CAS #	%	EINECS				
Water Sodium thiosulfate, pentahydrate Bromocresol green, sodium salt Methyl red, sodium salt	7732-18-5 10102-17-7 62625-32-5 845-10-3	97.46% 2.42% 0.10% 0.02%	231-791-2 231-867-5 (anhydrous) 263-657-4 212-682-9				
Section 4 First aid measures							

#### Section 4 First aid measures

**INGESTION:** MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

**INHALATION:** MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

### Section 5 Fire fighting measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume

# Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

#### Section 7 Handling and storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Protect from light.

Section 8	Exposure controls / personal protection						
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)			
Exposure Linits.	Sodium thiosulfate	Not established	Not established	Not established			

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

approved respirator.							
Section 9	Physical and chemical pro	perties					
0 01	ata not available. ble. : Approximately 0°C (32°F) (water) ximately 100°C (212°F) (water)	Flammability ( Explosion lime Vapor pressur Vapor density Relative density	ate (Water = 1): <1 (solid/gas): Data not its: Lower / Upper: re (mm Hg): 14 (water (Air = 1): 0.7 (water) (Specific gravity): App : Complete in water.	Data not available er)	Auto-igniti Decompos Viscosity: Molecular	•	: Data not available re: Data not available. e e
Section 10	Stability and reactivity						
Chemical stability: Conditions to avoid			ous polymerization: tion. Protect from ligh				
ncompatible mater	ials: Strong oxidizing agents, so	dium nitrate, iod	lides, silver salts, mer	cury salts, lead, reduc	ing agents.		
Hazardous decomp	osition products: Sodium oxide	es, sulfur oxides	, carbon oxides, nitro	gen oxides.			
Section 11	Toxicological information						
Carcinogenity: Dat NTP: No component IARC: No component OSHA: No compone Ca Prop 65: This pro <b>STOT-single expos</b> <b>STOT-repeated exp</b> <b>Aspiration hazard:</b> <b>Potential health eff</b> Inhalation: Inflamma breath, headache. Ingestion: Nausea a Skin: Irritation, itchir Eyes: Irritation, redr <b>Signs and symptom</b>	of this product present at levels t of this product present at levels nt of this product present at level duct does not contain any chemi ity: Data not available ure: Data not available Data not available ects: ition and swelling of the larynx ar nd vomiting. mess, redness.	greater than or s greater than or cals known to th nd bronchi, spas ealth effects abo	equal to 0.1% is iden r equal to 0.1% is iden e State of California t m, chemical pneumor	ified as probable, pos ntified as a carcinoger o cause cancer or rep nitis and pulmonary ec	sible or confir a or potential c roductive toxic lema, burning	med human carc arcinogen by OS city. , coughing, whee	SHA.
Toxicity to algae: N Persistence and de Mobility in soil: No	<b>and other aquatic invertebrate</b> o data available <b>gradability:</b> No data available	Bioaccum PBT and v	ulative potential: No PvB assessment: N	o data available	disposal		
Section 13	Disposal considerations				aispusai.		
These disposal gui	delines are intended for the d						
	different. Dispose of in acco	rdance with all	local, state and fee	leral regulations or	contract with	a licensed che	mical disposal agency.
Section 14	Transport information		let De malete d				
UN/NA number: Hazard class: No Exceptions: Not	ot applicable Packi	oing name: N ng group: N FRG Guide #		Reportable Qua	ntity: No	Ма	rine pollutant: No
Section 15	Regulatory information						
	d to be listed if the CAS number for th	e anhydrous form	is on the Inventory list.				
Compone		TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Sodium thiosulfate, a	nhydrous	Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the St of California to cause cancer of reproductive toxicity.
Section 16	Other information						
dent determinations of s	ed herein is furnished without warran suitability and completeness of inform ncy for Research on Cancer, OSHA: onse Guidebook.	ation from all sour	ces to assure proper use ty and Health Administra	of these materials and	he safety and h get Organ Toxici	ealth of employees ity, SE: Single Expo	. NTP: National Toxicology Prog