GENERAL STORAGE CODE GREEN

Page E1 of E2

Section 1

Identification

INNOVATING SCIENCE[®] by Aldon 221 Roc

"Cutting edge science for the classroom"

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177 CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory and industrial use only. Not for drug, food or household use.

Synonyms None Section 2 Hazards identification	
	P recautionary statement(s): P312: Call a POISON CENTER or doctor if you feel unwell.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients							
Chemical Name	CAS #	%	EINECS				
Water Methylene blue chloride Fast green FCF, disodium salt, C.I. No. 42053	7732-18-5 61-73-4 2353-45-9	99.78% 0.1% 0.1%	231-791-2 200-515-2 219-091-5				
Methyl red, sodium salt	845-10-3	0.02%	212-682-9				

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling and storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8	Exposure controls / personal protection						
Exposure Limite:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)			
Exposure Limits:	Methylene blue chloride	None established.	None established.	None established.			

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAwoodr nirator

o (; o							
Section 9	Physical and chemical pr	operties					
Appearance: Dark v Odor: No odor. Odor threshold: Da pH: Data not availab Melting / Freezing p Boiling point: ~100' Flash point: Data not	ta not available. lle. oint: ∼0°C (32°F) (water) °C (212°F) (water)	Flammability (s Explosion limit Vapor pressure Vapor density (Relative densit	te (Water = 1): <1 olid/gas): Data not a s: Lower / Upper: D (mm Hg): 14 (water Air = 1): 0.7 (water) y (Specific gravity): Complete in water.	ata not available.)	Auto-ignitio Decomposi Viscosity: Molecular f		Data not available. e: Data not available. e.
Section 10	Stability and reactivity						
Chemical stability: Conditions to avoid	Stable : Excessive temperatures whic		us polymerization: \ on. Stable under reco		conditions.		
Incompatibilities wi	th other materials: Strong oxi	idizing materials a	nd reducers.				
Hazardous decomp	osition products: Suflur oxide	es, nitrogen oxides	, hydrogen chloride g	as.			
Section 11	Toxicological information	ı					
Respiratory or skin Germ cell mutageni Carcinogenity: IARC: No component NTP: No component OSHA: No component OSHA: No component Ca Prop 65: This pro Reproductive toxici STOT-single exposu STOT-repeated exposu Aspiration hazard: Potential health effe Inhalation: May caus Ingestion: May be has Skin: Contact with ski Eyes: Contact with ski Signs and symptom not available. Exerci	ects: se respiratory irritation.	ble Is greater than or e s greater than or e els greater than or nicals known to the our knowledge the inimize potential h	ual to 0.1% is identifi equal to 0.1% is iden e State of California to e chemical, physical a azards.	ed as a known or ai ified as a carcinoge cause cancer or re	nticipated carcin n or potential c productive toxic	nogen by NTP. arcinogen by OSł bity.	HA.
Section 12	Ecological information	,					
Toxicity to algae: No	and other aquatic invertebrat o data available gradability: No data available	Bioaccumu PBT and vF	lative potential: No PvB assessment: No	data available	r disposal		
Section 13 These disposal gui regulations may be	Disposal considerations delines are intended for the different. Dispose of in acc		og-size quantities o	nly. Federal regu	ations may a		
Section 13 These disposal gui regulations may be Section 14	Disposal considerations delines are intended for the e different. Dispose of in acc Transport information	ordance with all	og-size quantities o local, state and fed	nly. Federal regu	ations may a		
Section 13 These disposal gui regulations may be Section 14 UN/NA number: Hazard class: Not Exceptions: Not	Disposal considerationsdelines are intended for the different. Dispose of in accTransport informationNot applicableShip pot applicablet applicablePack t applicablet applicable2020		og-size quantities o local, state and fed ot Regulated ot applicable	nly. Federal regu	ations may ap contract with	a licensed cher	
Section 13 These disposal gui regulations may be Section 14 UN/NA number: Hazard class: Not Exceptions: Not Section 15	Disposal considerationsdelines are intended for the different. Dispose of in accTransport informationNot applicableShip pot applicablet applicable2020Regulatory information	cordance with all oping name: N king group: N D ERG Guide #	og-size quantities o local, state and fed ot Regulated ot applicable Not applicable	nly. Federal regu eral regulations or	ations may ap contract with	a licensed cher	nical disposal agency.
Section 13 These disposal gui regulations may be Section 14 UN/NA number: Hazard class: Not Exceptions: Not Section 15	Disposal considerations idelines are intended for the different. Dispose of in accomposed in accomposed in accomposed in the different. Dispose of in accomposed in the disposed interval information Not applicable Ship Dot applicable Packomposed in the displicable Regulatory information d to be listed if the CAS number for	cordance with all oping name: N king group: N D ERG Guide #	og-size quantities o local, state and fed ot Regulated ot applicable Not applicable	nly. Federal regu eral regulations or	ations may ap contract with	a licensed cher	nical disposal agency.

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook. Form 06/2015

FLAMMABLE STORAGE CODE RED

Page E1 of E2

Section 1

Identification

INNOVATING SCIENCE® by Aldon 221 Rochester Street

"Cutting edge science for the classroom"

Avon, NY 14414-9409 (585) 226-6177

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory and industrial use only. Not for drug, food or household use.

roduct ISOPROPYL ALCOHOL	
ynonyms 2-Propanol ; Isopropanol	
ection 2 Hazards identification	
ignal word: DANGER ictograms: GHS02 / GHS07 arget organs: Central nervous system, Liver, Kidneys. HS Classification: lammable liquid (Category 2) ye irritation (Category 2) TOT-SE (Category 3) HS Label information: Hazard statement(s): 225: Highly flammable liquid and vapour. 319: Causes serious eye irritation. 336: May cause drowsiness or dizziness.	 Precautionary statement(s): P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233: Keep container tightly closed. P241: Use explosion-proof electrical/ventilating/lighting equipment. P242: Use only non-sparking tools. P243: Take precautionary measures against static discharge. P261: Avoid breathing mist/vapours/spray. P264: Wash hands thoroughly after handling. P271: Use only outdoors or in a well-ventilated area. P280: Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing. P312: Call a POISON CENTER or doctor if you feel unwell. P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P370+P378: In case of fire: Use dry chemical, CO₂, water spray or alcohol-resistant foam to extinguish. P403+P235. Store in a well-ventilated place. Keep cool. P405: Store locked up. P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3	Composition / information on ingredients					
Chemical Name		CAS #	%	EINECS		
Isopropyl alcohol		67-63-0	100%	200-661-7		
Section 4	First aid measures					

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SERIOUS EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Dry chemical, CO2, water spray or alcohol-resistant foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling and storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8	Exposure controls / personal protection						
Exposure Limite:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)			
Exposure Limits:	Isopropanol	TWA: 200 ppm / STEL: 400 ppm	TWA: 400 ppm / 980 mg/m ³	TWA: 400 ppm / STEL: 500 ppm			

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

approved respirator.	approved respirator.						
Section 9	Physical and chemical pro	perties					
Odor: Aromatic odo Odor threshold: Da pH: Data not availab Melting / Freezing p Boiling point: 82°C	hreshold: Data not available. Explosion limits: Lower / Upper: 2% / 12% Decomposition temperature: Data not available.						: 399°C (750°F) ASTM-E659-78 re: Data not available. ele.
Section 10	Stability and reactivity				1		
Chemical stability: Conditions to avoid	Stable I: Excessive temperatures, heat,		us polymerization:				
Incompatible mater	ials: Strong oxidizing materials, o	caustics, alumin	ums, metals, nitroforn	n, oleum, chlorinated	l compounds c	an react vigorous	sly with this alcohol.
Hazardous decomp	oosition products: Carbon oxide	S.					
Section 11	Toxicological information						
Serious eye damag Respiratory or skin Germ cell mutagen Carcinogenity: Dai NTP: No component IARC classified: Gro OSHA: No compone Ca Prop 65: This pro Reproductive toxic STOT-single expos STOT-repeated exp Aspiration hazard: Potential health eff Inhalation: Inhalatio and irritation of the tl Ingestion: Aspiration develop if this occur: Skin: Prolonged or n Eyes: Contact caus Signs and symptor	of this product present at levels g up 3: Not classifiable as to its card int of this product present at levels oduct does not contain any chemic ity: Data not available ure: The substance or mixture is posure: Data not available Yes ects: n of high vapor concentrations may froat. Continued inhalation may re hazard. Liquid can directly enter	g. greater than or e cinogenicity to h s greater than o cals known to th classified as sp ay cause centra esult in uncons r the lungs (asp ion and drying, velling, and/or b ealth effects abo	umans r equal to 0.1% is iden e State of California to ecific target organ tox nervous system depr ciousness and death. irated) when swallowe cracking and defatting lurred vision.	tified as a carcinoge o cause cancer or re icant, single exposu ession resulting in di d or vomited. Serior	n or potential productive tox re, category 3 izziness, drow us lung damag	carcinogen by OS icity. with narcotic effe siness, nausea, v ge and possible fa	cts. vomiting, inability to concentrate
Section 12	Ecological information						
Toxicity to daphnia Toxicity to algae: S Persistence and de Mobility in soil: No Other adverse effec	Toxicity to fish: Pimephales promelas (Fish, fresh water) LC50: 9640 mg/L/96 hours [Isopropanol] Toxicity to daphnia and other aquatic invertebrates: Artemia salina (Crustacea), EC50 = >10,000 mg/L/24 hours [Isopropanol] Toxicity to algae: Scenedesmus quadricauda (Algae), LOEC50 = 1,800 mg/L/7 days [Isopropanol] Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.						
Section 13	Disposal considerations						
	idelines are intended for the di different. Dispose of in accor Transport information						
UN/NA number:	•	ame: Isopro	nanol				
Hazard class: 3	Packing gr ited quantity equal to or less	oup: II	Reporta	ble Quantity: No G Guide # 129		Ма	arine pollutant: No
Section 15	Regulatory information						
	d to be listed if the CAS number for th	e anhydrous form	is on the Inventory list.				
Compone	ent	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Isopropyl alcohol		Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.
Section 16	Other information						

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

GENERAL STORAGE CODE GREEN

Page E1 of E2

Section 1

Identification

INNOVATING SCIENCE

"Cutting edge science for the classroom"

By Aldon 221 Rochester Street Avon, NY 14414-9409 (585) 226-6177

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory and industrial use only. Not for drug, food or household use.

Product	SILICA GEL, 35-60 MESH, NON-INDICAT	ING		
Synonyms	Silicic Acid (polyortho) / Amorphous SIlica			
Section 2	Hazards identification			
This substa to the Glob Chemicals. Signal word Pictograms Target orga GHS Classi GHS Label	ance or mixture has not been classified as ally Harmonized System (GHS) of Classific	cation and Labeling of	Do not brea gloves/prote	tal information: the dust. Do not get in eyes, on skin, or on clothing. Wear protective ctive clothing/eye protection/face protection. Wash hands thoroughly ng. Get medical attention if you feel unwell.
Health haza	<u>ot otherwise classified:</u> rds not otherwise classified (HHNOC) - Not ⊦ ards not otherwise classified (PHNOC) - Not			
Section 3	Composition / information on			
Chemical Nar	•	CAS #	%	EINECS
Silica gel is	an amorphous form of silica, and	1343-98-2	100%	215-683-2

Section 3 Composition / Information of	on ingredients			
Chemical Name	CAS #	%	EINECS	
Silica gel is an amorphous form of silica, and has not been defined by the U.S. Department as a hazardous material.	1343-98-2	100%	215-683-2	
Section 4 First aid measures				

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use extinguishing agent suitable for type of surrounding fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Silica gel will not burn readily. When exposed to water, the silica gel can get hot enough to approach the boiling point of water. Flooding will reduce the temperature to safe limits

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling and storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from moisture and high humidity environments.

Section 8	Exposure controls / personal protection						
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)			
Exposure Limits:	Particles not otherwise classified	Not established	TWA: 15 mg/m ³ total dust	Not established			

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

approved respirator.							
Section 9	Physical and chemic	al properties					
Odor: No odor Odor threshold: Da pH: Data not availab	ole ooint: Data not available not available	Flammability (s Explosion limit Vapor pressure Vapor density Relative densit	te (= 1): Data not a solid/gas): Data not ts: Lower / Upper: I e (mm Hg): Data not (Air = 1): Data not a y (Specific gravity): Insoluble in water	available Data not available available ⁄ailable	Auto-ignitie Decompos Viscosity: Molecular f		: 537°C (1000°F) re: Data not available ile
Section 10	Stability and reactivi	ty					
Chemical stability: Conditions to avoid	Stable 1: Moisture and high humi		us polymerization:	Will not occur.			
Incompatible mater	ials: Water.						
Hazardous decomp	osition products: Carbo	n oxides, water and an	y materials that were	absorbed by the silic	ca gel.		
Section 11	Toxicological inform	ation					
Respiratory or skin Germ cell mutagen Carcinogenity: Dat NTP: No component IARC: No component OSHA: No compone Ca Prop 65: This pro- Reproductive toxic STOT-single expos STOT-repeated exp Aspiration hazard: Potential health effi Inhalation: Inhalatio Ingestion: Ingestion Skin: Contact with s Eyes: May cause im Signs and symptom not available. Exerc	to f this product present at the of this product present at and of this product present a oduct does not contain any ity: Data not available ure: Data not available bata not available bata not available cets: n may cause drying of mur may cause irritation and d ikin may cause irritation and itation to the eyes. ns of exposure: To the b ise appropriate procedures	available levels greater than or et t levels greater than or at levels greater than or chemicals known to th cous membranes. May ligestive upset. Id/or defatting on prolor est of our knowledge th s to minimize potential l	equal to 0.1% is iden equal to 0.1% is iden e State of California t cause irritation of na nged contact. e chemical, physical nazards.	tified as probable, po tified as a carcinoge o cause cancer or re sal passages and lu	ossible or confir en or potential c productive toxion ngs.	med human card arcinogen by OS city.	0,
Section 12	tion: RTECS #: VV88530 Ecological information		not been evaluated.)				
Toxicity to fish: No Toxicity to daphnia Toxicity to algae: N Persistence and de Mobility in soil: No	data available and other aquatic invert o data available gradability: No data avai	ebrates: No data availa lable Bioaccumu PBT and vi	Ilative potential: No PvB assessment: N	o data available	or disposal.		
Section 13	Disposal considerati	ions					
	idelines are intended for e different. Dispose of ir						ontainer. State and/or local mical disposal agency.
Section 14	Transport information	on					
UN/NA number: Hazard class: No Exceptions: Not	ot applicable	Shipping name: N Packing group: No 2020 ERG Guide #	ot applicable	Reportable Qua	antity: No	Ma	arine pollutant: No
Section 15	Regulatory informati	on					
A chemical is considere	d to be listed if the CAS numb	•					
Compone	ent	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Precipated silica (CA		Listed	Not listed	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.
Section 16	Other information						
dent determinations of	suitability and completeness o ency for Research on Cancer,	of information from all sour	ces to assure proper use	e of these materials and	the safety and h	ealth of employees	ered by them and must make indeper s. NTP: National Toxicology Program osure, RE: Repeated Exposure,

ERG: Emergency Response Guidebook.

GENERAL STORAGE CODE GREEN

Page E1 of E2

Section 1

Identification

INNOVATING SCIENCE^{® by Aldon} 221 Roct

"Cutting edge science for the classroom"

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177 CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300

For laboratory and industrial use only. Not for drug, food or household use.

Product	GLASS WOOL					
Synonyms	s None					
Section 2	Hazards identification					
Pictogram Target org GHS Class Acute toxic Carcinoger STOT-RE (GHS Labe H303: May H350: May	ity, oral (Category 5) hicity (Category 1B) (Category 2) I information: Hazard statement: be harmful if swallowed. cause cancer (<i>inhalation</i>). cause damage to organs (<i>kidneys</i>) through prolonged or repeated	Precautionary statement: P201: Obtain special instructions before use. P202: Do not handle until all safety precautions have been read and understood. P260: Do not breathe dust. P280: Wear protective gloves/protective clothing/eye protection/face protection. P308+P313: IF exposed or concerned: Get medical attention. P405: Store locked up. P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.				

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3	Composition / information on ingredients							
Chemical Name		CAS #	%	EINECS				
Continuous filament Diethylene glycol Sizing and oils	glass fibers	65997-17-3 111-46-6 Not listed	97-99% < 2% < 1%	266-046-0 203-872-2 Not listed				
Section 4	First aid measures							

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use extinguishing agent suitable for type of surrounding fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling and storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8	Exposure controls / personal protection								
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)					
Exposure Linits.	Diethylene glycol	Not established	Not established	Not established					

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low. Respiratory protection: Use a chemical fume hood and/or wear a NIOSH/MSHA-approved respirator.

Physical and chemical properties Section 9 Appearance: Solid. White, glass fibers Evaporation rate (= 1): Data not available Partition coefficient: Data not available Odor: No odor Flammability (solid/gas): Data not available Auto-ignition temperature: Data not available Odor threshold: Data not available Explosion limits: Lower / Upper: Data not available Decomposition temperature: Data not available Vapor pressure (mm Hg): Data not available pH: Data not available Viscosity: Data not available Melting / Freezing point: >871°C (1000°F) Vapor density (Air = 1): Data not available Molecular formula: Mixture Relative density (Specific gravity): Variable Boiling point: Data not available Molecular weight: Mixture Flash point: Data not available Solubility(ies): Nil in water Section 10 Stability and reactivity Chemical stability: Stable Hazardous polymerization: Will not occur. Conditions to avoid: This product is not reactive. Incompatible materials: None known Hazardous decomposition products: None known. Section 11 **Toxicological information** Acute toxicity: Oral-rat LD50: 12,565 mg/kg ; Dermal-rabbit LD50: 11,890 mg/kg [Diethylene glycol] Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available Germ cell mutagenicity: Data not available Carcinogenity: May cause cancer (inhalation) NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP. IARC classified: Group 3: Not classifiable as to its carcinogenicity to humans. OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA. Ca Prop 65: 🛆 WARNING! This product can expose you to a chemical, Glass wool fibers (inhalable and biopersistent), which are known to the State of California to cause cancer Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: May cause damage to organs (kidneys) through prolonged or repeated exposure (oral). Aspiration hazard: Data not available Potential health effects: Inhalation: Breathing dust from this product may cause scratchy throat, congestion and slight coughing. Ingestion: If ingested, may cause temporary irritation to the gastrointestinal tract. Skin: Dust or fibers on the skin may cause itching, rash or redness. Eyes: Dust or fibers in the eyes may cause itching, rash or redness. Signs and symptoms of exposure: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards. Additional information: RTECS #: Data not available Section 12 **Ecological information** Toxicity to fish: No data available Toxicity to daphnia and other aquatic invertebrates: No data available Toxicity to algae: No data available Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal. **Disposal considerations** Section 13 These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency. Section 14 Transport information UN/NA number: Not applicable Shipping name: Not Regulated Hazard class: Not applicable Packing group: Not applicable Reportable Quantity: No Marine pollutant: No 2020 ERG Guide # Not applicable Exceptions: Not applicable Section 15 **Regulatory information** A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list. RCRA code DSL NDSL Component TSCA CERLCA (RQ) CA Prop 65 Continuous filament glass fibers Listed Not listed Not listed Listed Not listed A WARNING -Cancer -Diethylene glycol Listed 5.000 lbs Not listed Listed Not listed www.P65Warnings.ca.gov. Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook Form 06/2015