Section 1 Identification Page E1 of E2

INNOVATING SCIENCE® by Aldon 221 Roo. Algor IN

"Cutting edge science for the classroom"

221 Rochester Street Avon, NY 14414-9409 (585) 226-6177 CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory and industrial use only. Not for drug, food or household use.

Product COPPER(II) SULFATE, 25% SOLUTION

Synonyms | Cupric Sulfate, Water Solution

Section 2 Hazards identification

Signal word: WARNING Pictograms: GHS07 / GHS09

Target organs: Liver, Kidneys, Lungs, Spleen.





GHS Classification:

Acute toxicity-oral (Category 4)
Skin irritation (Category 2)
Eye irritation (Category 2A)
Aquatic acute toxicity (Category 1)
Aquatic chronic toxicity (Category 1)

GHS Label information: Hazard statement:

H302: Harmful if swallowed. H315: Causes skin irritation.

H319: Causes serious eye irritation.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary statement:

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P332+P313: If skin irritation occurs: Get medical attention. P337+P313: If eye irritation persists: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P391: Collect spillage.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients							
Chemical Name	CAS#	%	EINECS				
Water Cupric sulfate, pentahydrate	7732-18-5 7758-99-8	60.90% 39.10%	231-791-2 231-847-6 (anhydrous)				

Section 4 First aid measures

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SEVERE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling and storage Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8 Exposure controls / personal protection					
Evnoeuro Limite:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)	
Exposure Limits:	Copper, dusts and mists, as Cu	TWA: 1 mg/m ³	TWA: 1 mg/m ³	TWA: 1 mg/m ³	

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

Appearance: Clear, blue liquid.

Odor: No odor.

Odor threshold: Data not available

pH: Data not available.

Melting / Freezing point: Approximately 0°C (32°F) (water)
Boiling point: Approximately 100°C (212°F) (water)

Flash point: Data not available

avaliable

Evaporation rate (Water = 1): <1

Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water)

Relative density (Specific gravity): Approximately 1.0 (water)

Solubility(ies): Complete in water.

Partition coefficient: Data not available
Auto-ignition temperature: Data not available
Decomposition temperature: Data not available.

Marine pollutant: No

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

Section 10 Stability and reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation.

Incompatible materials: Reducing agents, acetylene or nitromethane, magnesium, strong bases, alkalines, phosphates, hydrazine, zirconium. Can corrode aluminum, steel and

iron.

Hazardous decomposition products: Oxides of sulfur and copper fumes.

Section 11 Toxicological information

Acute toxicity: Oral-rat LD50: 300 mg/kg [Copper sulfate anhydrous]

Skin corrosion/irritation: Data not available Serious eye damage/irritation: Data not available Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: May cause irritation to the mucous membranes and upper respiratory tract. Ingestion: Ingestion can cause irritation to the digestive tract and abdominal pain.

Skin: Contact with skin causes slight irritation. Excessive exposure may cause allergic dermatitis. May cause irritation or burns on wet skin.

Eyes: Can cause severe irritation and may result in irreversible eye damage.

Signs and symptoms of exposure: Note to physician: Probable mucosal damage may contradict the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed. Wilson's disease can be aggravated by excessive exposure. Symptoms include nausea, vomiting, gastrointestinal pain, diarrhea, dizziness, jaundice, and general debility.

Additional information: RTECS #: GL8900000 [Copper sulfate pentahydrate]

Section 12 Ecological information

 $\textbf{Toxicity to fish:} \hspace{0.2cm} \textbf{Salmo gairdneri (fish, estuary, fresh water), LC50 = < 0.75-0.84 \ mg/L \ [Copper sulfate anhydrous] \\ \textbf{Salmo gairdneri (fish, estuary, fresh water), LC50 = < 0.75-0.84 \ mg/L \ [Copper sulfate anhydrous] \\ \textbf{Salmo gairdneri (fish, estuary, fresh water), LC50 = < 0.75-0.84 \ mg/L \ [Copper sulfate anhydrous] \\ \textbf{Salmo gairdneri (fish, estuary, fresh water), LC50 = < 0.75-0.84 \ mg/L \ [Copper sulfate anhydrous] \\ \textbf{Salmo gairdneri (fish, estuary, fresh water), LC50 = < 0.75-0.84 \ mg/L \ [Copper sulfate anhydrous] \\ \textbf{Salmo gairdneri (fish, estuary, fresh water), LC50 = < 0.75-0.84 \ mg/L \ [Copper sulfate anhydrous] \\ \textbf{Salmo gairdneri (fish, estuary, fresh water), LC50 = < 0.75-0.84 \ mg/L \ [Copper sulfate anhydrous] \\ \textbf{Salmo gairdneri (fish, estuary, fresh water), LC50 = < 0.75-0.84 \ mg/L \ [Copper sulfate anhydrous] \\ \textbf{Salmo gairdneri (fish, estuary, fresh water), LC50 = < 0.75-0.84 \ mg/L \ [Copper sulfate anhydrous] \\ \textbf{Salmo gairdneri (fish, estuary, fresh water), LC50 = < 0.75-0.84 \ mg/L \ [Copper sulfate anhydrous] \\ \textbf{Salmo gairdneri (fish, estuary, fresh water), LC50 = < 0.75-0.84 \ mg/L \ [Copper sulfate anhydrous] \\ \textbf{Salmo gairdneri (fish, estuary, fresh water), LC50 = < 0.75-0.84 \ mg/L \ [Copper sulfate anhydrous] \\ \textbf{Salmo gairdneri (fish, estuary, fresh water), LC50 = < 0.75-0.84 \ mg/L \ [Copper sulfate anhydrous] \\ \textbf{Salmo gairdneri (fish, estuary, fresh water), LC50 = < 0.75-0.84 \ mg/L \ [Copper sulfate anhydrous] \\ \textbf{Salmo gairdneri (fish, estuary, fresh water), LC50 = < 0.75-0.84 \ mg/L \ [Copper sulfate anhydrous] \\ \textbf{Salmo gairdneri (fish, estuary, fresh water), LC50 = < 0.75-0.84 \ mg/L \ [Copper sulfate anhydrous] \\ \textbf{Salmo gairdneri (fish, estuary, fresh water), LC50 = < 0.75-0.84 \ mg/L \ [Copper sulfate anhydrous] \\ \textbf{Salmo gairdneri (fish, estuary, fresh water), LC50 = < 0.75-0.84 \ mg/L \ [Copper sulfate anhydrous] \\ \textbf{Salmo gairdneri (fish, estuary, fresh water), LC50 = < 0.75-0.84 \ mg/L \ [Copper sulfate anhydrous] \\ \textbf{Salmo gairdneri ($

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Reportable Quantity: No

Section 14 Transport information

UN/NA number:Not applicableShipping name:Not RegulatedHazard class:Not applicablePacking group:Not applicable

Exceptions: Not applicable 2020 ERG Guide # Not applicable

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Cupric sulfate	Listed	10 lbs (4.54 kg)	Not listed	Not listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Form 06/2015 Revision Date: September 8, 2022 Supercedes: September 24, 2020

Section 1 Identification Page E1 of E2

INNOVATING SCIENCE

"Cutting edge science for the classroom"

221 Rochester Street Avon, NY 14414-940 (585) 226-6177 CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory and industrial use only. Not for drug, food or household use.

Product SULFURIC ACID SOLUTION, 0.5M / 1.0N

Synonyms Sulfuric Acid, Water Solution

Section 2 Hazards identification

Signal word: DANGER **Pictograms:** GHS05

Target organs: Respiratory system, skin, eyes, teeth.



GHS Classification:

Skin corrosion (Catagory 1A) Eye damage (Catagory 1)

GHS Label information: Hazard statement(s):

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

Precautionary statement(s):

P260: Do not breathe mist/vapours/spray. P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a POISON CENTER or doctor.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3	Composition / information on	ingredients			
Chemical Name		CAS#	%	EINECS	
Water		7732-18-5	97.38%	231-791-2	
Sulfuric acid		7664-93-9	2.62%	231-639-5	

Section 4 First aid measures

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SERIOUS IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Product is a water reactive material, DO NOT USE WATER! Use dry chemicals only for extinguishing.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water on combustibles burning in vicinity of acid but use care as water applied to the acid results in severe generation of heat and may cause boiling and splattering. Sulfuric acid will not burn, but is capable of igniting finely divided combustible materials on contact. May react violently with organic materials and water with the evolution of heat. Contact with reactive metals, e.g. aluminum, may result in the generation of flammable hydrogen gas.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Page E2 of E2 Section 7 Handling and storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Hygroscopic material. Never add water to this solution, always add acid, slowly and in small amounts to water to avoid splattering.

Section 8 Exposure controls / personal protection **Chemical Name** ACGIH (TLV) OSHA (PEL) NIOSH (REL) **Exposure Limits:** TWA: 0.2 mg/m³(A2) TWA: 1 mg/m³ Sulfuric acid TWA: 1 mg/m³

Engineering controls: Facilities storing or utilizing this material should be equipped with an evewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: Use a chemical fume hood and/or wear a NIOSH/MSHA-approved respirator.

Physical and chemical properties Section 9

Appearance: Clear to slightly cloudy liquid.

Odor: Slightly pungent odor.

Odor threshold: Data not available

pH: Data not available.

Section 10

Melting / Freezing point: Approximately 0°C (32°F) (water) Boiling point: Approximately 100°C (212°F) (water)

Flash point: Data not available

Stability and reactivity

Evaporation rate (Water = 1): <1

Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water)

Relative density (Specific gravity): Approximately 1.0 (water)

Solubility(ies): Complete in water.

Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available.

Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture

Chemical stability: Stable Hazardous polymerization: Will not occur. Conditions to avoid: Avoid contact with water and heat. Avoid temperatures above 250°C (482°F). Incompatible materials: Alkalies, amines, anhydrides, combustibles, organics, oxidizers, powdered metals. Hazardous decomposition products: Sulfur trioxide and/or sulfur dioxide. Hydrogen gas by reaction with metals.

Section 11 Toxicological information

Acute toxicity: Oral-rat LD50: 2140 mg/kg; Inhalation-rat LC50: 510 mg/m3/2 hours (Sulfuric acid) Skin corrosion/irritation: Skin-rabbit - causes burns (Sulfuric acid)

Serious eye damage/irritation: Eyes-rabbit - causes burns (Sulfuric acid) Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: This product contains a chemical known to be a human carcinogen. (Sulfuric acid)

IARC classified: Group 1: Carcinogenic to humans. [Acid mists, strong inorganic]
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

CA Prop 65: A WARNING! : This product can expose you a chemical, Strong inorganic acid mists containing sulfuric acid, which is known to the State of California to cause cancer

Reproductive toxicity: Data not available STOT-single exposure: Data not available STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation of this material is irritating and/or corrosive to the nose, throat and lungs. It may also cause burns to the respiratory tract with the production of lung edema which can result in shortness of breath, wheezing, choking, chest pain and impairment of lung function. Inhalation of high concentrations may result in permanent lung damage. Repeated inhalation may cause bronchitis, and also etching of dental enamel followed by the erosion of the enamel and dentine with loss of tooth substance. Ingestion: Ingestion may cause irritation and/or burns to the entire gastrointestinal tract, including the stomach and intestines, characterized by nausea, vomiting, diarrhea,

abdominal pain, bleeding and/or tissue ulceration.

Skin: Skin contact can cause severe irritation and/or burns characterized by redness, swelling and scab formation.

Eyes: Severe irritation and/or burns can occur following eye exposure. Contact may cause impairment of vision and corneal damage.

Signs and symptoms of exposure: Burning sensation, cough, wheezing, laryngitis, shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Additional information: RTECS #: WS5600000 (Sulfuric acid)

Ecological information

Toxicity to fish: LC50 - Gambusia affinis (Mosquito fish) - 42 mg/l - 96 h (Sulfuric acid)

Toxicity to daphnia and other aquatic invertebrates: Crangon crangon (crustacea) 70-80 mg/l/48 hours (Sulfuric acid)

Toxicity to algae: No data available

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 **Disposal considerations**

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: UN2796 Shipping name: Sulfuric acid

Hazard class: 8 Packing group: || Reportable Quantity: 1,000 lbs (454 kg) Marine pollutant: No

Exceptions: Limited quantity equal to or less than 1 L 2020 ERG Guide # 157

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

	,	,				
Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Sulfuric acid	Listed	1000 lbs (454 kg)	D002	Listed	Not listed	⚠ WARNING -Cancer - www.P65Warnings.ca.gov.

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook

Revision Date: November 16, 2022 Supercedes: October 27, 2020 Form 06/2015

Section 1 Identification Page E1 of E2

INNOVATING SCIENCE

"Cutting edge science for the classroom"

221 Rochester Street Avon, NY 14414-940 (585) 226-6177 CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300

For laboratory and industrial use only. Not for drug, food or household use.

Product AMMONIUM HYDROXIDE, 28-30%

Synonyms Ammonium Hydroxide, Water Solution

Section 2 Hazards identification

Signal word: DANGER Pictograms: GHS05 / GHS09

Target organs: Eyes, Skin, Mucous membranes





GHS Classification:

Skin corrosion (Category 1B) Acute aquatic (Category 1) STOT-SE (Category 3)

GHS Label information: Hazard statement:

H314: Causes severe skin burns and eve damage.

H335: May cause respiratory irritation.

H400: Very toxic to aquatic life.

Precautionary statement:

P260: Do not breathe mist/vapours/spray.
P264: Wash hands thoroughly after handling.
P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection. P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P310: Immediately call a POISON CENTER or doctor.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for

breathing.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P312: Call a POISON CENTER or doctor if you feel unwell. P363: Wash contaminated clothing before reuse.

P391: Collect spillage.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Lachrymator Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / informa	ion on ingredients			
Chemical Name	CAS#	%	EINECS	
Water	7732-18-5 Approx	imately 70-72%	231-791-2	
Ammonium hydroxide (as Ammonia)	1336-21-6 Approx	imately 28-30%	215-647-6	

Section 4 First aid measures

INGESTION: MAY BE FATAL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE FATAL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SEVERE BURNS. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES SEVERE BURNS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Carefully neutralize with Sodium bicarbonate, absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Page E2 of E2 Section 7 Handling and storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8	ection 8 Exposure controls / personal protection							
Evnoeuro Limite:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)				
Exposure Limits:	Ammonia CAS No. 7664-41-7	TWA: 17 mg/m ³ ; STEL: 24 mg/m ³	TWA: 50 ppm, 35 mg/m ³	TWA: 18 mg/m ³ ; STEL: 27 mg/m ³				

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9 Physical and chemical properties

Appearance: Clear, colorless liquid. Odor: Strong, pungent, suffocating odor. Odor threshold: Data not available.

pH: Data not available

Melting / Freezing point: -77°C (-106°F) Boiling point: 36°C (97°F)

Flash point: Data not available

Evaporation rate (Water = 1): 1 Flammability (solid/gas): Data not available.

Explosion limits: Lower / Upper: 16% / 27%(NH₃ gas) Vapor pressure (mm Hg): 115 mm @ 20°C (68°F)

Vapor density (Air = 1): 0.6-1.2 Relative density (Specific gravity): 0.900

Solubility(ies): Complete in water.

Partition coefficient: Data not available Auto-ignition temperature: 651°C (1204°F) Decomposition temperature: Data not available.

Viscosity: Data not available. Molecular formula: NH4OH Molecular weight: 35.05

Section 10 Stability and reactivity

Chemical stability: Stable Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation. Incompatible materials: Acids, strong oxidizers, halogens, heavy metals.

Hazardous decomposition products: Decomposes to ammonia gas and above 450°C (842°F) to hydrogen gas and nitrogen oxides.

Toxicological information

Acute toxicity: Oral-rat LD50: 350 mg/kg [Ammonium hydroxide, anhydrous]

Skin corrosion/irritation: Skin-rabbit - Severe irritant. Serious eye damage/irritation: Eyes-rabbit - Severe irritant. Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with narcotic effects.

STOT-repeated exposure: Data not available Aspiration hazard: Data not available

Potential health effects:

Inhalation: Burning sensation, cough, labored breathing, shortness of breath, sore throat.

Ingestion: Abdominal cramps, abdominal pain, sore throat, vomiting,

Skin: Redness, skin burns, pain, blisters. Eyes: Redness, pain, blurred vision, burns.

Signs and symptoms of exposure: Material is extremely destructive to tissue of the mucous membranes, upper respiratory, gastrointestinal and digestive tracts, eyes and skin. Inhalation may be fatal as a result of spasm, inflammation and edema of the larynx and bronchi, chemical pneumonitis and pulmonary edema.

Additional information: RTECS #: BQ9625000 [Ammonium hydroxide, anhydrous]

Section 12 **Ecological information**

Toxicity to fish: LC50 Lepomis macrochirus (bluegill) 0.024-0.093 mg/L/48H

Toxicity to daphnia and other aquatic invertebrates: LC50 Daphnia magna (water flea) 0.66 mg/L/48H @ 22°C

Toxicity to algae: TLm Diatom (algae) 420 mg/L/120H @ 22°C (50% growth reduction)

Persistence and degradability: No data available Bioaccumulative potential: No data available Mobility in soil: No data available PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: UN2672 Shipping name: Ammonia solution

Reportable Quantity: 1,000 lbs (454 kg) Hazard class: 8 Packing group: III Marine pollutant: No

2020 ERG Guide # 154 **Exceptions:** Limited quantity equal to or less than 5 L

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list

· · · · · · · · · · · · · · · · · · ·						
Component	TSCA	CERLCA (RQ)	RCRA code	DSL	NDSL	CA Prop 65
Ammonium hydroxide	Listed	1,000 lbs (454 kg)	Not listed	Listed	Not listed	This product does not contain any chemicals known to the State of California to cause cancer or
						reproductive toxicity

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook

Revision Date: July 11, 2022 Supercedes: September 11, 2020 Form 06/2015