Section 1

# SAFETY DATA SHEET

Identification

**INNOVATING SCIENCE<sup>®</sup>** 

"Cutting edge science for the classroom"

## **GENERAL STORAGE CODE GREEN**

#### Page E1 of E2

CHEMTREC 24 Hour Emergency Phone Number (800) 424-9300 For laboratory and industrial use only. Not for drug, food or household use.

SODIUM CHLORIDE Product Synonyms Common Salt / Rock Salt Section 2 Hazards identification Supplementary information: This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective Chemicals. gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell. Signal word: Not classified Pictograms: Not classified Target organs: None known GHS Classification: Not classified GHS Label information: Hazard statement(s): Not classified Precautionary statement(s): Not classified

by Aldon

221 Rochester Street Avon, NY 14414-9409

(585) 226-6177

#### Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3
Composition / information on ingredients

Chemical Name
CAS #
%
EINECS

Sodium chloride
7647-14-5
100%
231-598-3

Sodium chloride
Image: Case of the section of the se

**INGESTION:** Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

### Section 5 Fire fighting measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

### Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

#### Section 7 Handling and storage

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Store away from acids.

Section 8	Exposure controls / personal prot	ection		
Exposure Limits:	Chemical Name	ACGIH (TLV)	OSHA (PEL)	NIOSH (REL)
Exposure Linits.	Sodium chloride	None established	None established	None established

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHAapproved respirator.

Section 9	Physical and chemical	properties					
Appearance: Solid Odor: No odor. Odor threshold: D pH: 4.0-9.0 Melting / Freezing Boiling point: 1463 Flash point: Non c	ata not available. <b>point:</b> 801°C (>1473°F) 5°C (2669°F)	Flammability (sol Explosion limits: Vapor pressure ( Vapor density (Ai Relative density	( = 1): Data not a lid/gas): Data not a Lower / Upper: D mm Hg): 2.4 ir = 1): Data not av. (Specific gravity): 1 g/2.8 ml water at 25	available. Data not available ailable 2.16 @ 25°C	Auto-igniti Decompos Viscosity: Molecular		e: Data not available Ire: Data not available
Section 10	Stability and reactivity						
Chemical stability: Conditions to avoi	: Stable i <b>d:</b> Wet conditions can cause		s polymerization: \ n.	Will not occur.			
•	erials: Strong acids.						
Hazardous decom	position products: Electroly	sis can produce chlorin	ie gas.				
Section 11	Toxicological informati	on					
Germ cell mutage Carcinogenity: Da NTP: No componer IARC: No compone OSHA: No compon Ca Prop 65: This pr Reproductive toxic STOT-single expos	n sensitization: Data not ava nicity: Data not available ata not available nt of this product present at levent of this product present at levent of this product present at l roduct does not contain any ch city: Data not available sure: Data not available	vels greater than or equ vels greater than or eq evels greater than or eq	ual to 0.1% is identi qual to 0.1% is iden	ified as probable, po tified as a carcinoge	ssible or confir n or potential o	med human car carcinogen by O	
Aspiration hazard Potential health ef Inhalation: Inhalatio Ingestion: Ingestion Skin: Contact may Eyes: Contact may Signs and sympto	posure: Data not available   : Data not available   ifects: on of dust leaves salty taste w   on of dust leaves salty taste w nore than   cause very slight irritation. v   v cause very slight irritation. ons of exposure:   Gross over Gross over   ation: RTECS #: VZ4725000	0.1 pound) may cause rexposure over a long p	e vomiting.				
Aspiration hazard Potential health ef Inhalation: Inhalatio Ingestion: Ingestion Skin: Contact may Eyes: Contact may Signs and sympto Additional informa Section 12	Data not available ffects: on of dust leaves salty taste w n of large amounts (more than cause very slight irritation. v cause very slight irritation. or as of exposure: Gross over ation: RTECS #: VZ4725000 Ecological information	0.1 pound) may cause rexposure over a long p	e vomiting. period of time, result				
Aspiration hazard Potential health ef Inhalation: Inhalatio Ingestion: Ingestion Skin: Contact may Eyes: Contact may Signs and sympto Additional informa Section 12 Toxicity to fish: Le Toxicity to fish: Le Toxicity to algae: A Persistence and d Mobility in soil: No	Data not available ffects: on of dust leaves salty taste w n of large amounts (more than cause very slight irritation. v cause very slight irritation. ms of exposure: Gross over ation: RTECS #: VZ4725000 Ecological information epomis macrochirus (fish, fres a and other aquatic inverteb Anabaena variabilis (Algae) LC egradability: No data availab	n 0.1 pound) may cause rexposure over a long p hwater) LC50: 9,675 m rates: Daphnia magna C50: 23,565 mg/l/4 day ble Bioaccumula PBT and vPvl	e vomiting. beriod of time, result g/l/96 hours (Crustacea) EC50: tive potential: No B assessment: No	is in dehydraLition. 6,175 mg/l/16 hours data available o data available			
Aspiration hazard Potential health ef Inhalation: Inhealtio Ingestion: Ingestion Skin: Contact may Eyes: Contact may Signs and sympto Additional informa Section 12 Toxicity to fish: Le Toxicity to fish: Le Toxicity to daphnia Toxicity to algae: A Persistence and do Mobility in soil: No Other adverse effe Section 13	Data not available ffects: on of dust leaves salty taste with n of large amounts (more than cause very slight irritation. with a cause very slight irritation. mes of exposure: Gross over ation: RTECS #: VZ4725000 Ecological information epomis macrochirus (fish, fres a and other aquatic inverteb Anabaena variabilis (Algae) LO egradability: No data availate o data available cots: An environmental hazare Disposal consideration	n 0.1 pound) may cause rexposure over a long p hwater) LC50: 9,675 m rates: Daphnia magna 250: 23,565 mg/l/4 day ble Bioaccumula PBT and vPvi d cannot be excluded ir 15	e vomiting. period of time, result (g/l/96 hours (Crustacea) EC50: tive potential: No B assessment: No n the event of unpro	is in dehydraLition. 6,175 mg/l/16 hours data available o data available fessional handling o	r disposal.		
Aspiration hazard Potential health ef Inhalation: Inhalatio Ingestion: Ingestion Skin: Contact may Eyes: Contact may Signs and sympto Additional informa Section 12 Toxicity to fish: Le Toxicity to daphnia Toxicity to daphnia Toxicity to algae: A Persistence and d Mobility in soil: No Other adverse effe Section 13 These disposal gu	Data not available ffects: on of dust leaves salty taste with n of large amounts (more than cause very slight irritation. with a cause very slight irritation. mes of exposure: Gross over ation: RTECS #: VZ4725000 Ecological information epomis macrochirus (fish, fres a and other aquatic inverteb Anabaena variabilis (Algae) LO egradability: No data availate o data available cots: An environmental hazare Disposal consideration	a 0.1 pound) may cause rexposure over a long p hwater) LC50: 9,675 m rates: Daphnia magna 250: 23,565 mg/l/4 day ble Bioaccumula PBT and vPvi d cannot be excluded in 15 ne disposal of catalog	e vomiting. beriod of time, result g/l/96 hours (Crustacea) EC50: tive potential: No B assessment: No n the event of unpro g-size quantities o	is in dehydraLition. 6,175 mg/l/16 hours data available data available fessional handling o nly. Federal regul	r disposal. ations may a		container. State and/or loca emical disposal agency.
Aspiration hazard Potential health ef Inhalation: Inhalatio Ingestion: Ingestion Skin: Contact may Eyes: Contact may Signs and sympto Additional informa Section 12 Toxicity to fish: Le Toxicity to daphnia Toxicity to daphnia Toxicity to algae: A Persistence and d Mobility in soil: No Other adverse effe Section 13 These disposal gu	Data not available fects: on of dust leaves salty taste w n of large amounts (more than cause very slight irritation. v cause very slight irritation. mas of exposure: Gross over ation: RTECS #: VZ4725000 Ecological information epomis macrochirus (fish, fres a and other aquatic inverteb Anabaena variabilis (Algae) LC egradability: No data available ects: An environmental hazard Disposal consideratior uidelines are intended for th	n 0.1 pound) may cause rexposure over a long p hwater) LC50: 9,675 m rates: Daphnia magna 250: 23,565 mg/l/4 day ble Bioaccumula PBT and vPvi d cannot be excluded in 15 ne disposal of catalog	e vomiting. beriod of time, result g/l/96 hours (Crustacea) EC50: tive potential: No B assessment: No n the event of unpro g-size quantities o	is in dehydraLition. 6,175 mg/l/16 hours data available data available fessional handling o nly. Federal regul	r disposal. ations may a		
Aspiration hazard Potential health ef Inhalation: Inhalatio Ingestion: Ingestion Skin: Contact may Eyes: Contact may Signs and sympto Additional informa Section 12 Toxicity to fish: Le Toxicity to daphnia Toxicity to daphnia Toxicity to algae: A Persistence and du Mobility in soil: No Other adverse effe Section 13 These disposal gu regulations may b Section 14 UN/NA number: Hazard class: N	Data not available fects: on of dust leaves salty taste w n of large amounts (more than cause very slight irritation. v cause very slight irritation. of exposure: Gross over ation: RTECS #: VZ4725000 Ecological information epomis macrochirus (fish, fres a and other aquatic inverteb Anabaena variabilis (Algae) LC egradability: No data availat o data available ects: An environmental hazard Disposal consideration uidelines are intended for the different. Dispose of in a Transport information Not applicable St lot applicable Pa	a 0.1 pound) may cause rexposure over a long p hwater) LC50: 9,675 m rates: Daphnia magna 250: 23,565 mg/l/4 day PBT and vPvi d cannot be excluded in PBT and vPvi d cannot be excluded in ns ne disposal of catalog accordance with all lo hipping name: Not acking group: Not	e vomiting. period of time, result g/l/96 hours (Crustacea) EC50: <b>tive potential</b> : No <b>B assessment</b> : No n the event of unpro g-size quantities o ical, state and fede applicable	is in dehydraLition. 6,175 mg/l/16 hours data available data available fessional handling o nly. Federal regul	r disposal. ations may a contract with	a licensed che	
Aspiration hazard Potential health ef Inhalation: Inhalatio Ingestion: Ingestion Skin: Contact may Eyes: Contact may Signs and sympto Additional informa Section 12 Toxicity to fish: Le Toxicity to daphai Toxicity to daphai Toxicity to algae: A Persistence and de Mobility in soil: No Other adverse effe Section 13 These disposal gu regulations may b Section 14 UN/NA number:	Data not available fects: on of dust leaves salty taste w n of large amounts (more than cause very slight irritation. v cause very slight irritation. of exposure: Gross over ation: RTECS #: VZ4725000 Ecological information epomis macrochirus (fish, fres a and other aquatic inverteb Anabaena variabilis (Algae) LC egradability: No data availat o data available ects: An environmental hazard Disposal consideration uidelines are intended for the different. Dispose of in a Transport information Not applicable St lot applicable Pa	n 0.1 pound) may cause rexposure over a long p hwater) LC50: 9,675 m rates: Daphnia magna 250: 23,565 mg/l/4 day ole Bioaccumula PBT and vPvi d cannot be excluded ir ns ne disposal of catalog uccordance with all lo	e vomiting. period of time, result g/l/96 hours (Crustacea) EC50: <b>tive potential</b> : No <b>B assessment</b> : No n the event of unpro g-size quantities o ical, state and fede applicable	is in dehydraLition. 6,175 mg/l/16 hours data available o data available fessional handling o nly. Federal regul eral regulations or	r disposal. ations may a contract with	a licensed che	emical disposal agency.
Aspiration hazard Potential health ef Inhalation: Inhalatio Ingestion: Ingestion Skin: Contact may Eyes: Contact may Signs and sympto Additional informa Section 12 Toxicity to fish: Le Toxicity to daphnia Toxicity to daphnia Toxicity to algae: A Persistence and du Mobility in soil: No Other adverse effe Section 13 These disposal gu regulations may b Section 14 UN/NA number: Hazard class: N	Data not available fects: on of dust leaves salty taste w n of large amounts (more than cause very slight irritation. v cause very slight irritation. of exposure: Gross over ation: RTECS #: VZ4725000 Ecological information epomis macrochirus (fish, fres a and other aquatic inverteb Anabaena variabilis (Algae) LC egradability: No data availat o data available ects: An environmental hazard Disposal consideration uidelines are intended for the different. Dispose of in a Transport information Not applicable St lot applicable Pa	10.1 pound) may cause rexposure over a long p hwater) LC50: 9,675 m rates: Daphnia magna 250: 23,565 mg/l/4 day ble Bioaccumula PBT and vPvl d cannot be excluded ir ns ne disposal of catalog iccordance with all lo hipping name: Not cking group: Not 20 ERG Guide # N	e vomiting. period of time, result g/l/96 hours (Crustacea) EC50: <b>tive potential</b> : No <b>B assessment</b> : No n the event of unpro g-size quantities o ical, state and fede applicable	is in dehydraLition. 6,175 mg/l/16 hours data available o data available fessional handling o nly. Federal regul eral regulations or	r disposal. ations may a contract with	a licensed che	emical disposal agency.
Aspiration hazard Potential health ef Inhalation: Inhalatio Ingestion: Ingestion Skin: Contact may Eyes: Contact may Eyes: Contact may Signs and sympto Additional informa Section 12 Toxicity to fish: Le Toxicity to fish: Le Toxicity to daphni: Toxicity to algae: A Persistence and de Mobility in soil: No Other adverse effe Section 13 These disposal gur regulations may b Section 14 UN/NA number: Hazard class: No Exceptions: No Section 15 A chemical is consider	Data not available fects: on of dust leaves salty taste w n of large amounts (more than cause very slight irritation. v cause very slight irritation. ms of exposure: Gross over ation: RTECS #: VZ4725000 Ecological information epomis macrochirus (fish, fres a and other aquatic inverteb Anabaena variabilis (Algae) LC egradability: No data availate o data available ects: An environmental hazare Disposal consideration uidelines are intended for the different. Dispose of in a Transport information Not applicable St lot applicable An on the CAS number	10.1 pound) may cause rexposure over a long p hwater) LC50: 9,675 m rates: Daphnia magna 250: 23,565 mg/l/4 day ble Bioaccumula PBT and vPvl d cannot be excluded ir 18 ne disposal of catalog accordance with all lo hipping name: Not cking group: Not 20 ERG Guide # N for the anhydrous form is	e vomiting. period of time, result (Crustacea) EC50: <b>tive potential:</b> No <b>B assessment:</b> No <b>h the event of unpro</b> g-size quantities of iccal, state and fede (Regulated applicable ot applicable on the Inventory list.	is in dehydraLition. 6,175 mg/l/16 hours data available fessional handling o nly. Federal regul eral regulations or <b>Reportable Qua</b>	r disposal. ations may a contract with antity: No	a licensed che	emical disposal agency. arine pollutant: No
Aspiration hazard Potential health ef Inhalation: Ingestion Skin: Contact may Eyes: Contact may Eyes: Contact may Signs and sympto Additional informa Section 12 Toxicity to fish: Le Toxicity to fish: Le Toxicity to daphnia Toxicity to daphnia Tox	Data not available fects: on of dust leaves salty taste w n of large amounts (more than cause very slight irritation. v cause very slight irritation. ms of exposure: Gross over ation: RTECS #: VZ4725000 Ecological information epomis macrochirus (fish, fres a and other aquatic inverteb Anabaena variabilis (Algae) LC egradability: No data availate o data available ects: An environmental hazare Disposal consideration uidelines are intended for the different. Dispose of in a Transport information Not applicable St lot applicable An on the CAS number	10.1 pound) may cause rexposure over a long p hwater) LC50: 9,675 m rates: Daphnia magna 250: 23,565 mg/l/4 day ble Bioaccumula PBT and vPvl d cannot be excluded ir ns ne disposal of catalog iccordance with all lo hipping name: Not acking group: Not 20 ERG Guide # N	e vomiting. period of time, result (Crustacea) EC50: <b>tive potential:</b> No <b>B assessment:</b> No <b>h the event of unpro</b> g-size quantities of pical, state and fede Regulated applicable ot applicable	is in dehydraLition. 6,175 mg/l/16 hours data available o data available fessional handling o nly. Federal regul eral regulations or	r disposal. ations may a contract with	à licensed che Ma NDSL	emical disposal agency. arine pollutant: No CA Prop 65
Aspiration hazard Potential health ef Inhalation: Inhalatio Ingestion: Ingestion Skin: Contact may Eyes: Contact may Eyes: Contact may Signs and sympto Additional informa Section 12 Toxicity to fish: Le Toxicity to fish: Le Toxicity to daphni: Toxicity to algae: A Persistence and de Mobility in soil: No Other adverse effe Section 13 These disposal gur regulations may b Section 14 UN/NA number: Hazard class: No Exceptions: No Section 15 A chemical is consider	Data not available fects: on of dust leaves salty taste w n of large amounts (more than cause very slight irritation. v cause very slight irritation. ms of exposure: Gross over ation: RTECS #: VZ4725000 Ecological information epomis macrochirus (fish, fres a and other aquatic inverteb Anabaena variabilis (Algae) LC egradability: No data availate o data available ects: An environmental hazare Disposal consideration uidelines are intended for the different. Dispose of in a Transport information Not applicable St lot applicable An on the CAS number	10.1 pound) may cause rexposure over a long p hwater) LC50: 9,675 m rates: Daphnia magna 250: 23,565 mg/l/4 day ble Bioaccumula PBT and vPvl d cannot be excluded ir 18 ne disposal of catalog accordance with all lo hipping name: Not cking group: Not 20 ERG Guide # N for the anhydrous form is	e vomiting. period of time, result (Crustacea) EC50: <b>tive potential:</b> No <b>B assessment:</b> No <b>n</b> the event of unpro g-size quantities of iccal, state and fede (Regulated applicable ot applicable on the Inventory list.	is in dehydraLition. 6,175 mg/l/16 hours data available fessional handling o nly. Federal regul eral regulations or <b>Reportable Qua</b>	r disposal. ations may a contract with antity: No	a licensed che	emical disposal agency. arine pollutant: No

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook. Form 06/2015