

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation 221 Rochester Street
 "cutting edge science for the classroom" Avon, NY 14414-9409
 (585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory and industrial use only.
 Not for drug, food or household use.

Product IRON METAL FILINGS, DEGREASED

Synonyms Iron Aggregate / Iron Filings / Iron / Iron Metal

Section 2 Hazards identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: None assigned

Pictograms: None assigned

Target organs: None known

GHS Classification:

None assigned

GHS Label information: Hazard statement:

None assigned

Precautionary statement:

None assigned

Supplemental information:

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|------------------|------------|---------|-----------|
| Iron aggregate | 65997-19-5 | 100% | 266-048-1 |
| Contains: | | | |
| Iron | 1309-37-1 | Balance | |
| Carbon | 7440-44-0 | <3.0% | |
| Silicon | 7440-21-3 | <3.0% | |
| Manganese | 7439-96-5 | <1.0% | |
| Phosphorous | 7723-14-0 | <0.1% | |
| Sulfur | 7704-34-9 | <0.1% | |

Section 4 First aid measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam. Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. A fire hazard in the form of a fine dust dispersed in air or by chemical reaction with strong oxidizers can be an explosion hazard, especially when heated.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory and industrial use only.
 Not for drug, food or household use.

| | |
|----------------|-------------------------|
| Product | LEAD METAL, SHOT |
|----------------|-------------------------|

| | |
|-----------------|------------------|
| Synonyms | Lead / Lead Shot |
|-----------------|------------------|

Section 2 Hazards identification

Signal word: DANGER**Pictograms:** GHS07 / GHS08 / GHS09**Target organs:** Lungs, Kidneys**GHS Classification:**

Acute toxicity, oral (Category 4)
 Acute toxicity, inhalation (Category 4)
 Reproductive toxicity (Category 1A)
 Carcinogenicity (Category 2)
 STOT RE (Category 2)
 Aquatic acute (Category 1)
 Aquatic chronic (Category 1)

GHS Label information: Hazard statement:

H302: Harmful if swallowed.
 H332: Harmful if inhaled.
 H351: Suspected of causing cancer
 H360: May damage fertility or the unborn child.
 H373: May cause damage to organs through prolonged or repeated exposure.
 H410: Very toxic to aquatic life with long lasting effects.

Precautionary statement:

P201: Obtain special instructions before use.
 P202: Do not handle until all safety precautions have been read and understood.
 P260: Do not breathe dust.
 P264: Wash hands thoroughly after handling.
 P270: Do not eat, drink or smoke when using this product.
 P271: Use only outdoors or in a well-ventilated area.
 P273: Avoid release to the environment.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.
 P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.
 P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P308+P313: IF exposed or concerned: Get medical attention.
 P312: Call a POISON CENTER or doctor if you feel unwell.
 P391: Collect spillage.
 P405: Store locked up.
 P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known
 Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|---------------|-----------|------|-----------|
| Lead metal | 7439-92-1 | >99% | 231-100-4 |

Section 4 First aid measures

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand. Do not use water on fire where molten metal is present.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Molten metals produce fume, vapor and/or dust that may be toxic and/or a respiratory irritant. Metal reacts with oxidizing agents. Molten lead may explode on contact with water.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory and industrial use only.
 Not for drug, food or household use.

| | |
|----------------|----------------------------------|
| Product | MAGNESIUM METAL, TURNINGS |
|----------------|----------------------------------|

| | |
|-----------------|-----------|
| Synonyms | Magnesium |
|-----------------|-----------|

Section 2 Hazards identification

Signal word: DANGER

Pictograms: GHS02

Target organs: None known



GHS Classification:

Flammable solid (Category 1)

Self heating substance (Category 2)

Water reactivity (Category 2)

GHS Label information: Hazard statement:

H228: Flammable solid.

H252: Self-heating in large quantities; may catch fire.

H261: In contact with water releases flammable gas.

Precautionary statement:

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P223: Do not allow contact with water.

P231+P232: Handle under inert gas. Protect from moisture.

P235+P410: Keep cool. Protect from sunlight.

P240: Ground/bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting equipment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P335+P334: Brush off loose particles from skin. Immerse in cool water/wrap in wet bandages.

P370+P378: In case of fire: Use graphite powder, soda ash, powdered sodium chloride, or an appropriate metal-fire-extinguishing dry powder to extinguish.

P402+P404: Store in a dry place. Store in a closed container.

P420: Store away from other materials.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Combustible dust

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|---------------|-----------|-------|-----------|
| Magnesium | 7439-95-4 | 99.8% | 231-104-6 |

Section 4 First aid measures

INGESTION: CAUSES BURNING SENSATION IN THE MOUTH. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE BURNS AND CORNEAL ABRASIONS. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use only graphite powder, soda ash, powdered sodium chloride, or an appropriate metal-fire-extinguishing dry powder. DO NOT use water, carbon dioxide, or foam!

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: When heated in air to a temperature near its melting point, magnesium may ignite and burn. Dangerous in the form of dust or flakes and when exposed to flame or by violent chemical reaction with oxidizing agents. Magnesium may react with moisture or acids to evolve hydrogen gas, which is a highly dangerous fire or explosion hazard.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Using non-sparking tools, sweep up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources. Keep away from water and moisture.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|---------------|-----------------|-----------------|-----------------|
| | Magnesium | Not established | Not established | Not established |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

Appearance: Solid. Silvery gray, metal turnings
Odor: No odor.

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: 651°C (1203.8°F)

Boiling point: 1110°C (2030°F)

Flash point: 636°C (1175°F)

Evaporation rate (= 1): Data not available

Flammability (solid/gas): Data not available.

Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): 1 mm @ 621°C

Vapor density (Air = 1): Data not available

Relative density (Specific gravity): 1.74 @ 20°C

Solubility(ies): Negligible in water.

Partition coefficient: Data not available

Auto-ignition temperature: 510°C (950°F)

Decomposition temperature: Data not available.

Viscosity: Data not available.

Molecular formula: Mg

Molecular weight: 24.31

Section 10 Stability and reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.

Incompatible materials: Magnesium will react with water and acids to release hydrogen. Also hazardous with chlorine, bromine, iodine and oxidizing agents.

Hazardous decomposition products: Hydrogen.

Section 11 Toxicological information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation may cause cough, sore throat, shortness of breath.

Ingestion: Ingestion causes burning sensation in the mouth and may cause abdominal pain and diarrhea.

Skin: Particles imbedded in the skin may cause eruptions. Molten magnesium may cause serious skin burns.

Eyes: Contact with eyes may cause irritation and corneal scratches. Avoid direct viewing of magnesium fires as eye injury may result, use fire glasses.

Signs and symptoms of exposure: Exposure to magnesium oxide fume subsequent to burning can result in metal fume fever. The temporary symptoms can include fever, chills, nausea, vomiting and muscular pain. Onset of symptoms occurs 4-12 hours after exposure. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: OM2100000

Section 12 Ecological information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: UN1869

Shipping name: Magnesium

Hazard class: 4.1

Packing group: III

Reportable Quantity: No

Marine pollutant: No

Exceptions: Limited quantity equal to or less than 5 Kg

2020 ERG Guide # 138

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|-----------|--------|-------------|-----------|--------|------------|--|
| Magnesium | Listed | Not listed | D001 | Listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation 221 Rochester Street
 "cutting edge science for the classroom" Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Hour Emergency
 Phone Number (800) 424-9300**
 For laboratory and industrial use only.
 Not for drug, food or household use.

| | |
|-----------------|---|
| Product | MANGANESE METAL, CHIPS |
| Synonyms | Manganese Chips / Manganese / Manganese Carbon-Free Chips |

Section 2 Hazards identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: None required
Pictograms: No symbol required
Target organs: Central nervous system

GHS Classification: None required
GHS Label information: Hazard statement: None required
Precautionary statement: None required

Supplemental information:

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known
 Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|---------------|-----------|------|-----------|
| Manganese | 7439-96-5 | 100% | 231-105-1 |

Section 4 First aid measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|------------------------|----------------------------|-----------------------------|--|
| | Manganese, fume, as Mn | TWA: 0.2 mg/m ³ | STEL: C 5 mg/m ³ | TWA: 1 mg/m ³ STEL: 3 mg/m ³ |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

| | | |
|--|--|--|
| Appearance: Solid. Silvery gray, metallic chips Odor: No odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: 2271°C (1244°F) Boiling point: 2095°C (3803°F) Flash point: Data not available | Evaporation rate (= 1): Data not available Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): Data not available Vapor density (Air = 1): Data not available Relative density (Specific gravity): Data not available Solubility(ies): Insoluble in water. | Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mn Molecular weight: 54.94 |
|--|--|--|

Section 10 Stability and reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.

Conditions to avoid: Avoid moisture.

Incompatible materials: Oxidizing agents, reducing agents, hydroxides, cyanides, carbonates.

Hazardous decomposition products: Manganese oxides and/or fumes.

Section 11 Toxicological information

Acute toxicity: Data not available
Skin corrosion/irritation: Data not available
Serious eye damage/irritation: Data not available
Respiratory or skin sensitization: Data not available
Germ cell mutagenicity: Data not available
Carcinogenicity: Data not available
 NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
 IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
 OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
 Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.
Reproductive toxicity: Data not available
STOT-single exposure: Data not available
STOT-repeated exposure: Data not available
Aspiration hazard: Data not available
Potential health effects:
 Inhalation: The substance may have effects on the lungs and central nervous system. This may result in increased susceptibility to bronchitis, pneumonitis and neurologic and neuropsychiatric disorders (manganism).
 Ingestion: May be harmful if ingested.
 Skin: Prolonged or repeated contact with dust may irritate skin.
 Eyes: Contact with eyes may cause irritation.
Signs and symptoms of exposure: Animal tests show that this substance possible causes toxicity to human reproduction or development. Exercise appropriate procedures to minimize potential hazards.
Additional information: RTECS #: OO9625000

Section 12 Ecological information

Toxicity to fish: No data available
Toxicity to daphnia and other aquatic invertebrates: No data available
Toxicity to algae: No data available
Persistence and degradability: No data available **Bioaccumulative potential:** No data available
Mobility in soil: No data available **PBT and vPvB assessment:** No data available
Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable **Shipping name:** Not Regulated
Hazard class: Not applicable **Packing group:** Not applicable **Reportable Quantity:** No **Marine pollutant:** No
Exceptions: Not applicable **2020 ERG Guide #** Not applicable

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|-----------|--------|-------------|------------|--------|------------|--|
| Manganese | Listed | Not listed | Not listed | Listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory and industrial use only.
 Not for drug, food or household use.

| | |
|-----------------|--------------------------------------|
| Product | NICKEL METAL, SHOT |
| Synonyms | Nickel Powder / Nickel / Nickel Shot |

Section 2 Hazards identification

Signal word: DANGER
Pictograms: GHS07 / GHS08
Target organs: Lungs



GHS Classification:
 Skin sensitizer (Category 1)
 Carcinogenicity (Category 2)
 STOT RE (Category 1)

GHS Label information: Hazard statement:
 H317: May cause an allergic skin reaction.
 H351: Suspected of causing cancer.
 H372: Causes damage to organs through prolonged or repeated exposure.

Precautionary statement:

P201: Obtain special instructions before use.
 P202: Do not handle until all safety precautions have been read and understood.
 P260: Do not breathe dust or fume.
 P270: Do not eat, drink or smoke when using this product.
 P272: Contaminated work clothing should not be allowed out of the workplace.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.
 P302+P352: IF ON SKIN: Wash with plenty of water and soap.
 P333+P313: If skin irritation or rash occurs: Get medical attention.
 P308+P313: IF exposed or concerned: Get medical attention.
 P362+P364: Take off contaminated clothing and wash it before reuse.
 P405: Store locked up.
 P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known
 Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|---------------|-----------|------|-----------|
| Nickel shot | 7440-02-0 | 100% | 231-111-4 |

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand. Do NOT use water on fire where molten metal is present.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Metal reacts with oxidizing agents. Reacts with some acids and caustic solutions to produce hydrogen. Molten metals produce fumes, vapor and/or dust that may be toxic and/or a respiratory irritant.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory and industrial use only.
 Not for drug, food or household use.

| | |
|----------------|-----------------------------|
| Product | SILICON METAL, LUMPS |
|----------------|-----------------------------|

| | |
|-----------------|---------------|
| Synonyms | Silicon Metal |
|-----------------|---------------|

Section 2 Hazards identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: None required

Pictograms: No symbol required

Target organs: None known

GHS Classification: None required

GHS Label information: Hazard statement: None required

Precautionary statement: None required

Supplemental information:

Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|---------------------|-----------|------|-----------|
| Silicon metal lumps | 7440-21-3 | 100% | 231-130-8 |

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: DUST MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|---------------|-----------------|--|--|
| | Silicon | Not established | TWA: 5 mg/m ³ Respirable fraction | TWA: 5 mg/m ³ Respirable fraction |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

Appearance: Solid, metallic silver lumps.

Odor: No odor.

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: 1440°C (2624°F)

Boiling point: Data not available

Flash point: Not flammable

Evaporation rate (= 1): Data not available

Flammability (solid/gas): Data not available.

Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): Data not available

Vapor density (Air = 1): Data not available

Relative density (Specific gravity): 2.3

Solubility(ies): Insoluble in water.

Partition coefficient: Data not available

Auto-ignition temperature: Data not available

Decomposition temperature: Data not available.

Viscosity: Data not available.

Molecular formula: Si

Molecular weight: 28.09

Section 10 Stability and reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Avoid generation of airborne dust.

Incompatible materials: Acids and strong bases.

Hazardous decomposition products: None known.

Section 11 Toxicological information

Acute toxicity: Oral-rat LD50: 3160 mg/kg

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be harmful if inhaled.

Ingestion: May be harmful if swallowed.

Skin: Contact with may cause irritation.

Eyes: Contact with may cause irritation.

Signs and symptoms of exposure: Low hazard in the form of lumps. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: VV0400000

Section 12 Ecological information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: No

Marine pollutant: No

Exceptions: Not applicable

2020 ERG Guide # Not applicable

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERCLA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|-----------|--------|-------------|-----------|--------|------------|--|
| Silicon | Listed | Not listed | D001 | Listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Hour Emergency
 Phone Number (800) 424-9300**
 For laboratory and industrial use only.
 Not for drug, food or household use.

Product SILVER METAL
Synonyms Silver / Argentium

Section 2 Hazards identification

Signal word: WARNING
Pictograms: GHS09
Target organs: Nasal septum, Skin, Eyes



GHS Classification:
 Aquatic toxicity, acute (Category 1)
 Aquatic toxicity, chronic (Category 1)

GHS Label information: Hazard statement:
 H410: Very toxic to aquatic life with long lasting effects.

Precautionary statement:

P273: Avoid release to the environment.
 P391: Collect spillage.
 P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known
 Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|---------------|-----------|------|-----------|
| Silver metal | 7440-22-4 | 100% | 231-131-3 |

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Dry chemical, CO₂, sand, or earth. Do not use water on fire where molten metal is present.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Fine powder forms flammable and explosive mixture in air.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|---------------|----------------------------|-----------------------------|-----------------------------|
| | Silver metal | TWA: 0.1 mg/m ³ | TWA: 0.01 mg/m ³ | TWA: 0.01 mg/m ³ |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

| | | |
|---|--|--|
| Appearance: Solid. Silvery gray powder | Evaporation rate (= 1): Data not available | Partition coefficient: Data not available |
| Odor: No odor | Flammability (solid/gas): Data not available | Auto-ignition temperature: Data not available |
| Odor threshold: Data not available | Explosion limits: Lower / Upper: Data not available | Decomposition temperature: Data not available |
| pH: Data not available | Vapor pressure (mm Hg): Data not available | Viscosity: Data not available |
| Melting / Freezing point: 962°C (1764°F) | Vapor density (Air = 1): Data not available | Molecular formula: Ag |
| Boiling point: 2212°C (4014°F) | Relative density (Specific gravity): 10.5 | Molecular weight: 107.87 |
| Flash point: Data not available | Solubility(ies): Insoluble in water | |

Section 10 Stability and reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures. Turns dark on exposure to ozone, hydrogen sulfide or sulfur. Protect from light and air.

Incompatible materials: Strong oxidizers such as hydrogen peroxide solutions, strong acids and ammonia.

Hazardous decomposition products: Silver oxide fume. Mixtures with acetylene are shock-sensitive. Reacts with acids to create fire hazard. Contact with strong hydrogen peroxide solutions cause violent decomposition to oxygen gas. Contact with ammonia may cause formation of compounds that are explosive when dry.

Section 11 Toxicological information

Acute toxicity: Oral-rat (male) LD50: >5000 mg/kg ; Dermal-rat (male) LD50: >2000 mg/kg

Skin corrosion/irritation: Skin-rabbit - Slight irritant

Serious eye damage/irritation: Eyes-rabbit - Slight irritant

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation of high amounts of metallic silver vapors may cause lung damage with pulmonary edema.

Ingestion: Generalized argyria (blue or bluish-grey colored skin, eyes, nose and/or throat) may result from ingestion of elemental silver, silver dust or silver compounds.

Skin: Contact causes slight irritation.

Eyes: Contact causes slight irritation.

Signs and symptoms of exposure: Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: VW3500000

Section 12 Ecological information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: Yes

Marine pollutant: No

Exceptions: Not applicable

2020 ERG Guide # Not applicable

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|--------------|--------|-------------------|------------|--------|------------|--|
| Silver metal | Listed | 1000 lbs (454 Kg) | Not listed | Listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory and industrial use only.
 Not for drug, food or household use.

Product SULFUR
Synonyms Sulfur Flowers ; Sulfur Flour

Section 2 Hazards identification

Signal word: WARNING
Pictograms: GHS07
Target organs: None known



GHS Classification:
 Skin irritation (Category 2)

GHS Label information: Hazard statement:
 H315: Causes skin irritation.

Precautionary statement:

P264: Wash hands thoroughly after handling.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.
 P302+P352: IF ON SKIN: Wash with plenty of water and soap.
 P332+P313: If skin irritation occurs: Get medical attention.
 P362+P364: Take off contaminated clothing and wash it before reuse.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Combustible dust
 Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|---------------|-----------|------|-----------|
| Sulfur | 7704-34-9 | 100% | 231-722-6 |

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Finely dispersed particles form explosive mixtures in air.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|---------------|------------------|------------------|------------------|
| | Sulfur | None established | None established | None established |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

| | | |
|---|--|--|
| Appearance: Solid yellow powder or lumps. Odor: Odor of rotten eggs Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: 116-121°C (242-251°F) Boiling point: 444°C (831°F) Flash point: 207°C (405°F) Closed Cup | Evaporation rate (= 1): Not applicable Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: 3.3% / 46.0% Vapor pressure (mm Hg): 0 @ 138°C (280°F) Vapor density (Air = 1): Data not available Relative density (Specific gravity): 2.04-2.07 @ 21°C (67°F) Solubility(ies): Insoluble in water. | Partition coefficient: Data not available Auto-ignition temperature: 248°C (478°F) Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: S Molecular weight: 32.06 |
|---|--|--|

Section 10 Stability and reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.

Incompatible materials: Reacts violently with strong oxidizing agents. Corrosive to copper and copper alloys. Damp sulfur will corrode steel.

Hazardous decomposition products: Sulfur dioxide.

Section 11 Toxicological information

Acute toxicity: Oral-rat LD50: >5000 mg/kg ; Inhalation-rat LC50: 0.067 mg/L/4hours ; Dermal-rabbit LD50: >2000 mg/kg

Skin corrosion/irritation: Skin-rabbit - Irritant.

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Burning sensation, cough, sore throat. May cause inflammation of the the nose and respiratory tract.

Ingestion: Burning sensation, diarrhea.

Skin: Redness. Prolonged or repeated contact may cause dermatitis.

Eyes: Redness, pain, blurred vision.

Signs and symptoms of exposure: See Potential health effects above.

Additional information: RTECS #: WS4250000

Section 12 Ecological information

Toxicity to fish: Brachydanio rerio (fish, fresh water), LC50 = 866 mg/L/96 hours

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacea), EC50 = >10,000 mg/L/24 hours

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: NA1350

Shipping name: Sulfur

Hazard class: 9

Packing group: III

Reportable Quantity: No

Marine pollutant: No

Exceptions: No exceptions

2020 ERG Guide # 133

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|-----------|--------|-------------|------------|--------|------------|--|
| Sulfur | Listed | Not listed | Not listed | Listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory and industrial use only.
 Not for drug, food or household use.

| | |
|----------------|------------------|
| Product | TIN METAL, MOSSY |
|----------------|------------------|

| | |
|-----------------|-----|
| Synonyms | Tin |
|-----------------|-----|

Section 2 Hazards identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: Not classified
Pictograms: Not classified
Target organs: None known

GHS Classification: Not classified
GHS Label information: Hazard statement: Not classified
Precautionary statement: Not classified

Supplementary information:

SHARP EDGES! USE CARE WHEN HANDLING. Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known
 Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|---------------|-----------|------|-----------|
| Tin metal | 7440-31-5 | 100% | 231-141-8 |

Section 4 First aid measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use triclass, dry chemical fire extinguisher or sand. Do not use water to fight fires involving this material.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Non-flammable, however, air-borne dust may ignite. Molten metals produce fume, vapor and/or dust that may be toxic or respiratory irritants. In contact with acids, emits hydrogen gas. This gas is flammable and can cause explosion.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|---------------|--------------------------|--------------------------|--------------------------|
| | Tin metal | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

| | | |
|--|---|--|
| Appearance: Solid. Silvery, metallic pieces | Evaporation rate (= 1): Not applicable | Partition coefficient: Data not available |
| Odor: No odor | Flammability (solid/gas): Data not available | Auto-ignition temperature: Not applicable |
| Odor threshold: Data not available | Explosion limits: Lower / Upper: Not applicable | Decomposition temperature: Data not available |
| pH: Data not available | Vapor pressure (mm Hg): 1 mm @ 1492°C | Viscosity: Data not available |
| Melting / Freezing point: 2270°C (4118°F) | Vapor density (Air = 1): 4.11 | Molecular formula: Sn |
| Boiling point: 231.9°C (449°F) | Relative density (Specific gravity): 7.31 @ 20°C | Molecular weight: 118.69 |
| Flash point: Not applicable | Solubility(ies): Insoluble in water | |

Section 10 Stability and reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Avoid contact with acids.

Incompatible materials: Strong oxidizers, chlorine, cupric nitrate, potassium, sodium peroxide, sulfur, halogens, sulfuric chlorosulfuric and pyrosulfuric acid.

Hazardous decomposition products: Oxides of tin may be present. Reacts with acids, causing evolution of flammable hydrogen gas.

Section 11 Toxicological information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Eyes-rabbit - Irritant

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Tin dust is irritating to the respiratory tract.

Ingestion: Considered to be of low toxicity due to poor alimentary absorption.

Skin: May cause abrasions.

Eyes: May cause mechanical irritation. Corneal abrasions may occur.

Signs and symptoms of exposure: The substance is known to cause a benign pneumoconiosis (stannosis). This form of pneumoconiosis produces distinctive progressive x-ray changes of the lung as long as exposure persists, but there is no distinctive fibrosis, disability or complicating factors. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: XP7320000

Section 12 Ecological information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: No

Marine pollutant: No

Exceptions: Not applicable

2020 ERG Guide # Not applicable

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|-----------|--------|-------------|------------|--------|------------|--|
| Tin metal | Listed | Not listed | Not listed | Listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Hour Emergency
 Phone Number (800) 424-9300**
 For laboratory and industrial use only.
 Not for drug, food or household use.

| | |
|-----------------|----------------------------------|
| Product | TUNGSTEN METAL |
| Synonyms | Tungsten / Tungsten Metal Powder |

Section 2 Hazards identification

Signal word: DANGER
Pictograms: GHS02
Target organs: None known



GHS Classification:
 Flammable solid (Category 1)

GHS Label information: Hazard statement:
 H228: Flammable solid.

Precautionary statement:

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.
 P240: Ground/bond container and receiving equipment.
 P241: Use explosion-proof electrical/ventilating/lighting equipment.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.
 P370+P378: In case of fire: Use dry sand, graphite powder, dry sodium chloride based extinguishers, G-1[®], or Met-L-X[®] powder to extinguish.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known
 Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|---------------|-----------|------|-----------|
| Tungsten | 7440-33-7 | 100% | 231-143-9 |

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: DO NOT USE WATER, FOAM OR CO₂. Use dry sand, graphite powder, dry sodium chloride based extinguishers, G-1[®], or Met-L-X[®] powder.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear.

Specific Hazards: Dousing metallic fires with water will generate hydrogen gas, an extremely dangerous explosion hazard, particularly if fire is in a confined environment. Dusts or fumes may form explosive mixtures in air.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Using non-sparking tools, sweep up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|---------------|---|-----------------|---|
| | Tungsten | TWA: 5 mg/m ³ STEL: 10 mg/m ³ | Not established | TWA: 5 mg/m ³ STEL: 10 mg/m ³ |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

Appearance: Solid. Silvery metallic powder

Odor: No odor.

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: 3410°C (6170°F)

Boiling point: 5660°C (10220°F)

Flash point: Unknown

Evaporation rate (= 1): Data not available

Flammability (solid/gas): Data not available.

Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): Data not available

Vapor density (Air = 1): Data not available

Relative density (Specific gravity): 19.3

Solubility(ies): Data not available

Partition coefficient: Data not available

Auto-ignition temperature: Data not available

Decomposition temperature: Data not available.

Viscosity: Data not available.

Molecular formula: W

Molecular weight: 183.85

Section 10 Stability and reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Avoid creating dusty conditions.

Incompatible materials: Strong oxidizers. Ignites on contact with fluorine gas at room temperature. Reacts violently with strong acids.

Hazardous decomposition products: Metal oxide fume.

Section 11 Toxicological information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May be harmful in inhalation.

Ingestion: May be harmful if swallowed.

Skin: May cause irritation.

Eyes: Contact with eyes may cause mechanical irritation and/or corneal abrasions.

Signs and symptoms of exposure: Symptoms may include cough, sore throat, shortness of breath. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: YO7175000

Section 12 Ecological information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: UN3089

Shipping name: Metal powders, flammable, n.o.s., (Tungsten)

Hazard class: 4.1

Packing group: II

Reportable Quantity: No

Marine pollutant: No

Exceptions: Limited quantity equal to or less than 1 Kg

2020 ERG Guide # 170

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERCLA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|-----------|--------|-------------|------------|--------|------------|--|
| Tungsten | Listed | Not listed | Not listed | Listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation 221 Rochester Street
 "cutting edge science for the classroom" Avon, NY 14414-9409
 (585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory and industrial use only.
 Not for drug, food or household use.

Product ZINC METAL
Synonyms Zinc / Zinc Metal Mossy

Section 2 Hazards identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: Not classified
Pictograms: Not classified
Target organs: None known

GHS Classification: Not classified
GHS Label information: Hazard statement(s): Not classified
Precautionary statement(s): Not classified

Supplemental information:

SHARP EDGES! ABRASIVE TO SKIN. USE CARE WHEN HANDLING.
 Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Combustible dust
 Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|---------------|-----------|------|-----------|
| Zinc, mossy | 7440-66-6 | 100% | 231-175-3 |

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED AS FUME. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE MECHANICAL IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE DERMATITIS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use triclass, dry chemical fire extinguisher. Do NOT use water on fire where molten metal is present.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Molten metals produce fume, vapor and/or dust that may be toxic and/or a respiratory irritant. Metal reacts with oxidizing agents. Small chips, turnings, and dust with ignite readily. Dust cloud may be explosive.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. Keep out of reach of children. Use with adequate ventilation. Wash thoroughly after handling.

Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale fumes from molten metals. Wash thoroughly after handling. Remove and wash clothing before reuse.

Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|---------------------------------------|------------------|--|------------------|
| | Particulates not otherwise classified | None established | TWA: 5 mg/m ³ respirable fraction | None established |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

Appearance: Solid. Metallic silver-gray

Odor: No odor.

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: 419°C (787°F)

Boiling point: 907°C (1665°F)

Flash point: Not applicable

Evaporation rate (= 1): Not applicable

Flammability (solid/gas): Not applicable

Explosion limits: Lower / Upper: Not applicable

Vapor pressure (mm Hg): Data not available

Vapor density (Air = 1): Data not available

Relative density (Specific gravity): 7.12

Solubility(ies): Insoluble

Partition coefficient: Data not available

Auto-ignition temperature: Not applicable

Decomposition temperature: Data not available.

Viscosity: Data not available.

Molecular formula: Zn

Molecular weight: 65.38

Section 10 Stability and reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures. Hydrogen may evolve when in contact with water or damp air.

Incompatibilities with other materials: Strong acids, halogens, acids, alkalis and water.

Hazardous decomposition products: Zinc oxides and zinc fumes. Reacts with water, acids or alkalis to generate hydrogen gas.

Section 11 Toxicological information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation of dust or fume may cause irritation to eyes, nose, throat, and cause a metallic taste in the mouth. May cause metal fume fever or produce flu-like symptoms.

Ingestion: May be harmful if swallowed.

Skin: May cause dermatitis.

Eyes: Contact with eyes may cause mechanical irritation.

Signs and symptoms of exposure: Over-heating of alloy can produce metal fumes and oxides. Over-exposure to dust and fumes may cause mouth, eye, and nose irritation.

Additional information: RTECS #: None assigned

Section 12 Ecological information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: No

Marine pollutant: No

Exceptions: Not applicable

2020 ERG Guide # Not applicable

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|-----------|--------|-------------|------------|--------|------------|--|
| Zinc | Listed | Not listed | Not listed | Listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

