

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Hour Emergency
 Phone Number (800) 424-9300**
 For laboratory and industrial use only.
 Not for drug, food or household use.

| | |
|-----------------|------------------------------------|
| Product | BROMINE WATER |
| Synonyms | Bromine, Saturated Water / Bromine |

Section 2 Hazards identification

Signal word: DANGER
Pictograms: GHS05 / GHS06 / GHS09
Target organs: None known



GHS Classification:
 Skin corrosion (Category 1A)
 Acute toxicity, inhalation (Category 2)
 Aquatic toxicity acute (Category 1)

GHS Label information: Hazard statement:
 H314: Causes severe skin burns and eye damage.
 H330: Fatal if inhaled.
 H400: Very toxic to aquatic life.

Precautionary statement:

P260: Do not breathe mist/vapours/spray.
 P264: Wash hands thoroughly after handling.
 P271: Use only outdoors or in a well-ventilated area.
 P273: Avoid release to the environment.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.
 P284: Wear respiratory protection.
 P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
 P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
 P363: Wash contaminated clothing before reuse.
 P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P310: Immediately call a POISON CENTER or doctor.
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P391: Collect spillage.
 P403+P233: Store in a well-ventilated place. Keep container tightly closed.
 P405: Store locked up.
 P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known
 Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|---------------|-----------|-----|-----------|
| Water | 7732-18-5 | 97% | 231-791-2 |
| Bromine | 7726-95-6 | 3% | 231-778-1 |

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam. Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Vapors formed from this product are heavier than air and may travel along the ground to a distant source of ignition and flash back instantly. Flame may not be visible in daylight.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|---------------|---|----------------------------|--|
| | Bromine | TWA: 0.66 mg/m ³ STEL: 1.3 mg/m ³ | TWA: 0.7 mg/m ³ | TWA: 0.7 mg/m ³ STEL: 2 mg/m ³ |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

| | | |
|--|--|--|
| Appearance: Clear, red-brown liquid | Evaporation rate (Ether = 1): >1 | Partition coefficient: Data not available |
| Odor: Strong characteristic odor | Flammability (solid/gas): Data not available | Auto-ignition temperature: Data not available |
| Odor threshold: Data not available | Explosion limits: Lower / Upper: Data not available | Decomposition temperature: Data not available |
| pH: Data not available | Vapor pressure (mm Hg): 175 mm @ 21°C [Bromine] | Viscosity: Data not available |
| Melting / Freezing point: 0°C (32°F) | Vapor density (Air = 1): 5.5 [Bromine] | Molecular formula: Mixture |
| Boiling point: 59°C (138°F) [Bromine] | Relative density (Specific gravity): 1.01 @ 20°C | Molecular weight: Mixture |
| Flash point: Data not available | Solubility(ies): 3.35 g/100 ml water @ 25°C | |

Section 10 Stability and reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.
Conditions to avoid: Excessive temperatures and other sources of ignition.
Incompatible materials: Strong oxidizers, reactive materials. Heat of reaction may cause ignition of combustible materials.
Hazardous decomposition products: Bromine gas.

Section 11 Toxicological information

Acute toxicity: Oral-rat LD50: 2600 mg/kg ; Inhalation-rat LC50: 2.7 mg/L
Skin corrosion/irritation: Data not available
Serious eye damage/irritation: Data not available
Respiratory or skin sensitization: Data not available
Germ cell mutagenicity: Data not available
Carcinogenicity: Data not available
 NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
 IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
 OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
 Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.
Reproductive toxicity: Data not available
STOT-single exposure: Data not available
STOT-repeated exposure: Data not available
Aspiration hazard: Data not available
Potential health effects:
 Inhalation: Inhalation causes cough, sore throat, shortness of breath, dizziness, headache, wheezing, labored breathing. Symptoms may be delayed.
 Ingestion: Ingestion causes burns in mouth and throat, burning sensation in the throat and chest, abdominal pain, shock or collapse.
 Skin: Contact with skin causes redness, burning sensation, pain, serious burns.
 Eyes: Contact causes watering of the eyes, redness, blurred vision, pain, and burns.
Signs and symptoms of exposure: Exercise appropriate procedures to minimize potential hazards.
Additional information: RTECS #: EF9100000

Section 12 Ecological information

Toxicity to fish: Carassium auratus (fish, fresh water), LC1000 = 20 mg/L
Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacea), EC100 = 10 mg/L
Toxicity to algae: Chlorella pyrenoidosa (Algae), 100% reduction = >0.42 mg/L/96 hours
Persistence and degradability: No data available **Bioaccumulative potential:** No data available
Mobility in soil: No data available **PBT and vPvB assessment:** No data available
Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: UN1744 **Shipping name:** Bromine solutions (Inhalation hazard "Zone A")
Hazard class: 8, (6.1) **Packing group:** I **Reportable Quantity:** No **Marine pollutant:** No
Exceptions: No exceptions **2020 ERG Guide #** 154

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|-----------|--------|-------------|------------|--------|------------|--|
| Bromine | Listed | Not listed | Not listed | Listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory and industrial use only.
 Not for drug, food or household use.

| | |
|----------------|----------------------------------|
| Product | CHLORINE WATER, SATURATED |
|----------------|----------------------------------|

| | |
|-----------------|------------------------|
| Synonyms | Chlorine Test Solution |
|-----------------|------------------------|

Section 2 Hazards identification

Signal word: DANGER**Pictograms:** GHS06 / GHS09**Target organs:** Digestive and respiratory tracts**GHS Classification:**

Skin irritation (Category 2)

Eye irritation (Category 2B)

Acute toxicity, inhalation (Category 3)

STOT-SE (Category 3)

Aquatic acute (Category 1)

GHS Label information: Hazard statement:

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H331: Toxic if inhaled.

H335: May cause respiratory irritation.

H400: Very toxic to aquatic life.

Precautionary statement:

P261: Avoid breathing mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P332+P313: If skin irritation occurs: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P311: Call a POISON CENTER or doctor.

P391: Collect spillage.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|---------------|-----------|-----------|-----------|
| Water | 7732-18-5 | 99.4% | 231-791-2 |
| Chlorine gas | 7782-50-5 | Saturated | 231-959-5 |

Section 4 First aid measures

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: TOXIC IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SERIOUS EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Liberates toxic chlorine gas when heated above 20°C (68°F).

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|---------------|---|---------------------------------------|--|
| | Chlorine | TWA: 0.5 ppm / 1.5 mg/m ³ (A4) | STEL: C 1 ppm / C 3 mg/m ³ | STEL: C 0.5 ppm / C 1.45 mg/m ³ |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

| | | |
|---|--|--|
| Appearance: Liquid. Pale yellow | Evaporation rate (Ether = 1): >1 | Partition coefficient: Data not available |
| Odor: Chlorine odor | Flammability (solid/gas): Data not available | Auto-ignition temperature: Data not available |
| Odor threshold: Data not available | Explosion limits: Lower / Upper: Data not available | Decomposition temperature: Data not available |
| pH: Data not available | Vapor pressure (mm Hg): Unknown | Viscosity: Data not available |
| Melting / Freezing point: 0°C (32°F) | Vapor density (Air = 1): Unknown | Molecular formula: Mixture |
| Boiling point: Decomposes | Relative density (Specific gravity): 1.02 | Molecular weight: Mixture |
| Flash point: Data not available | Solubility(ies): Soluble in water | |

Section 10 Stability and reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.

Conditions to avoid: Excessive temperatures and heat.

Incompatible materials: Hydrogen, may form explosive mixtures. Ether, ammonia, turpentine, hydrocarbons and powdered metals.

Hazardous decomposition products: Chlorine gas.

Section 11 Toxicological information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Harmful if inhaled. Can cause fatal pulmonary edema.

Ingestion: Harmful if swallowed.

Skin: Causes skin irritation.

Eyes: Causes serious eye irritation.

Signs and symptoms of exposure: Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: FO2100000 [Chlorine gas]

Section 12 Ecological information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: UN1760

Shipping name: Corrosive liquids, n.o.s., (Chlorine water solution)

Hazard class: 8

Packing group: III

Reportable Quantity: 10 lbs. (4.54 kg)

Marine pollutant: Listed

Exceptions: Limited quantity equal to or less than 5 L

2020 ERG Guide # 154

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|-----------|--------|-------------------|------------|--------|------------|--|
| Chlorine | Listed | 10 lbs. (4.54 kg) | Not listed | Listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Hour Emergency
 Phone Number (800) 424-9300**
 For laboratory and industrial use only.
 Not for drug, food or household use.

| | |
|-----------------|---------------------------------|
| Product | COPPER METAL |
| Synonyms | Copper Metal Foil / Copper Foil |

Section 2 Hazards identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: Not classified
Pictograms: Not classified
Target organs: Liver, Kidneys

GHS Classification: Not classified
GHS Label information: Hazard statement(s): Not classified
Precautionary statement(s): Not classified

Supplemental information:

SHARP EDGES! ABRASIVE TO SKIN. USE CARE WHEN HANDLING.
 Do not breathe dust or fume. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known
 Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|---------------|-----------|------|-----------|
| Copper metal | 7440-50-8 | 100% | 231-159-6 |

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED AS FUME. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use triclass, dry chemical fire extinguisher. Do NOT use water on fire where molten metal is present.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Molten metals produce fume, vapor and/or dust that may be toxic and/or a respiratory irritant. Metal reacts with oxidizing agents.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Remove all sources of ignition. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. Keep out of reach of children. Use with adequate ventilation. Wash thoroughly after handling.

Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale fumes from molten metals. Wash thoroughly after handling. Remove and wash clothing before reuse.

Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|--------------------------------|--------------------------|--------------------------|--------------------------|
| | Copper, dusts and mists, as Cu | TWA: 1 mg/m ³ | TWA: 1 mg/m ³ | TWA: 1 mg/m ³ |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

Appearance: Solid. Red-brown, lustrous metal. Turns green on exposure to moist air.

Odor: No odor.

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: 1083°C (1981°F)

Boiling point: 2595°C (4703°F)

Flash point: Not applicable

Evaporation rate (= 1): Not applicable

Flammability (solid/gas): Not applicable

Explosion limits: Lower / Upper: Not applicable

Vapor pressure (mm Hg): 1 mm @ 1628°C

Vapor density (Air = 1): Data not available

Relative density (Specific gravity): 8.92 @ 20°C

Solubility(ies): Insoluble

Partition coefficient: Data not available

Auto-ignition temperature: Not applicable

Decomposition temperature: Data not available.

Viscosity: Data not available.

Molecular formula: Cu

Molecular weight: 63.55

Section 10 Stability and reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures and heat.

Incompatibilities with other materials: Strong oxidizers may cause a violent reaction.

Hazardous decomposition products: At temperatures above melting point, toxic fumes or vapors may be emitted.

Section 11 Toxicological information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation of dust or fumes may irritate respiratory system. Symptoms include cough, headache, sore throat, shortness of breath.

Ingestion: May be harmful if swallowed. Symptoms include abdominal pain, nausea, vomiting.

Skin: May cause irritation and redness.

Eyes: Contact with eyes may cause redness and pain.

Signs and symptoms of exposure: Over-heating of alloy can produce metal fumes and oxides. Fumes of copper may cause metal fume fever with flu-like symptoms and skin and hair discolorization. Copper dust and fume cause irritation of the upper respiratory tract, metallic taste in the mouth, and nausea. Chronic poisoning results in Wilson's disease characterized by a hepatic cirrhosis, brain damage, demyelination, renal disease and copper deposition in the cornea.

Additional information: RTECS #: GL5325000

Section 12 Ecological information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: No

Marine pollutant: No

Exceptions: Not applicable

2020 ERG Guide #: Not applicable

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|-----------|--------|-------------|------------|--------|------------|--|
| Copper | Listed | Not listed | Not listed | Listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory and industrial use only.
 Not for drug, food or household use.

| | |
|----------------|---|
| Product | COPPER(II) NITRATE, 0.1 MOLAR SOLUTION |
|----------------|---|

| | |
|-----------------|--------------------------------|
| Synonyms | Cupric Nitrate, Water Solution |
|-----------------|--------------------------------|

Section 2 Hazards identification

Signal word: WARNING

Pictograms: GHS07 / GHS09

Target organs: Liver

**GHS Classification:**

Acute toxicity, oral (Category 5)

Skin irritation (Category 2)

Eye irritation (Category 2B)

Aquatic acute (Category 1)

Aquatic chronic (Category 1)

GHS Label information: Hazard statement:

H303: May be harmful if swallowed.

H315: Causes skin irritation.

H320: Causes eye irritation.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary statement:

P264: Wash hands thoroughly after handling.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312: IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P332+P313: If skin irritation occurs: Get medical attention.

P362+P364: Take off contaminated clothing and wash it before reuse.

P391: Collect spillage.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|----------------------------|------------|---------|-----------------------|
| Water | 7732-18-5 | 97.584% | 231-791-2 |
| Cupric nitrate, trihydrate | 10031-43-3 | 2.416% | 221-838-5 [anhydrous] |

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|------------------------------|--------------------------|--------------------------|--------------------------|
| | Copper, dusts & mists, as Cu | TWA: 1 mg/m ³ | TWA: 1 mg/m ³ | TWA: 1 mg/m ³ |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

| | | |
|---|---|---|
| Appearance: Clear, colorless liquid. | Evaporation rate (Water = 1): <1 | Partition coefficient: Data not available |
| Odor: No odor. | Flammability (solid/gas): Data not available. | Auto-ignition temperature: Data not available |
| Odor threshold: Data not available. | Explosion limits: Lower / Upper: Data not available | Decomposition temperature: Data not available. |
| pH: Data not available. | Vapor pressure (mm Hg): 14 (water) | Viscosity: Data not available. |
| Melting / Freezing point: Approximately 0°C (32°F) (water) | Vapor density (Air = 1): 0.7 (water) | Molecular formula: Mixture |
| Boiling point: Approximately 100°C (212°F) (water) | Relative density (Specific gravity): Approximately 1.0 (water) | Molecular weight: Mixture |
| Flash point: Data not available | Solubility(ies): Complete in water. | |

Section 10 Stability and reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation.

Incompatible materials: Strong oxidizing agents, aluminum cyanides, esters, sodium hypophosphite, stannous chloride and thiocyanates.

Hazardous decomposition products: Nitrogen oxides, copper oxides and copper dust.

Section 11 Toxicological information

Acute toxicity: Oral-rat LD50: 940 mg/kg [Cupric nitrate]

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Harmful if inhaled.

Ingestion: Harmful if swallowed.

Skin: Contact with skin causes irritation and/or burns.

Eyes: Contact with eyes causes irritation and/or burns.

Signs and symptoms of exposure: Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: GL7875000 [Cupric nitrate]

Section 12 Ecological information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: No

Marine pollutant: No

Exceptions: Not applicable

2020 ERG Guide # Not applicable

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|----------------|--------|-------------------|------------|--------|------------|--|
| Cupric nitrate | Listed | 100 lbs (45.4 kg) | Not listed | Listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory and industrial use only.
 Not for drug, food or household use.

| | |
|----------------|------------------------------|
| Product | IODINE WATER SOLUTION |
|----------------|------------------------------|

| | |
|-----------------|---------------|
| Synonyms | None assigned |
|-----------------|---------------|

Section 2 Hazards identification

Signal word: WARNING

Pictograms: GHS07 / GHS09

Target organs: Thyroid, kidneys, endocrine system, skin, eyes, reproductive system, central nervous system.



GHS Classification:

Acute toxicity, oral (Category 4)

Acute toxicity, inhalation (Category 4)

Aquatic Acute (Category 1)

GHS Label information: Hazard statement(s):

H312: Harmful in contact with skin.

H332: Harmful if inhaled.

H400: Very toxic to aquatic life.

Precautionary statement(s):

P261: Avoid breathing mist/vapours/spray.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P312: Call a POISON CENTER or doctor if you feel unwell.

P362+P364: Take off contaminated clothing and wash it before reuse.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312: Call a POISON CENTER or doctor if you feel unwell.

P391: Collect spillage.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|---------------|-----------|-----|-----------|
| Water | 7732-18-5 | 99% | 231-791-2 |
| Iodine | 7553-56-2 | 1% | 231-442-4 |

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention. Harmful if inhaled.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: HARMFUL IN CONTACT WITH SKIN. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention. Harmful in contact with skin.

Section 5 Fire fighting measures

Extinguishing Media: Use any media suitable for extinguishing supporting fire.

General information: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. Keep out of reach of children. Use with adequate ventilation. Wash thoroughly after handling.

Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale vapors, mist or spray. Wash thoroughly after handling. Remove and wash clothing before reuse.

Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|------------------------|--|---------------------------------------|---------------------------------------|
| | Iodine CAS # 7553-56-2 | TWA: 0.01 ppm ^(FV) / STEL: 0.1 ppm ^(V) | STEL: C 0.1 ppm/C 1 mg/m ³ | STEL: C 0.1 ppm/C 1 mg/m ³ |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

| | | |
|--|--|--|
| Appearance: Deep amber liquid. Odor: Characteristic odor. Odor threshold: Not applicable. pH: Data not available. Melting / Freezing point: ~ 0°C (~ 32°F) [water] Boiling point: ~ 100°C (212°F) [water] Flash point: Not flammable. | Evaporation rate (Water = 1): < 1 Flammability (solid/gas): Not applicable. Explosion limits: Lower / Upper: Not applicable Vapor pressure (mm Hg): 14 [water] Vapor density (Air = 1): 0.7 [water] Relative density (Specific gravity): 1.0 [water] Solubility(ies): Complete in water. | Partition coefficient: (n-octanol / water): Not applicable Auto-ignition temperature: Not applicable Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture |
|--|--|--|

Section 10 Stability and reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Stable under recommended storage conditions. Excessive temperatures which cause evaporation.

Incompatibilities with other materials: Metals or unsaturated organic compounds, ammonia solutions or alkaline solutions of ammonia salts. Will form explosive nitrogen iodides when reacted with gaseous ammonia.

Hazardous decomposition products: Toxic iodide fumes.

Section 11 Toxicological information

Acute toxicity: Oral-Rat LD50: 14,000 mg/kg [Iodine CAS # 7553-56-2]

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Inhalation-rat 3.1 mg/m³ / 24 hour / 13 weeks - continuous [Iodine CAS # 7553-56-2]

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Symptoms include cough, wheezing, and labored breathing. Symptoms may be delayed.

Ingestion: Causes abdominal pain, diarrhea, nausea, and vomiting. Ingestion of levels of 2-3 grams of iodine may cause death.

Skin: Contact may cause redness and pain.

Eyes: Contact causes watering of the eyes, redness and pain.

Signs and symptoms of exposure: Effects of short-term exposure: Lachrymator. The substance is severely irritating to the eyes and the respiratory tract, and is irritating to the skin. Inhalation of the vapor may cause asthma-like reactions. Inhalation of the vapor may cause lung edema. The effects may be delayed. Effects of long-term exposure: Repeated or prolonged contact may cause skin sensitization in rate cases. Repeated or prolonged inhalation exposure may cause asthma-like syndrome. The substance may have effects on the thyroid. Specific data not available for this mixture. Exercise appropriate procedures to minimize potential hazards..

Additional information: RTECS #: NN1575000 [Iodine CAS # 7553-56-2]

Section 12 Ecological information

Toxicity to fish: Very toxic to aquatic life.

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: No

Marine pollutant: No

Exceptions: Not applicable

2020 ERG Guide #: Not applicable

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|------------------|--------|-------------|------------|--------|------------|--|
| Iodine | Listed | Not listed | Not listed | Listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |
| Potassium iodide | Listed | Not listed | Not listed | Listed | Not listed | |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

CHEMTREC 24 Hour Emergency
Phone Number (800) 424-9300
 For laboratory and industrial use only.
 Not for drug, food or household use.

| | |
|---------|------------------|
| Product | LEAD METAL, FOIL |
|---------|------------------|

| | |
|----------|------|
| Synonyms | Lead |
|----------|------|

Section 2 Hazards identification

Signal word: DANGER

Pictograms: GHS07 / GHS08 / GHS09

Target organs: Lungs, Kidneys

**GHS Classification:**

Acute toxicity, oral (Category 4)
 Acute toxicity, inhalation (Category 4)
 Reproductive toxicity (Category 1A)
 Carcinogenicity (Category 2)
 STOT RE (Category 2)
 Aquatic acute (Category 1)
 Aquatic chronic (Category 1)

GHS Label information: Hazard statement:

H302: Harmful if swallowed.
 H332: Harmful if inhaled.
 H351: Suspected of causing cancer
 H360: May damage fertility or the unborn child.
 H373: May cause damage to organs through prolonged or repeated exposure.
 H410: Very toxic to aquatic life with long lasting effects.

Precautionary statement:

P201: Obtain special instructions before use.
 P202: Do not handle until all safety precautions have been read and understood.
 P260: Do not breathe dust.
 P264: Wash hands thoroughly after handling.
 P270: Do not eat, drink or smoke when using this product.
 P271: Use only outdoors or in a well-ventilated area.
 P273: Avoid release to the environment.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.
 P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.
 P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P312: Call a POISON CENTER or doctor if you feel unwell.
 P391: Collect spillage.
 P308+P313: IF exposed or concerned: Get medical attention.
 P405: Store locked up.
 P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Supplemental information:

SHARP EDGES! Handle with caution.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known
 Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|---------------|-----------|------|-----------|
| Lead metal | 7439-92-1 | >99% | 231-100-4 |

Section 4 First aid measures

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand. Do not use water on fire where molten metal is present.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Molten metals produce fume, vapor and/or dust that may be toxic and/or a respiratory irritant. Metal reacts with oxidizing agents. Molten lead may explode on contact with water.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|------------------------------|----------------------------------|-----------------------------|-----------------------------|
| | Lead and inorganic compounds | TWA: 0.05 mg/m ³ (A3) | TWA: 0.05 mg/m ³ | TWA: 0.05 mg/m ³ |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

| | | |
|---|--|---|
| Appearance: Solid. Silvery-gray, metallic foil | Evaporation rate (= 1): Data not available | Partition coefficient: Data not available |
| Odor: No odor. | Flammability (solid/gas): Data not available. | Auto-ignition temperature: Data not available |
| Odor threshold: Data not available. | Explosion limits: Lower / Upper: Data not available | Decomposition temperature: Data not available. |
| pH: Data not available. | Vapor pressure (mm Hg): Data not available | Viscosity: Data not available. |
| Melting / Freezing point: 327°C (621°F) | Vapor density (Air = 1): Data not available | Molecular formula: Pb |
| Boiling point: 1753°C (3187°F) | Relative density (Specific gravity): 11.34 (20/4°C) | Molecular weight: 207.19 |
| Flash point: Data not available | Solubility(ies): Insoluble in water. | |

Section 10 Stability and reactivity


Chemical stability: Stable **Hazardous polymerization:** Will not occur.

Conditions to avoid: Excessive temperatures and heat.

Incompatible materials: Strong oxidizers, hydrogen peroxide, acids.

Hazardous decomposition products: Lead fumes.

Section 11 Toxicological information

Acute toxicity: Data not available
Skin corrosion/irritation: Data not available
Serious eye damage/irritation: Data not available
Respiratory or skin sensitization: Data not available
Germ cell mutagenicity: Data not available
Carcinogenicity: Data not available
 NTP: Reasonably anticipated to be a human carcinogen.
 IARC classified: Group 2B: Possibly carcinogenic to humans.
 OSHA: This product contains a chemical known to cause cancer.
 CA Prop 65:  **WARNING!** : This product can expose you to chemicals including Lead and lead compounds, which are known to the State of California o cause cancer and birth defects or other reproductive harm.
Reproductive toxicity: Data not available
STOT-single exposure: Data not available
STOT-repeated exposure: Data not available
Aspiration hazard: Data not available
Potential health effects:
 Inhalation: Inhalation of dust or fume can cause lead poisoning.
 Ingestion: May cause anorexia, vomiting, malaise, convulsions, due to increased intracranial pressure.
 Skin: Contact with skin may cause irritation.
 Eyes: Contact with eyes may cause transient irritation.
Signs and symptoms of exposure: Danger of cumulative effects. Exercise appropriate procedures to minimize potential hazards.
Additional information: RTECS #: OF7525000

Section 12 Ecological information

Toxicity to fish: No data available
Toxicity to daphnia and other aquatic invertebrates: No data available
Toxicity to algae: No data available
Persistence and degradability: No data available **Bioaccumulative potential:** No data available
Mobility in soil: No data available **PBT and vPvB assessment:** No data available
Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations


These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable **Shipping name:** Not Regulated
Hazard class: Not applicable **Packing group:** Not applicable **Reportable Quantity:** No **Marine pollutant:** No
Exceptions: Not applicable **2020 ERG Guide #** Not applicable

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|------------|--------|-------------|-----------|--------|------------|--|
| Lead metal | Listed | Not listed | D008 | Listed | Not listed |  WARNING -Cancer and Reproductive Harm www.P65Warnings.ca.gov . |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Hour Emergency
 Phone Number (800) 424-9300**
 For laboratory and industrial use only.
 Not for drug, food or household use.

| | |
|----------------|---|
| Product | LEAD NITRATE, 0.1 MOLAR SOLUTION |
|----------------|---|

| | |
|-----------------|----------------------------------|
| Synonyms | Lead Dinitrate, Aqueous Solution |
|-----------------|----------------------------------|

Section 2 Hazards identification

Signal word: DANGER**Pictograms:** GHS08 / GHS09**Target organs:** Blood, Central nervous system**GHS Classification:**

Acute toxicity, Oral (Category 5)

Eye irritation (Category 2B)

Acute toxicity, Inhalation (Category 5)

Reproductive toxicity (Category 1A)

STOT-RE (Category 2)

Acute aquatic toxicity (Category 1)

Chronic aquatic toxicity (Category 1)

GHS Label information: Hazard statement(s):

H303 + H333: May be harmful if swallowed or if inhaled

H320: Causes eye irritation.

H360: May damage fertility or the unborn child.

H373: May cause damage to organs through prolonged or repeated exposure.

H410: Very toxic to aquatic life with long lasting effects.

Precautionary statement(s):

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P260: Do not breathe mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P312: IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical attention.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313: IF exposed or concerned: Get medical attention.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|---------------|------------|--------|-----------|
| Water | 7732-18-5 | 96.69% | 231-791-2 |
| Lead nitrate | 10099-74-8 | 3.31% | 233-245-9 |

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam. Use any media suitable for extinguishing supporting fire

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|-----------------------------------|----------------------------------|-----------------------------|-----------------------------|
| | Lead & inorganic compounds, as Pb | TWA: 0.05 mg/m ³ (A3) | TWA: 0.05 mg/m ³ | TWA: 0.05 mg/m ³ |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

| | | |
|---|---|---|
| Appearance: Clear, colorless liquid. Odor: Mild characteristic odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: Approximately 0°C (32°F) (water) Boiling point: Approximately 100°C (212°F) (water) Flash point: Data not available | Evaporation rate (Water = 1): <1 Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water) Relative density (Specific gravity): Approximately 1.0 (water) Solubility(ies): Complete in water. | Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture |
|---|---|---|

Section 10 Stability and reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation.

Incompatible materials: Ammonium thiocyanate, powdered carbon, lead hypophosphite.

Hazardous decomposition products: Lead oxides and nitrogen oxides.

Section 11 Toxicological information

Acute toxicity: Data not available
Skin corrosion/irritation: Data not available
Serious eye damage/irritation: Data not available
Respiratory or skin sensitization: Data not available
Germ cell mutagenicity: Data not available
Carcinogenicity: Data not available
NTP: (R) Reasonably anticipated to be a human carcinogen. [Lead nitrate]
IARC classified: Group 2A: Probably carcinogenic to humans. [Lead nitrate]
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
CA Prop 65: ⚠️ **WARNING!** : This product can expose you to chemicals including Lead and lead compounds, which are known to the State of California to cause cancer and birth defects or other reproductive harm.
Reproductive toxicity: Data not available
STOT-single exposure: The substance or mixture is classified as specific target organ toxicant, single exposure, category 2 with respiratory effects. [Lead nitrate]
STOT-repeated exposure: Data not available
Aspiration hazard: Data not available
Potential health effects:
Inhalation: Harmful if inhaled.
Ingestion: Harmful if swallowed.
Skin: Harmful if absorbed through skin. Causes skin irritation.
Eyes: Causes eye irritation.
Signs and symptoms of exposure: Lead is a cumulative poison and exposure to even small amounts can raise the body's content to toxic levels. Nitrates entering the body by any route can cause headache, vomiting, dizziness, cyanosis, decreased blood pressure and possible respiratory paralysis. Acute poisoning can lead to muscle weakness, "lead line" on the gums, metallic taste, definite loss of appetite, insomnia, dizziness, high lead levels in the blood and urine with shock, coma and death in extreme cases.
Additional information: **RTECS #:** OG2100000 [Lead nitrate]

Section 12 Ecological information

Toxicity to fish: LC50 - Oncorhynchus mykiss (rainbow trout) - 1.5 mg/l - 96.0 h [Lead nitrate]
Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia magna (Water flea) - 0.5 - 2.0 mg/l - 48 h [Lead nitrate]
Toxicity to algae: No data available
Persistence and degradability: No data available **Bioaccumulative potential:** No data available
Mobility in soil: No data available **PBT and vPvB assessment:** No data available
Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable **Shipping name:** Not Regulated
Hazard class: Not applicable **Packing group:** Not applicable **Reportable Quantity:** 10 lbs (4.54 kg) **Marine pollutant:** Yes
Exceptions: Not applicable **2020 ERG Guide #:** Not applicable

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|--------------|--------|-------------|------------|--------|------------|--|
| Lead nitrate | Listed | Listed | Not listed | Listed | Not listed | ⚠️ WARNING -Cancer and Reproductive Harm - www.P65Warnings.ca.gov. |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Hour Emergency
 Phone Number (800) 424-9300**
 For laboratory and industrial use only.
 Not for drug, food or household use.

| | |
|----------------|--------------------------------|
| Product | MAGNESIUM METAL, RIBBON |
|----------------|--------------------------------|

| | |
|-----------------|-----------|
| Synonyms | Magnesium |
|-----------------|-----------|

Section 2 Hazards identification

Signal word: WARNING
Pictograms: GHS02
Target organs: None known



GHS Classification:
 Flammable solid (Category 2)

GHS Label information: Hazard statement:
 H228: Flammable solid.

Precautionary statement:

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Combustible dust
 Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|---------------|-----------|-------|-----------|
| Magnesium | 7439-95-4 | 99.8% | 231-104-6 |

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use only graphite powder, soda ash, powdered sodium chloride, or an appropriate metal-fire-extinguishing dry powder. DO NOT use water, carbon dioxide, or foam!

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear.

Specific Hazards: When heated in air to a temperature near its melting point, magnesium may ignite and burn. Dangerous in the form of dust or flakes and when exposed to flame or by violent chemical reaction with oxidizing agents. Magnesium may react with moisture or acids to evolve hydrogen gas, which is a highly dangerous fire or explosion hazard.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Using non-sparking tools, sweep up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources. Keep away from water and moisture.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|---------------|-----------------|-----------------|-----------------|
| | Magnesium | Not established | Not established | Not established |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

| | | |
|---|--|---|
| Appearance: Solid. Silvery gray, metal ribbon Odor: No odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: 651°C (1203.8°F) Boiling point: 1110°C (2030°F) Flash point: 636°C (1175°F) | Evaporation rate (= 1): Data not available Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): 1 mm @ 621°C Vapor density (Air = 1): Data not available Relative density (Specific gravity): 1.74 @ 20°C Solubility(ies): Negligible in water. | Partition coefficient: Data not available Auto-ignition temperature: 510°C (950°F) Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mg Molecular weight: 24.31 |
|---|--|---|

Section 10 Stability and reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.

Incompatible materials: Magnesium will react with water and acids to release hydrogen. Also hazardous with chlorine, bromine, iodine and oxidizing agents.

Hazardous decomposition products: Hydrogen.

Section 11 Toxicological information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation may cause cough, sore throat, shortness of breath.

Ingestion: Ingestion causes burning sensation in the mouth and may cause abdominal pain and diarrhea.

Skin: Particles imbedded in the skin may cause eruptions. Molten magnesium may cause serious skin burns.

Eyes: Contact with eyes may cause irritation and corneal scratches. Avoid direct viewing of magnesium fires as eye injury may result, use fire glasses.

Signs and symptoms of exposure: Exposure to magnesium oxide fume subsequent to burning can result in metal fume fever. The temporary symptoms can include fever, chills, nausea, vomiting and muscular pain. Onset of symptoms occurs 4-12 hours after exposure. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: OM2100000

Section 12 Ecological information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: UN1869

Shipping name: Magnesium

Hazard class: 4.1

Packing group: III

Reportable Quantity: No

Marine pollutant: No

Exceptions: Limited quantity equal to or less than 5 Kg

2020 ERG Guide # 138

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|-----------|--------|-------------|-----------|--------|------------|--|
| Magnesium | Listed | Not listed | D001 | Listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Hour Emergency
 Phone Number (800) 424-9300**
 For laboratory and industrial use only.
 Not for drug, food or household use.

| | |
|-----------------|--|
| Product | MAGNESIUM NITRATE, 0.1 MOLAR SOLUTION |
| Synonyms | Magnesium Nitrate, 0.1M Aqueous Solution / Magnesium Nitrate, Aqueous Solution |

Section 2 Hazards identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: None required
Pictograms: No symbol required
Target organs: None known

GHS Classification: None required
GHS Label information: Hazard statement: None required
Precautionary statement: None required

Supplemental information:

Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known
 Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|--------------------------------|------------|--------|-----------------------|
| Water | 7732-18-5 | 97.44% | 231-791-2 |
| Magnesium nitrate, hexahydrate | 13446-18-9 | 2.56% | 233-826-7 [anhydrous] |

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use extinguishing agent suitable for type of surrounding fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Section 7 Handling and storage

Page E2 of E2

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|-------------------|-----------------|-----------------|-----------------|
| | Magnesium nitrate | Not established | Not established | Not established |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

Appearance: Clear, colorless liquid.

Odor: Mild characteristic odor.

Odor threshold: Data not available.

pH: Data not available.

Melting / Freezing point: Approximately 0°C (32°F) (water)

Boiling point: Approximately 100°C (212°F) (water)

Flash point: Data not available

Evaporation rate (Water = 1): <1

Flammability (solid/gas): Data not available.

Explosion limits: Lower / Upper: Data not available

Vapor pressure (mm Hg): 14 (water)

Vapor density (Air = 1): 0.7 (water)

Relative density (Specific gravity): Approximately 1.0 (water)

Solubility(ies): Complete in water.

Partition coefficient: Data not available

Auto-ignition temperature: Data not available

Decomposition temperature: Data not available.

Viscosity: Data not available.

Molecular formula: Mixture

Molecular weight: Mixture

Section 10 Stability and reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation.

Incompatible materials: Reducing agents, oxidizers, organic and combustible materials.

Hazardous decomposition products: Nitric acid fumes and sometimes nitrogen tetroxide are reported.

Section 11 Toxicological information

Acute toxicity: Oral-rat LD50: 5440 mg/kg [Magnesium nitrate]

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May cause mild respiratory tract irritation. Symptoms may include coughing and shortness of breath.

Ingestion: Ingestion of large doses can cause abdominal pain, cyanosis (blue lips, fingernails and skin), confusion, convulsions, dizziness, headache, nausea, and unconsciousness.

Skin: Can cause mild irritation.

Eyes: Can cause mild irritation.

Signs and symptoms of exposure: Under some circumstances methemoglobinemia occurs in individuals when the nitrate is converted by bacteria in the stomach to the nitrite. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: OM3756000 [Magnesium nitrate]

Section 12 Ecological information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: No

Marine pollutant: No

Exceptions: Not applicable

2020 ERG Guide # Not applicable

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|------------------------------|--------|-------------|------------|--------|------------|--|
| Magnesium nitrate, anhydrous | Listed | Not listed | Not listed | Listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Form 06/2015

Revision Date: October 7, 2020

Supersedes: January 20, 2020

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Hour Emergency
 Phone Number (800) 424-9300**
 For laboratory and industrial use only.
 Not for drug, food or household use.

| | |
|-----------------|--|
| Product | MINERAL OIL |
| Synonyms | White Mineral Oil / Light Paraffin Oil |

Section 2 Hazards identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: None required
Pictograms: No symbol required
Target organs: None known

GHS Classification: None required
GHS Label information: Hazard statement: None required
Precautionary statement: None required

Supplemental information:

Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known
 Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|---------------|-----------|------|-----------|
| Mineral oil | 8042-47-5 | 100% | 232-455-8 |

Section 4 First aid measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Carbon dioxide, dry chemical, dry sand, alcohol foam. Do not use streams of water as this will scatter the liquid and spread the fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. If container is not properly cooled, it can rupture in the heat of a fire. Slight fire hazard. Material must be preheated before ignition will occur (OSHA IIIB).

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|-----------------------------------|-------------------------------|-----------------|-----------------|
| | Mineral oil, pure, highly refined | TWA: 5 mg/m ³ (A4) | Not established | Not established |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

| | | |
|---|---|---|
| Appearance: Oily, colorless liquid | Evaporation rate (Butyl acetate = 1): <1 | Partition coefficient: Data not available |
| Odor: No odor | Flammability (solid/gas): Data not available | Auto-ignition temperature: Data not available |
| Odor threshold: Data not available | Explosion limits: Lower / Upper: Data not available | Decomposition temperature: Data not available |
| pH: Data not available | Vapor pressure (mm Hg): <1 @ 20°C (68°F) | Viscosity: Data not available. |
| Melting / Freezing point: Data not available | Vapor density (Air = 1): >1 | Molecular formula: CH ₃ [CH ₂] _n CH ₃ |
| Boiling point: Data not available | Relative density (Specific gravity): 0.818-0.880 @ 25/25°F | Molecular weight: Variable |
| Flash point: Minimum 138°C (280°F) COC | Solubility(ies): Negligible in water | |

Section 10 Stability and reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.

Conditions to avoid: Excessive heat and open flame.

Incompatible materials: Chlorine, fluorine, and other strong oxidizers.

Hazardous decomposition products: None identified.

Section 11 Toxicological information

Acute toxicity: Oral-rat LD50: >5000 mg/kg

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 3: Not classifiable as to its carcinogenicity to humans.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Repeated exposure to levels of oil mists in excess of the exposure limits may result in accumulation of oil droplets in pulmonary tissue and may lead to irritation of the nose and throat.

Ingestion: Negligible effect. May act as a laxative causing diarrhea.

Skin: No significant health hazards identified.

Eyes: No significant health hazards identified.

Signs and symptoms of exposure: Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: PY8047000

Section 12 Ecological information

Toxicity to fish: Lepomis macrochirus (fish, fresh water), LC50 = >10 g/L/96 hours

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: No

Marine pollutant: No

Exceptions: Not applicable

2020 ERG Guide # Not applicable

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|-------------|--------|-------------|------------|--------|------------|--|
| Mineral oil | Listed | Not listed | Not listed | Listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Hour Emergency
 Phone Number (800) 424-9300**
 For laboratory and industrial use only.
 Not for drug, food or household use.

Product POTASSIUM BROMATE
Synonyms Bromic Acid, Potassium Salt

Section 2 Hazards identification

Signal word: DANGER**Pictograms:** GHS03 / GHS06 / GHS08**Target organs:** Auditory and Central nervous systems, Liver, Kidneys.**GHS Classification:**

Oxidizing solid (Category 1)

Acute toxicity, inhalation (Category 3)

Carcinogenicity (Category 1B)

GHS Label information: Hazard statement:

H271: May cause fire or explosion; strong oxidizer.

H301: Toxic if swallowed.

H350: May cause cancer.

Precautionary statement:

P201: Obtain special instructions before use.

P202: Do not handle until all safety precautions have been read and understood.

P210: Keep away from heat/sparks/open flames/hot surfaces. No smoking.

P220: Keep away from clothing/incompatible/combustible materials.

P221: Take any precaution to avoid mixing with combustibles and incompatible materials.

P264: Wash hands thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P283: Wear fire/flammable resistant/retardant clothing.

P301+P310+P330: IF SWALLOWED: Immediately call a POISON CENTER or doctor. Rinse mouth.

P306+P360: IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes.

P308+P313: IF exposed or concerned: Get medical attention.

P370+P378: In case of fire: Use water to extinguish.

P371+P380+P375: In case of fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|-------------------|-----------|------|-----------|
| Potassium bromate | 7758-01-2 | 100% | 231-829-8 |

Section 4 First aid measures

INGESTION: TOXIC IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use water. Do not use dry chemicals or foams. CO₂ or Halon[®] may provide limited control.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Strong oxidizing agent. Non-combustible, however, oxygen is liberated when involved in fire, which increases the rate of burning. Mixing with acids, ammonium compounds, combustible materials or readily oxidizable substances may explode when subjected to slight friction.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|-------------------|-----------------|-----------------|-----------------|
| | Potassium bromate | Not established | Not established | Not established |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

| | | |
|---|--|--|
| Appearance: Solid. White crystalline powder | Evaporation rate (= 1): Data not available | Partition coefficient: Data not available |
| Odor: No odor | Flammability (solid/gas): Data not available | Auto-ignition temperature: Data not available |
| Odor threshold: Data not available | Explosion limits: Lower / Upper: Data not available | Decomposition temperature: Data not available |
| pH: Data not available | Vapor pressure (mm Hg): Data not available | Viscosity: Data not available |
| Melting / Freezing point: Data not available | Vapor density (Air = 1): Data not available | Molecular formula: KBrO ₃ |
| Boiling point: Data not available | Relative density (Specific gravity): 3.27 g/cm ³ | Molecular weight: 167.00 |
| Flash point: Data not available | Solubility(ies): 133 g/L water @ 40°C | |

Section 10 Stability and reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures, heat, sparks, open flame and other sources of ignition.

Incompatible materials: Strong oxidizers, reducing agents, metals powders, ammonium compounds, combustible materials and oxidizable substances. Selenium reacts violently with aqueous bromates. Mixing with disulfur dibromide and water ignites @ 20°C and without water it ignites @125°C. Violent reaction and gas evolution with aluminum dinitrotoluene.

Hazardous decomposition products: Potassium oxides, hydrogen bromide gas, oxygen.

Section 11 Toxicological information

Acute toxicity: Oral-rat LD50: 157 mg/kg

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: Group 2B: Possibly carcinogenic to humans.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

CA Prop 65: ⚠️ WARNING! :This product can expose you to Potassium bromate, which is known to the State of California to cause cancer.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation causes cough and sore throat.

Ingestion: Ingestion causes abdominal pain, diarrhea, nausea, and vomiting.

Skin: Contact causes redness.

Eyes: Contact causes redness and pain.

Signs and symptoms of exposure: The substance is irritating to the eyes, skin and respiratory tract. Ingestion could cause effects on the kidneys and central nervous system. This may result in renal failure, respiratory depression and hearing loss. The effects may be delayed. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: EF8725000

Section 12 Ecological information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: UN1484

Shipping name: Potassium bromate

Hazard class: 5.1

Packing group: II

Reportable Quantity: No

Marine pollutant: No

Exceptions: Limited quantity equal to or less than 1 Kg

2020 ERG Guide # 140

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|-------------------|--------|-------------|------------|--------|------------|---|
| Potassium bromate | Listed | Not listed | Not listed | Listed | Not listed | ⚠️ WARNING -Cancer - www.P65Warnings.ca.gov. |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Hour Emergency
 Phone Number (800) 424-9300**
 For laboratory and industrial use only.
 Not for drug, food or household use.

| | |
|----------------|--------------------------|
| Product | POTASSIUM BROMIDE |
|----------------|--------------------------|

| | |
|-----------------|------|
| Synonyms | None |
|-----------------|------|

Section 2 Hazards identification

Signal word: WARNING
Pictograms: GHS07
Target organs: None known



GHS Classification:
 Eye irritation (Category 2A)

GHS Label information: Hazard statement:
 H319: Causes serious eye irritation.

Precautionary statement:

P264: Wash hands thoroughly after handling.
 P280: Wear protective gloves/protective clothing/eye protection/face protection.
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313: If eye irritation persists: Get medical attention.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known
 Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|-------------------|-----------|------|-----------|
| Potassium bromide | 7758-02-3 | 100% | 231-830-3 |

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SERIOUS EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale dusts. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|-------------------|-----------------|-----------------|-----------------|
| | Potassium bromide | Not established | Not established | Not established |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

| | | |
|--|--|--|
| Appearance: Solid. White crystalline powder | Evaporation rate (= 1): Data not available | Partition coefficient: Data not available |
| Odor: No odor | Flammability (solid/gas): Data not available | Auto-ignition temperature: Data not available |
| Odor threshold: Data not available | Explosion limits: Lower / Upper: Data not available | Decomposition temperature: Data not available |
| pH: Data not available | Vapor pressure (mm Hg): 1 mm @ 795°C | Viscosity: Data not available |
| Melting / Freezing point: 760°C (1400°F) | Vapor density (Air = 1): 4.12 | Molecular formula: KBr |
| Boiling point: 1435°C (2615°F) | Relative density (Specific gravity): 2.749 @ 25°C | Molecular weight: 119.01 |
| Flash point: Data not available | Solubility(ies): 53 g/100 ml water @ 20°C | |

Section 10 Stability and reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Contact with strong acids can liberate hydrogen bromide, strong oxidizers can liberate bromine. Avoid heating above 800°C (1472°F).

Incompatible materials: Strong oxidizers, acids, aluminum and its alloys.

Hazardous decomposition products: Hydrogen bromide gas and/or bromine gas.

Section 11 Toxicological information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation may cause sore throat, coughing, shortness of breath.

Ingestion: Ingestion may cause pain in swallowing, abdominal pain, nausea, and drowsiness.

Skin: Contact with skin may cause irritation and/or dermatitis.

Eyes: Contact with eyes may cause severe irritation.

Signs and symptoms of exposure: To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: Data not available

Section 12 Ecological information

Toxicity to fish: Pimephales promelas (fish, fresh water), LC50 = >30,000 ug/L/96 hours

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacea), EC50 = >30,000 ug/L/96 hours

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: No

Marine pollutant: No

Exceptions: Not applicable

2020 ERG Guide # Not applicable

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|-------------------|--------|-------------|------------|--------|------------|--|
| Potassium bromide | Listed | Not listed | Not listed | Listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Hour Emergency
 Phone Number (800) 424-9300**
 For laboratory and industrial use only.
 Not for drug, food or household use.

| | |
|----------------|---|
| Product | POTASSIUM IODIDE, 0.1 MOLAR SOLUTION |
|----------------|---|

| | |
|-----------------|------------------------------------|
| Synonyms | Potassium Iodide, Aqueous Solution |
|-----------------|------------------------------------|

Section 2 Hazards identification

Signal word: WARNING**Pictograms:** GHS07**Target organs:** Thyroid**GHS Classification:**

Acute toxicity, oral (Category 5)

Skin sensitization (Category 1A)

GHS Label information: Hazard statement:

H303: May be harmful if swallowed.

H317: May cause an allergic skin reaction.

Precautionary statement:

P261: Avoid breathing mist/vapours/spray.

P272: Contaminated work clothing should not be allowed out of the workplace.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water and soap.

P333+P313: If skin irritation or rash occurs: Get medical attention.

P312: Call a POISON CENTER or doctor if you feel unwell.

P362+P364: Take off contaminated clothing and wash it before reuse.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|------------------|-----------|--------|-----------|
| Water | 7732-18-5 | 98.34% | 231-791-2 |
| Potassium iodide | 7681-11-0 | 1.66% | 231-659-4 |

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. CAUSES RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Contact with strong oxidizers may cause fire or explosion.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|---------------------------------------|------------------|------------------------|------------------|
| | Particulates not otherwise classified | None established | TWA: 15 ppm total dust | None established |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

| | | |
|--|---|---|
| Appearance: Clear, colorless liquid. Odor: No odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: Approximately 0°C (32°F) (water) Boiling point: Approximately 100°C (212°F) (water) Flash point: Data not available | Evaporation rate (Water = 1): <1 Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water) Relative density (Specific gravity): Approximately 1.0 (water) Solubility(ies): Complete in water. | Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture |
|--|---|---|

Section 10 Stability and reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Protect from light, air, moisture and excessive temperatures which cause evaporation.

Incompatible materials: Reacts violently with alkaline metals, diazonium salts, oxidants, bromine and chlorine trifluorides, and fluorine perchlorate, and may cause explosion and/or fire. NOTE: Solutions of this product are corrosive to most metals.

Hazardous decomposition products: Yields iodine when in contact with air. Releases iodine, potassium monoxide, and hydrogen iodide, when in contact with moist air.

Section 11 Toxicological information

Acute toxicity: Oral-rat LD50: 4800 mg/kg [Potassium iodide]

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: May cause irritation of respiratory tract.

Ingestion: Large doses may cause gastrointestinal upset and weakness.

Skin: May cause mild irritation and redness on prolonged contact.

Eyes: Can be irritating with redness and pain.

Signs and symptoms of exposure: Hypothyroidism with possibility of goitre (hypertrophy of the thyroid gland), possible sensitization of skin. Chronic ingestion of iodides may produce "iodism" which may be characterized by skin rash, running nose, headache, and irritation of mucous membranes. Weakness, anemia, loss of weight, and general depression may also occur. **Additional information: RTECS #:** NN1575000 [Potassium iodide]

Section 12 Ecological information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: No

Marine pollutant: No

Exceptions: Not applicable

2020 ERG Guide #: Not applicable

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERCLA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|------------------|--------|-------------|------------|--------|------------|--|
| Potassium iodide | Listed | Not listed | Not listed | Listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Hour Emergency
 Phone Number (800) 424-9300**
 For laboratory and industrial use only.
 Not for drug, food or household use.

| | |
|----------------|--|
| Product | SODIUM BROMIDE 0.1 MOLAR SOLUTION |
|----------------|--|

| | |
|-----------------|--------------------------------|
| Synonyms | Sodium Bromide, Water Solution |
|-----------------|--------------------------------|

Section 2 Hazards identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: None required

Pictograms: No symbol required

Target organs: None known

GHS Classification: None required

GHS Label information: Hazard statement: None required

Precautionary statement: None required

Supplemental Information:

Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|----------------|-----------|--------|-----------|
| Water | 7732-18-5 | 98.97% | 231-791-2 |
| Sodium bromide | 7647-15-6 | 1.03% | 231-599-9 |

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use extinguishing agent suitable for type of surrounding fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: Solutions: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Recover for reuse if not contaminated. Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale mist/vapours or spray.. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, dry, well-ventilated area away from incompatible substances. Keep away from ignition sources.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|----------------|-----------------|-----------------|----------------|
| | Sodium bromide | Not established | Not established | Not establishe |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

| | | |
|--|---|--|
| Appearance: Clear, colorless liquid | Evaporation rate (Butyl acetate = 1): <1 | Partition coefficient: Data not available |
| Odor: No odor. | Flammability (solid/gas): Data not available | Auto-ignition temperature: Data not available |
| Odor threshold: Data not available | Explosion limits: Lower / Upper: Data not available | Decomposition temperature: Data not available |
| pH: Data not available | Vapor pressure (mm Hg): 14 (water) | Viscosity: Data not available |
| Melting / Freezing point: Approximately 0 °C (32°F) (Water) | Vapor density (Air = 1): 0.7 (water) | Molecular formula: Mixture |
| Boiling point: Approximately 100°C (212°F) | Relative density (Specific gravity): Approximately 1.0 (water) | Molecular weight: Mixture |
| Flash point: Data not available | Solubility(ies): Complete in water. | |

Section 10 Stability and reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation.

Incompatible materials: Strong oxidizers and acids.

Hazardous decomposition products: Hydrogen bromide gas and/or bromine gas.

Section 11 Toxicological information

Acute toxicity: Oral-rat LD50: 3500 mg/kg ; Dermal rabbit LD50: 2000 mg/kg (Sodium bromide)

Skin corrosion/irritation: Data not available.

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC classified: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation may cause dizziness, drowsiness, nausea, vomiting, inability to concentrate and irritation of the throat.

Ingestion: Ingestion causes dizziness, drowsiness, decreased reaction, euphoria, nausea, vomiting, staggering gait and coma.

Skin: Contact with skin causes irritation defatting on prolonged contact.

Eyes: Contact with eyes may cause blindness.

Signs and symptoms of exposure: See Potential health effects above. To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated. Specific data is not available. Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: VZ3150000 (Sodium bromide)

Section 12 Ecological information

Toxicity to fish: Lepomis macrochirus (Bluegill, Sunfish), concentration: >1000 mg/L/96H (Sodium bromide)

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Water flea), concentration:> 1000 mg/L/48H (Sodium bromide)

Toxicity to algae: Scenedesmus pannonicus (Algae), concentration: 5800 mg/L/24H (Sodium bromide)

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable **Shipping name:** Not Regulated

Hazard class: Not applicable **Packing group:** Not applicable

Reportable Quantity: No

Marine pollutant: No

Exceptions: Not applicable **2020 ERG Guide #** Not applicable

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|----------------|--------|-------------|------------|--------|------------|--|
| Sodium bromide | Listed | Not listed | Not listed | Listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Hour Emergency
 Phone Number (800) 424-9300**
 For laboratory and industrial use only.
 Not for drug, food or household use.

| | |
|----------------|--|
| Product | SODIUM CHLORIDE, 0.1 MOLAR SOLUTION |
|----------------|--|

| | |
|-----------------|---------------------------------|
| Synonyms | Sodium Chloride, Water Solution |
|-----------------|---------------------------------|

Section 2 Hazards identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: Not classified
Pictograms: Not classified
Target organs: None known

GHS Classification: Not classified
GHS Label information: Hazard statement(s): Not classified
Precautionary statement(s): Not classified

Supplementary information:

Do not breathe mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known
 Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|-----------------|-----------|--------|-----------|
| Water | 7732-18-5 | 99.42% | 231-791-2 |
| Sodium chloride | 7647-14-5 | 0.58% | 231-598-3 |

Section 4 First aid measures

INGESTION: Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale mist/vapours/spray. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Store away from acids.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|-----------------|------------------|------------------|------------------|
| | Sodium chloride | None established | None established | None established |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

| | | |
|--|---|---|
| Appearance: Clear, colorless liquid. Odor: No odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: Approximately 0°C (32°F) (water) Boiling point: Approximately 100°C (212°F) (water) Flash point: Data not available | Evaporation rate (Water = 1): <1 Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water) Relative density (Specific gravity): Approximately 1.0 (water) Solubility(ies): Complete in water. | Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture |
|--|---|---|

Section 10 Stability and reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation.

Incompatible materials: Strong acids.

Hazardous decomposition products: Electrolysis can produce chlorine gas.

Section 11 Toxicological information

Acute toxicity: Oral-rat LD50: 3000 mg/kg [Sodium chloride]

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation of dust leaves salty taste with mild irritation to mucous membrane in nose and throat.

Ingestion: Ingestion of large amounts (more than 0.1 pound) may cause vomiting.

Skin: Contact may cause very slight irritation.

Eyes: Contact may cause very slight irritation.

Signs and symptoms of exposure: Gross overexposure over a long period of time, results in dehydration.

Additional information: RTECS #: VZ4725000 [Sodium chloride]

Section 12 Ecological information

Toxicity to fish: Lepomis macrochirus (fish, freshwater) LC50: 9,675 mg/l/96 hours [Sodium chloride]

Toxicity to daphnia and other aquatic invertebrates: Daphnia magna (Crustacea) EC50: 6,175 mg/l/16 hours [Sodium chloride]

Toxicity to algae: Anabaena variabilis (Algae) LC50: 23,565 mg/l/4 day [Sodium chloride]

Persistence and degradability: No data available **Bioaccumulative potential:** No data available

Mobility in soil: No data available **PBT and vPvB assessment:** No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: No

Marine pollutant: No

Exceptions: Not applicable

2020 ERG Guide # Not applicable

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|-----------------|--------|-------------|------------|--------|------------|--|
| Sodium chloride | Listed | Not listed | Not listed | Listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Hour Emergency
 Phone Number (800) 424-9300**
 For laboratory and industrial use only.
 Not for drug, food or household use.

| | |
|----------------|---|
| Product | SULFURIC ACID, 1 Molar (2 NORMAL) SOLUTION |
|----------------|---|

| | |
|-----------------|---|
| Synonyms | Sulfuric Acid, Water Solution (1M / 2N) |
|-----------------|---|

Section 2 Hazards identification

Signal word: DANGER**Pictograms:** GHS08 / GHS05**Target organs:** Respiratory system, skin, eyes, teeth.**GHS Classification:**

Corrosive to metals (Category 1)

Skin corrosion (Category 1A)

Eye damage (Category 1)

Carcinogenicity (Category 1A)

GHS Label information: Hazard statement(s):

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage.

H318: Causes serious eye damage.

H350: May cause cancer.

Precautionary statement(s):

P260: Do not breathe mist/vapours/spray.

P264: Wash hands thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P310: Immediately call a POISON CENTER or doctor.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P405: Store locked up.

P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known

Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|---------------|-----------|--------|-----------|
| Water | 7732-18-5 | 94.76% | 231-791-2 |
| Sulfuric acid | 7664-93-9 | 5.23% | 231-639-5 |

Section 4 First aid measures

INGESTION: HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: CAUSES SERIOUS IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: CAUSES IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Product is a water reactive material, DO NOT USE WATER! Use dry chemicals only for extinguishing.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Use water on combustibles burning in vicinity of acid but use care as water applied to the acid results in severe generation of heat and may cause boiling and splattering. Sulfuric acid will not burn, but is capable of igniting finely divided combustible materials on contact. May react violently with organic materials and water with the evolution of heat. Contact with reactive metals, e.g. aluminum, may result in the generation of flammable hydrogen gas.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Remove all sources of ignition. Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances. Hygroscopic material. Never add water to this solution, always add acid, slowly and in small amounts to water to avoid splattering.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|---------------|---------------------------------|--------------------------|--------------------------|
| | Sulfuric acid | TWA: 0.2 mg/m ³ (A2) | TWA: 1 mg/m ³ | TWA: 1 mg/m ³ |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: Use a chemical fume hood and/or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

| | | |
|---|---|---|
| Appearance: Clear to slightly cloudy liquid. | Evaporation rate (Water = 1): <1 | Partition coefficient: Data not available |
| Odor: Slightly pungent odor. | Flammability (solid/gas): Data not available. | Auto-ignition temperature: Data not available |
| Odor threshold: Data not available. | Explosion limits: Lower / Upper: Data not available | Decomposition temperature: Data not available. |
| pH: Data not available. | Vapor pressure (mm Hg): 14 (water) | Viscosity: Data not available. |
| Melting / Freezing point: Approximately 0°C (32°F) (water) | Vapor density (Air = 1): 0.7 (water) | Molecular formula: Mixture |
| Boiling point: Approximately 100°C (212°F) (water) | Relative density (Specific gravity): Approximately 1.0 (water) | Molecular weight: Mixture |
| Flash point: Data not available | Solubility(ies): Complete in water. | |

Section 10 Stability and reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.
Conditions to avoid: Avoid contact with water and heat. Avoid temperatures above 250°C (482°F).
Incompatible materials: Alkalies, amines, anhydrides, combustibles, organics, oxidizers, powdered metals.
Hazardous decomposition products: Sulfur trioxide and/or sulfur dioxide. Hydrogen gas by reaction with metals.

Section 11 Toxicological information

Acute toxicity: Oral-rat LD50: 2140 mg/kg ; Inhalation-rat LC50: 510 mg/m³/2 hours (Sulfuric acid)
Skin corrosion/irritation: Skin-rabbit - causes burns (Sulfuric acid)
Serious eye damage/irritation: Eyes-rabbit - causes burns (Sulfuric acid)
Respiratory or skin sensitization: Data not available
Germ cell mutagenicity: Data not available
Carcinogenicity: Data not available
 NTP: This product contains a chemical known to be a human carcinogen. (Sulfuric acid)
 IARC classified: Group 1: Carcinogenic to humans. [Acid mists, strong inorganic]
 OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
 CA Prop 65: ⚠️ WARNING! : This product can expose you a chemical, Strong inorganic acid mists containing sulfuric acid, which is known to the State of California to cause cancer.
Reproductive toxicity: Data not available
STOT-single exposure: Data not available
STOT-repeated exposure: Data not available
Aspiration hazard: Data not available
Potential health effects:
 Inhalation: Inhalation of this material is irritating and/or corrosive to the nose, throat and lungs. It may also cause burns to the respiratory tract with the production of lung edema which can result in shortness of breath, wheezing, choking, chest pain and impairment of lung function. Inhalation of high concentrations may result in permanent lung damage. Repeated inhalation may cause bronchitis, and also etching of dental enamel followed by the erosion of the enamel and dentine with loss of tooth substance.
 Ingestion: Ingestion may cause irritation and/or burns to the entire gastrointestinal tract, including the stomach and intestines, characterized by nausea, vomiting, diarrhea, abdominal pain, bleeding and/or tissue ulceration.
 Skin: Skin contact can cause severe irritation and/or burns characterized by redness, swelling and scab formation.
 Eyes: Severe irritation and/or burns can occur following eye exposure. Contact may cause impairment of vision and corneal damage.
Signs and symptoms of exposure: Burning sensation, cough, wheezing, laryngitis, shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema. Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin.
Additional information: RTECS #: WS560000 (Sulfuric acid)

Section 12 Ecological information

Toxicity to fish: LC50 - Gambusia affinis (Mosquito fish) - 42 mg/l - 96 h (Sulfuric acid)
Toxicity to daphnia and other aquatic invertebrates: Crangon crangon (crustacea) 70-80 mg/l/48 hours (Sulfuric acid)
Toxicity to algae: No data available
Persistence and degradability: No data available **Bioaccumulative potential:** No data available
Mobility in soil: No data available **PBT and vPvB assessment:** No data available
Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: UN2796 **Shipping name:** Sulfuric acid
Hazard class: 8 **Packing group:** II **Reportable Quantity:** 1,000 lbs (454 kg) **Marine pollutant:** No
Exceptions: Limited quantity equal to or less than 1 L **2020 ERG Guide #** 157

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|---------------|--------|-------------------|-----------|--------|------------|--|
| Sulfuric acid | Listed | 1000 lbs (454 kg) | D002 | Listed | Not listed | ⚠️ WARNING -Cancer - www.P65Warnings.ca.gov. |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Hour Emergency
 Phone Number (800) 424-9300**
 For laboratory and industrial use only.
 Not for drug, food or household use.

| | |
|-----------------|--------------------------|
| Product | ZINC METAL |
| Synonyms | Zinc / Zinc Metal Pieces |

Section 2 Hazards identification

This substance or mixture has not been classified as hazardous according to the Globally Harmonized System (GHS) of Classification and Labeling of Chemicals.

Signal word: Not classified
Pictograms: Not classified
Target organs: None known

GHS Classification: Not classified
GHS Label information: Hazard statement(s): Not classified
Precautionary statement(s): Not classified

Supplemental information:

SHARP EDGES! ABRASIVE TO SKIN. USE CARE WHEN HANDLING.
 Do not breathe dust. Do not get in eyes, on skin, or on clothing. Wear protective gloves/protective clothing/eye protection/face protection. Wash hands thoroughly after handling. Get medical attention if you feel unwell.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Combustible dust
 Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|---------------|-----------|------|-----------|
| Zinc, pieces | 7440-66-6 | 100% | 231-175-3 |

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: HARMFUL IF INHALED AS FUME. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE MECHANICAL IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY CAUSE DERMATITIS. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use triclass, dry chemical fire extinguisher. Do NOT use water on fire where molten metal is present.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion. Molten metals produce fume, vapor and/or dust that may be toxic and/or a respiratory irritant. Metal reacts with oxidizing agents. Small chips, turnings, and dust with ignite readily. Dust cloud may be explosive.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Read label on container before using. Do not wear contact lenses when working with chemicals. Keep container tightly closed. Keep out of reach of children. Use with adequate ventilation. Wash thoroughly after handling.

Handling: Use with adequate ventilation. Avoid contact with eyes, skin and clothing. Avoid ingestion. Do not inhale fumes from molten metals. Wash thoroughly after handling. Remove and wash clothing before reuse.

Storage: Store in a cool, dry, well-ventilated area away from incompatible substances.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|---------------------------------------|------------------|--|------------------|
| | Particulates not otherwise classified | None established | TWA: 5 mg/m ³ respirable fraction | None established |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If dusty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

| | | |
|---|---|--|
| Appearance: Solid. Metallic silver-gray Odor: No odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: 419°C (787°F) Boiling point: 907°C (1665°F) Flash point: Not applicable | Evaporation rate (= 1): Not applicable Flammability (solid/gas): Not applicable Explosion limits: Lower / Upper: Not applicable Vapor pressure (mm Hg): Data not available Vapor density (Air = 1): Data not available Relative density (Specific gravity): 7.12 Solubility(ies): Insoluble | Partition coefficient: Data not available Auto-ignition temperature: Not applicable Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Zn Molecular weight: 65.38 |
|---|---|--|

Section 10 Stability and reactivity

Chemical stability: Stable

Hazardous polymerization: Will not occur.

Conditions to avoid: Excessive temperatures. Hydrogen may evolve when in contact with water or damp air.

Incompatibilities with other materials: Strong acids, halogens, acids, alkalis and water.

Hazardous decomposition products: Zinc oxides and zinc fumes. Reacts with water, acids or alkalis to generate hydrogen gas.

Section 11 Toxicological information

Acute toxicity: Data not available

Skin corrosion/irritation: Data not available

Serious eye damage/irritation: Data not available

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation of dust or fume may cause irritation to eyes, nose, throat, and cause a metallic taste in the mouth. May cause metal fume fever or produce flu-like symptoms.

Ingestion: May be harmful if swallowed.

Skin: May cause dermatitis.

Eyes: Contact with eyes may cause mechanical irritation.

Signs and symptoms of exposure: Over-heating of alloy can produce metal fumes and oxides. Over-exposure to dust and fumes may cause mouth, eye, and nose irritation.

Additional information: RTECS #: None assigned

Section 12 Ecological information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available

Bioaccumulative potential: No data available

Mobility in soil: No data available

PBT and vPvB assessment: No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: No

Marine pollutant: No

Exceptions: Not applicable

2020 ERG Guide #: Not applicable

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|-----------|--------|-------------|------------|--------|------------|--|
| Zinc | Listed | Not listed | Not listed | Listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.

Section 1 Identification

Page E1 of E2

Innovating Science[®] by Aldon Corporation
 "cutting edge science for the classroom"

221 Rochester Street
 Avon, NY 14414-9409
 (585) 226-6177

**CHEMTREC 24 Hour Emergency
 Phone Number (800) 424-9300**
 For laboratory and industrial use only.
 Not for drug, food or household use.

| | |
|----------------|---|
| Product | ZINC NITRATE, 0.1 MOLAR SOLUTION |
|----------------|---|

| | |
|-----------------|------------------------------|
| Synonyms | Zinc Nitrate, Water Solution |
|-----------------|------------------------------|

Section 2 Hazards identification

Signal word: WARNING
Pictograms: GHS07
Target organs: None known

**GHS Classification:**

Acute toxicity (Category 5)
 Skin irritation (Category 3)
 Eye irritation (Category 2B)
 STOT SE (Category 3)

GHS Label information: Hazard statement:

H303: May be harmful if swallowed.
 H316: Causes mild skin irritation.
 H320: Causes eye irritation.
 H335: May cause respiratory irritation.

Precautionary statement:

P261: Avoid breathing mist/vapours/spray.
 P264: Wash hands thoroughly after handling.
 P271: Use only outdoors or in a well-ventilated area.
 P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313: If eye irritation persists: Get medical attention.
 P332+P313: If skin irritation occurs: Get medical attention.
 P312: Call a POISON CENTER or doctor if you feel unwell.
 P403+P233: Store in a well-ventilated place. Keep container tightly closed.
 P405: Store locked up.
 P501: Dispose of contents/container to a licensed chemical disposal agency in accordance with local/regional/national regulations.

Hazards not otherwise classified:

Health hazards not otherwise classified (HHNOC) - Not Known
 Physical hazards not otherwise classified (PHNOC) - Not Known

Section 3 Composition / information on ingredients

| Chemical Name | CAS # | % | EINECS |
|---------------------------|------------|--------|-----------|
| Water | 7732-18-5 | 97.03% | 231-791-2 |
| Zinc nitrate, hexahydrate | 10196-18-6 | 2.97% | 231-943-8 |

Section 4 First aid measures

INGESTION: MAY BE HARMFUL IF SWALLOWED. Call physician or Poison Control Center immediately. Induce vomiting only if advised by appropriate medical personnel. Never give anything by mouth to an unconscious person.

INHALATION: MAY BE HARMFUL IF INHALED. MAY CAUSE RESPIRATORY TRACT IRRITATION. Remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

EYE CONTACT: MAY CAUSE EYE IRRITATION. Check for and remove contact lenses. Flush thoroughly with water for at least 15 minutes, lifting upper and lower eyelids occasionally. Get immediate medical attention.

SKIN ABSORPTION: MAY BE HARMFUL IF ABSORBED THROUGH SKIN. MAY CAUSE SKIN IRRITATION. Remove contaminated clothing. Flush thoroughly with mild soap and water. If irritation occurs, get medical attention.

Section 5 Fire fighting measures

Suitable Extinguishing Media: Use any media suitable for extinguishing supporting fire.

Protective Actions for Fire-fighters: In fire conditions, wear a NIOSH/MSHA-approved self-contained breathing apparatus and full protective gear. Use water spray to keep fire-exposed containers cool.

Specific Hazards: In fire conditions, water may evaporate from this solution which may cause hazardous decomposition products to be formed as dust or fume.

Section 6 Accidental release measures

Personal Precautions: Evacuate personnel to safe area. Use proper personal protective equipment as indicated in Section 8. Provide adequate ventilation.

Environmental Precautions: Avoid runoff into storm sewers and ditches which lead to waterways.

Containment and Cleanup: Absorb with inert dry material, sweep or vacuum up and place in a suitable container for proper disposal. Wash spill area with soap and water.

Precautions for Safe Handling: Read label on container before using. Do not wear contact lenses when working with chemicals. Keep out of reach of children. Avoid contact with eyes, skin and clothing. Do not inhale vapors, spray or mist. Use with adequate ventilation. Avoid ingestion. Wash thoroughly after handling. Remove and wash clothing before reuse.

Conditions for Safe Storage: Store in a cool, well-ventilated area away from incompatible substances.

Section 8 Exposure controls / personal protection

| Exposure Limits: | Chemical Name | ACGIH (TLV) | OSHA (PEL) | NIOSH (REL) |
|------------------|---------------|-----------------|-----------------|-----------------|
| | Zinc nitrate | Not established | Not established | Not established |

Engineering controls: Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower and fire extinguishing material. Personnel should wear safety glasses, goggles, or faceshield, lab coat or apron, appropriate protective gloves. Use adequate ventilation to keep airborne concentrations low.

Respiratory protection: None should be needed in normal laboratory handling at room temperatures. If misty conditions prevail, work in fume hood or wear a NIOSH/MSHA-approved respirator.

Section 9 Physical and chemical properties

| | | |
|--|---|---|
| Appearance: Clear, colorless liquid. Odor: No odor. Odor threshold: Data not available. pH: Data not available. Melting / Freezing point: Approximately 0°C (32°F) (water) Boiling point: Approximately 100°C (212°F) (water) Flash point: Data not available | Evaporation rate (Water = 1): <1 Flammability (solid/gas): Data not available. Explosion limits: Lower / Upper: Data not available Vapor pressure (mm Hg): 14 (water) Vapor density (Air = 1): 0.7 (water) Relative density (Specific gravity): Approximately 1.0 (water) Solubility(ies): Complete in water. | Partition coefficient: Data not available Auto-ignition temperature: Data not available Decomposition temperature: Data not available. Viscosity: Data not available. Molecular formula: Mixture Molecular weight: Mixture |
|--|---|---|

Section 10 Stability and reactivity

Chemical stability: Stable **Hazardous polymerization:** Will not occur.

Conditions to avoid: Excessive temperatures which cause evaporation.

Incompatible materials: Combustible materials, reducing agents, organic materials, metal powders, stannous chloride, phosphorous, thiocyanates, cyanides, sodium hypophosphite.

Hazardous decomposition products: Nitrogen oxides and toxic fumes of zinc oxides.

Section 11 Toxicological information

Acute toxicity: Oral-rat LD50: 1190 mg/kg ; Dermal-rabbit LD50: 2400 mg/kg [Zinc nitrate, hexahydrate]

Skin corrosion/irritation: Irritant

Serious eye damage/irritation: Irritant

Respiratory or skin sensitization: Data not available

Germ cell mutagenicity: Data not available

Carcinogenicity: Data not available

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

Ca Prop 65: This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity.

Reproductive toxicity: Data not available

STOT-single exposure: Data not available

STOT-repeated exposure: Data not available

Aspiration hazard: Data not available

Potential health effects:

Inhalation: Inhalation causes cough, sore throat.

Ingestion: Ingestion causes abdominal cramps, abdominal pain, blue lips, fingernails and skin, nausea.

Skin: Contact with skin causes redness and pain.

Eyes: Contact with eyes causes redness, pain and blurred vision.

Signs and symptoms of exposure: Exercise appropriate procedures to minimize potential hazards.

Additional information: RTECS #: ZH4775000 [Zinc nitrate, hexahydrate]

Section 12 Ecological information

Toxicity to fish: No data available

Toxicity to daphnia and other aquatic invertebrates: No data available

Toxicity to algae: No data available

Persistence and degradability: No data available **Bioaccumulative potential:** No data available

Mobility in soil: No data available **PBT and vPvB assessment:** No data available

Other adverse effects: An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

Section 13 Disposal considerations

These disposal guidelines are intended for the disposal of catalog-size quantities only. Federal regulations may apply to empty container. State and/or local regulations may be different. Dispose of in accordance with all local, state and federal regulations or contract with a licensed chemical disposal agency.

Section 14 Transport information

UN/NA number: Not applicable

Shipping name: Not Regulated

Hazard class: Not applicable

Packing group: Not applicable

Reportable Quantity: Yes

Marine pollutant: No

Exceptions: Not applicable

2020 ERG Guide #: Not applicable

Section 15 Regulatory information

A chemical is considered to be listed if the CAS number for the anhydrous form is on the Inventory list.

| Component | TSCA | CERLCA (RQ) | RCRA code | DSL | NDSL | CA Prop 65 |
|-------------------------|--------|-------------------|------------|------------|------------|--|
| Zinc nitrate (as solid) | Listed | 1000 lbs (454 kg) | Not listed | Not listed | Not listed | This product does not contain any chemicals known to the State of California to cause cancer or reproductive toxicity. |

Section 16 Other information

The information contained herein is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determinations of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. NTP: National Toxicology Program, IARC: International Agency for Research on Cancer, OSHA: Occupational Safety and Health Administration, STOT: Specific Target Organ Toxicity, SE: Single Exposure, RE: Repeated Exposure, ERG: Emergency Response Guidebook.